


# **DATA DICTIONARY FOR THE NASA PROPERTY DISPOSAL MANAGEMENT SYSTEM (NPDMS)**

Release 2.3

PrISMS Contract

April 1999



National Aeronautics and  
Space Administration

**George C. Marshall Space Flight Center**  
Huntsville, AL 35812

**TABLE OF CONTENTS**

INTRODUCTION ..... 1

SCREEN FIELDS ..... 4

APPENDIX A  
ACCESS NAME TO SCREEN NAME CROSS REFERENCE ..... 253

APPENDIX B  
DATABASE FIELDS THAT DO NOT APPEAR ON SCREEN..... 271

APPENDIX C  
ENTITY DEFINITIONS ..... 313

APPENDIX D  
DESCRIPTIVE NAME TO ACCESS NAME CROSS-REFERENCE ..... 323

APPENDIX E  
NPDMS STANDARD WORDS..... 343

## **INTRODUCTION**

The NASA Property Disposal Management System (NPDMS) *Data Dictionary AIM-NPDMS-DD-04.5* will be issued with applicable deliverable documents (i.e., *NPDMS Requirement Specification AIM-NPDMS-RS-04 Document*). The Data Dictionary is in five sections as follows:

1. The body of the Data Dictionary is sorted alphabetically by screen name as it appears on a screen. For example, the screen name CC (Condition Code) appears on several NPDMS screens, look-up CC and double check for more than one definition. Two definitions are given for CC. The first gives a detailed definition of condition codes and its possible values, while the second definition explains the use of CC at the component system level.
2. Appendix A provides the data base fields in alphabetically sorted order by Access Name and provides a cross-reference to the screen name.
3. Appendix B lists the data base fields alphabetically that do not appear on screens.
4. Appendix C provides the Entity Definitions in alphabetically sorted order by Entity Name.
5. Appendix D provides the data base fields in alphabetically sorted order by Descriptive Names and provides a cross-reference to the Access Name.
6. Appendix E provides the NPDMS Standard Words list. This listing contains the Prime, Modifier, and Class word and their abbreviations that make up NPDMS Access Names. The abbreviations for these words were developed using the National Institute for Standards and Technology (NIST) guidelines adopted by the NASA Automated Information Management (AIM) Program Office.

The following terms and definitions are provided as reference for this Data Dictionary:

**ENTITY** - An Entity is a person, place, thing, organization, concept or event about which an organization is interested in storing information (Attributes) on to accomplish the business mission. Example:

- REQUESTOR: An individual or agency who initiates a request to acquire Idle NASA Personal Property.

**ATTRIBUTE** - An attribute is a property or characteristic of an entity. For example, the entity REQUESTER has specific attributes (or data elements) that further describe it (including name, telephone, address, city, state, etc.). An attribute consists of the following:

- Descriptive Name
- Access Name
- Data Element Definition
- Format
- Length
- Edit Criteria
- Screen Name

**ACCESS NAME** - The Access Name is an abbreviated form of the Descriptive Name. It is the standard technical or system name formed by applying data processing syntactical and lexical rules. Using the descriptive name above, the Access Name would be:

- RQSTR-PHN-NMBR

**DESCRIPTIVE NAME** - An unabbreviated English-like phrase describing the data element. The Descriptive Name may be viewed as the standard user name. Example:

- REQUESTOR PHONE NUMBER

**DATA ELEMENT DEFINITION** - Identifies the essential qualities or meaning of the data element by providing a simple, precise narrative that presents only one acceptable interpretation of the element. Example:

- Data Element = REQUESTOR PHONE NUMBER
- Definition = The telephone number, including area code, of the person or contact requesting Idle NASA Personal Property.

**FORMAT** - A data element attribute that characterizes the type of data to be stored in the NPDMS Database.

- Alphanumeric
- Numeric

**LENGTH** - A data element attribute that indicates the maximum number of characters (length) to be stored in the NPDMS database.

- 10

**EDIT CRITERIA** - The processing rules that are applied against a data element to ensure erroneous data is not stored in the system.

- Free form. If entered, must include area code.

**SCREEN NAME** - The Screen Name is a label corresponding to a particular non-data or data element.

- Case No = PROP-CASE-NMBR

### **SCREEN FIELDS**

**SCREEN NAME:** 1348 DOC  
**ACCESS NAME:** RPT-1348-DCMNT-NMBR  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 1348 DOCUMENT NUMBER

**DATA ELEMENT DEFINITION:**

A unique aggregate number generated by the NPDMS and placed on each DD-1348-1A that is produced by the system. This field consists of the INST-FEDAAC-CODE, the Julian date (YDDD), and the serial number. The serial number is generated sequentially starting with 0001 using DRMO Serial Number Table- 112.

**FORMAT:** Alphanumeric  
**LENGTH:** 14

**EDIT CRITERIA**

Generated like the PROP-CASE-NMBR (Positions 1-6 are the INST-FEDAAC-CODE, positions 7-10 are the current Julian date and positions 11-14 are the serial number).

---

**SCREEN NAME:** ABAND/DESTRUCT DOC NO  
**ACCESS NAME:** PROP-ABNDSTRYD-DCMNT-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY DOCUMENT NUMBER

**DATA ELEMENT DEFINITION:**

The number assigned to the document recording the property that was abandoned or destroyed.

**FORMAT:** Alphanumeric  
**LENGTH:** 14

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** ABANDONED OR DESTROYED  
**ACCESS NAME:** PROP-ABNDSTRYD-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

This field indicates if the property is being abandoned or destroyed. A - Abandoned D - Destroyed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 'A' or 'D'.

---

**SCREEN NAME:** ACQ COST

**ACCESS NAME:** PROP-ADJSTD-ACQSTN-COST-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY

**DATA ELEMENT DEFINITION:**

The current unit adjusted acquisition cost amount of the personal property.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

User entered. Cannot be a negative amount.

---

**SCREEN NAME:** ACTUAL PROP PAYMENT DATE

**ACCESS NAME:** PROP-PYMNT-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ACTUAL PROPERTY PAYMENT DATE

**DATA ELEMENT DEFINITION:**

The specific date on which the full payment for the sold personal property is received from the purchaser.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Entered. Cannot be greater than the ACTUAL PROP-RMVL-DATE. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:** ACTUAL PROP REMOVAL DATE  
**ACCESS NAME:** PROP-RMVL-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ACTUAL PROPERTY REMOVAL DATE

**DATA ELEMENT DEFINITION:**

The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year.  
Stored in Internal Date format.

---

**SCREEN NAME:** ACTUAL REMOVAL DATE  
**ACCESS NAME:** PROP-RMVL-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ACTUAL PROPERTY REMOVAL DATE

**DATA ELEMENT DEFINITION:**

The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year.  
Stored in Internal Date format.

---

**SCREEN NAME:** ADDITIONAL COMPONENT ITEMS (Y/N)  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**  
**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for processing for additional item records associated with a specific property case number.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are Y or N.

---

**SCREEN NAME:** **ADDITIONAL OPTIONAL ITEM NAME**

ACCESS NAME: PROP-OPTNL-ITEM-NAME

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY ITEM OPTIONAL NAME

**DATA ELEMENT DEFINITION:**

Contains the TECHNICAL ITEM NAME from NSMS.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Extracted from NSMS if applicable, otherwise this field will be blank.

---

**SCREEN NAME:** **ADDRESS (ABNDSTRYD FIRST LINE)**

ACCESS NAME: PROP-ABNDSTRYD-LINE1-ADRS

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY SITE ADDRESS  
LINE 1

**DATA ELEMENT DEFINITION:**

The local street/route/box number of the site where property was abandoned or destroyed.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **ADDRESS (ABNDSTRYD SECOND LINE)**

ACCESS NAME: PROP-ABNDSTRYD-LINE2-ADRS

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY SITE ADDRESS  
LINE 2

**DATA ELEMENT DEFINITION:**

Continuation of the site address where property was abandoned or destroyed.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** ADDRESS (BIDDER FIRST LINE)

**ACCESS NAME:** PROP-BIDDER-LINE1-ADRS

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BIDDER LINE 1 ADDRESS

**DATA ELEMENT DEFINITION:**

The local street/route/box number of the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Must be entered, free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-LINE1-ADRS on the transaction record.

---

**SCREEN NAME:** ADDRESS (BIDDER SECOND LINE)

**ACCESS NAME:** PROP-BIDDER-LINE2-ADRS

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BIDDER LINE 2 ADDRESS

**DATA ELEMENT DEFINITION:**

Continuation of the local address of the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Optional entry, free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-LINE2-ADRS on the transaction record.

---

**SCREEN NAME:** ADDRESS (DODAAC FIRST LINE)  
**ACCESS NAME:** DRMO-DODAAC-LINE1-ADRS  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DODAAC ADDRESS LINE 1  
**DATA ELEMENT DEFINITION:**  
The local street/route/box number of a particular DODAAC.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Free form.

---

**SCREEN NAME:** ADDRESS (DODAAC SECOND LINE)  
**ACCESS NAME:** DRMO-DODAAC-LINE2-ADRS  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DODAAC ADDRESS LINE 2  
**DATA ELEMENT DEFINITION:**  
Continuation of the local address for a particular DODAAC (e.g., Attn: Mail Stop 54).  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Free form.

---

**SCREEN NAME:** ADDRESS (GSA FIRST LINE)  
**ACCESS NAME:** GSA-LINE1-ADRS  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA LINE 1 ADDRESS  
**DATA ELEMENT DEFINITION:**  
The local street/route/box number of a particular GSA Office.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Installation specific. Maintained in the NPDMS GSA Region Table-005.

---

**SCREEN NAME: ADDRESS (GSA SECOND LINE)**

ACCESS NAME: GSA-LINE2-ADRS

ENTITY: GSA

**DESCRIPTIVE NAME:** GSA LINE 2 ADDRESS

**DATA ELEMENT DEFINITION:**

Continuation of the local address for a particular GSA Office (e.g., Attn: Mail Stop 54).

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Installation specific. Must be on the NPDMS GSA Region Table-005.

---

**SCREEN NAME: ADDRESS (INST FIRST LINE )**

ACCESS NAME: INST-LINE1-ADRS

ENTITY: NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION LINE 1 ADDRESS

**DATA ELEMENT DEFINITION:**

The local street/route/box number of a particular NASA Installation.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME: ADDRESS (INST RPTNG CNTCT FIRST LINE)**

ACCESS NAME: INST-RPTNG-CNTCT-LINE1-ADRS

ENTITY: NASA INSTALLATION

**DESCRIPTIVE NAME:** REPORTING INSTALLATION CONTACT ADDRESS LINE 1

**DATA ELEMENT DEFINITION:**

The most current local street/route/box number of a reporting installation's person to contact.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Default maintained in the NPDMS Center Profile Table-050 (INST-LINE1-ADRS). If changed, free form but may not be blank.

---

**SCREEN NAME:** ADDRESS (INST RPTNG CNTCT SECOND LINE)  
**ACCESS NAME:** INST-RPTNG-CNTCT-LINE2-ADRS  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** REPORTING INSTALLATION CONTACT ADDRESS LINE 2  
**DATA ELEMENT DEFINITION:**  
Continuation of the most current local address of a reporting installation's person to contact.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Default maintained in the NPDMS Center Profile Table-050 (INST-LINE2-ADRS). If changed, free form.

---

**SCREEN NAME:** ADDRESS (INST SECOND LINE)  
**ACCESS NAME:** INST-LINE2-ADRS  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION LINE 2 ADDRESS  
**DATA ELEMENT DEFINITION:**  
Continuation of the local address for a particular NASA Installation (e.g., Property and Supply Branch, Code 235.2).  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** ADDRESS (LCTN FIRST LINE)  
**ACCESS NAME:** PROP-LCTN-LINE1-ADRS  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY LOCATION LINE 1 ADDRESS  
**DATA ELEMENT DEFINITION:**  
The local street/route/box number of a particular item of property, if different than the INST-LINE1-ADRS.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30

**EDIT CRITERIA**

Generated (pulled) from Center Profile Table and modifiable.

---

**SCREEN NAME:** ADDRESS (LCTN SECOND LINE)  
**ACCESS NAME:** PROP-LCTN-LINE2-ADRS  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY LOCATION LINE 2 ADDRESS

**DATA ELEMENT DEFINITION:**

Continuation of the local address for a particular item of property (e.g., Property and Supply Branch, Code 235.2), if different than the INST-LINE2-ADRS.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Generated (pulled) from Center Profile Table and modifiable.

---

**SCREEN NAME:** ADDRESS (RQSTR FIRST LINE)  
**ACCESS NAME:** RQSTR-LINE1-ADRS  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR ADDRESS LINE 1

**DATA ELEMENT DEFINITION:**

The local street/route/box number of the property Requestor.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** ADDRESS (RQSTR SECOND LINE)  
**ACCESS NAME:** RQSTR-LINE2-ADRS  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR ADDRESS LINE 2

**DATA ELEMENT DEFINITION:**

Continuation of the local address of the property Requestor (e.g., Attn: Mail Stop 54).

**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Free form.

---

**SCREEN NAME:** ADJ DESC  
**ACCESS NAME:** PROP-CNDTN-ADJSTMNT-DESC  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CONDITION ADJUSTMENT DESCRIPTION  
**DATA ELEMENT DEFINITION:**  
An explanation as to why the property's physical condition or cost, or quantity was adjusted.  
**FORMAT:** Alphanumeric  
**LENGTH:** 80  
**EDIT CRITERIA**  
Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

---

**SCREEN NAME:** ADJ DESCRIPTION  
**ACCESS NAME:** PROP-CNDTN-ADJSTMNT-DESC  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CONDITION ADJUSTMENT DESCRIPTION  
**DATA ELEMENT DEFINITION:**  
An explanation as to why the property's physical condition or cost, or quantity was adjusted.  
**FORMAT:** Alphanumeric  
**LENGTH:** 80  
**EDIT CRITERIA**  
Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

---

**SCREEN NAME:** ADJ - RECEIVED QTY  
**ACCESS NAME:** PROP-CUR-AVLBL-QTY  
**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CURRENT AVAILABLE QUANTITY

**DATA ELEMENT DEFINITION:**

The current number of available items of personal property.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

---

**SCREEN NAME:** ADJUSTMENTS DESCRIPTION

**ACCESS NAME:** PROP-CNDTN-ADJSTMNT-DESC

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CONDITION ADJUSTMENT DESCRIPTION

**DATA ELEMENT DEFINITION:**

An explanation as to why the property's physical condition or cost, or quantity was adjusted.

**FORMAT:** Alphanumeric

**LENGTH:** 80

**EDIT CRITERIA**

Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

---

**SCREEN NAME:** ADPE IDENTIFICATION

**ACCESS NAME:** PROP-ADP-CTGRY-ID

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ADPE PROPERTY CATEGORY IDENTIFICATION

**DATA ELEMENT DEFINITION:**

Identifies the category of Automated Data Processing Equipment and associated supplies and equipment.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA**

Maintained in the NPDMS ADPE Identification Code Table - 075.

0 = Items with no ADP components;

1 = Analog CPUs, ADP central processing units for computers analog;

2 = Digital CPUs, ADP central processing units for computers;

3 = Hybrid CPUs, ADP central processing units for computers;

4 = ADPE input/output and storage devices used to control and transfer information to and from a CPU;  
5 = ADP accessorial equipment;  
6 = Computer-readable format equipment;  
7 = ADP supplies and support equipment;  
8 = ADP components;  
9 = To be assigned to an item containing embedded ADPE that meets one or more of the definitions for codes 1 through 6.

---

**SCREEN NAME: ADPE IDENTIFICATION CODE**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;

'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** **AGENCY IND**

ACCESS NAME: AGENCY-ID

ENTITY: FEDERAL AGENCY

**DESCRIPTIVE NAME:** FEDERAL AGENCY IDENTIFIER

**DATA ELEMENT DEFINITION:**

The acronym designated by the General Services Administration to identify the various NASA reporting locations loaded in GSA's FSS-23. See AGENCY-SITE-CODE for assigned acronym.

**FORMAT:** Alphanumeric

**LENGTH:** 4

**EDIT CRITERIA**

Installation specific. Maintained in the NPDMS Center Profile Table-050. Current values are: NASA; NARC; NFRC; NGSC; NJPL; NJSC; NKSC; NLRC; NLEW; NMSC; NMAF; NSTL; NWFC; NGTS; NREC.

---

**SCREEN NAME:** **AGENCY NAME**

ACCESS NAME: RQSTR-ORGNZTN-NAME

ENTITY: REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR ORGANIZATION NAME

**DATA ELEMENT DEFINITION:**

The name identifying the organization, association, etc. requesting an item of personal property available for transfer, exchange, sale, donation, etc.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:  
PROPERTY)**

**AGENCY NAME (ABANDONED OR DESTROYED**

ACCESS NAME:

PROP-ABNDSTRYD-SITE-NAME

ENTITY:

IDLE NASA PROPERTY

**DESCRIPTIVE NAME:**

ABANDONED OR DESTROYED PROPERTY SITE NAME

**DATA ELEMENT DEFINITION:**

The name of the site where property was abandoned or destroyed.

**FORMAT:**

Alphanumeric

**LENGTH:**

40

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:**

**AGENCY/BUREAU CODE**

ACCESS NAME:

AGNCY-SITE-CODE

ENTITY:

FEDERAL AGENCY

**DESCRIPTIVE NAME:**

FEDERAL AGENCY SITE CODE

**DATA ELEMENT DEFINITION:**

A code used when reporting property to the General Services Administration via electronic media to identify the source of the data. The first two digits of the code identify to GSA the Federal Agency (80 is NASA) with the third and fourth digits of the code indicating the next major organizational level (Bureau) in that Federal Agency. In the case of NASA the third and fourth digits identify the NASA centers.

**FORMAT:**

Alphanumeric

**LENGTH:**

4.0

**EDIT CRITERIA**

Installation specific. Maintained in the NPDMS Center Profile Table-050.

8000 = NASA;

8002 = NARC;

8003 = NFRC;

8004 = NGSC;

8005 = NJPL;

8006 = NJSC;

8007 = NKSC;

8008 = NLRC;

8009 = NLEW;  
8010 = NMSC;  
8011 = NMAF;  
8012 = NSTL;  
8014 = NWFC;  
8017 = NGTS;  
8097 = NREC.

---

**SCREEN NAME: ALLOW IMMEDIATE SUBMISSION**

ACCESS NAME: RPT-IMMED-SUBMSN-IND

ENTITY:

**DESCRIPTIVE NAME:** IMMEDIATE REPORT SUBMISSION INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates if a report is to be submitted for immediate printing rather than being held until the run of the nightly batch process.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = immediate submission, blank = normal batch run.

---

**SCREEN NAME: APPROPRIATION ACCT NO.**

ACCESS NAME: PROP-APRPRTN-ACNT-NMBR

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY APPROPRIATION ACCOUNT NUMBER

**DATA ELEMENT DEFINITION:**

The appropriation account number for those idle cases where the net proceeds from a property disposition are authorized to be turned over to the reporting agency and not deposited in the U.S. Treasury as miscellaneous receipts. In most cases, proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts. The exceptions are:

- 1)- where property sold was originally acquired by funds not appropriated from the general fund of the Treasury, or appropriated therefrom and by law reimbursable from assessments, taxes, or other revenues;
- 2)- where any contract entered into by any executive agency or any subcontract under such contract authorizes the proceeds of any sale of contractor inventory to be credited to the price or cost of the work covered by such contract or subcontract;
- 3)- when acquiring replacement personal property, similar items may be exchanged or sold and executive agencies are authorized to apply the exchange allowance or the proceeds from sale in such cases in total or in partial payment for the replacement property acquired; and

4)- Proceeds from the sale of abandoned or other unclaimed property shall be deposited in a special fund by the finding agency for a period of 3 years.

In exceptions 1) and 2) above, proceeds from the sale of such property will be deposited by the selling agency or by contractor or subcontractor to the reimbursable fund or appropriation or paid to the federal agency accountable for the property. Proceeds from the sale of property identified for Exchange/Sale may be applied in whole or part payment for similar items acquired for replacement purposes.

**FORMAT:** Alphanumeric

**LENGTH:** 48

**EDIT CRITERIA**

The specific appropriation account number or the appropriation station deposit symbol may be entered when the Reimbursement Code indicates that any proceeds from an exchange/sale of the property are to be returned to the reporting agency.

**NOTE:** Default appropriation account numbers may be entered for each reimbursement code maintained on the NPDMS reimbursement Code Table-160.

---

**SCREEN NAME:** APPROPRIATION DATA

**ACCESS NAME:** PROP-APRPRTN-ACNT-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY APPROPRIATION ACCOUNT NUMBER

**DATA ELEMENT DEFINITION:**

The appropriation account number for those idle cases where the net proceeds from a property disposition are authorized to be turned over to the reporting agency and not deposited in the U.S. Treasury as miscellaneous receipts. In most cases, proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts. The exceptions are:

- 1)- where property sold was originally acquired by funds not appropriated from the general fund of the Treasury, or appropriated therefrom and by law reimbursable from assessments, taxes, or other revenues;
- 2)- where any contract entered into by any executive agency or any subcontract under such contract authorizes the proceeds of any sale of contractor inventory to be credited to the price or cost of the work covered by such contract or subcontract;
- 3)- when acquiring replacement personal property, similar items may be exchanged or sold and executive agencies are authorized to apply the exchange allowance or the proceeds from sale in such cases in total or in partial payment for the replacement property acquired; and
- 4)- Proceeds from the sale of abandoned or other unclaimed property shall be deposited in a special fund by the finding agency for a period of 3 years.

In exceptions 1) and 2) above, proceeds from the sale of such property will be deposited by the selling agency or by contractor or subcontractor to the reimbursable fund or appropriation or paid to the federal agency accountable for the property. Proceeds from the sale of property identified

for Exchange/Sale may be applied in whole or part payment for similar items acquired for replacement purposes.

**FORMAT:** Alphanumeric

**LENGTH:** 48

**EDIT CRITERIA**

The specific appropriation account number or the appropriation station deposit symbol may be entered when the Reimbursement Code indicates that any proceeds from an exchange/sale of the property are to be returned to the reporting agency.

**NOTE:** Default appropriation account numbers may be entered for each reimbursement code maintained on the NPDMS reimbursement Code Table-160.

---

**SCREEN NAME:**

**APPROVED BY**

ACCESS NAME: PROP-TXN-APRVD-NAME

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSACTION APPROVED NAME

**DATA ELEMENT DEFINITION:**

The name of the GSA individual who verbally approved the property disposal.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form

---

**SCREEN NAME:**

**APPROVED (TFR DCMT)**

ACCESS NAME: PROP-TRNSFR-DCMNT-APRVD-DATE

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** DATE PROPERTY TRANSFER DOCUMENT APPROVED

**DATA ELEMENT DEFINITION:**

The calendar date the authorized Government official (GSA or NASA) approved the paper transfer documentation needed to accomplish the disposal of personal property. This date is normally found on the appropriate transfer documentation immediately following the signature of the authorized approving Government official.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** ARTIFACT  
**ACCESS NAME:** PROP-ARTFCT-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY ARTIFACT INDICATOR

**DATA ELEMENT DEFINITION:**

An indicator which identifies unique objects that document the history of science and technology of aeronautics, astronautics and flight in atmosphere and space.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = yes; Blank = no, Default is no.

---

**SCREEN NAME:** ARTIFACT (COMPONENT SYSTEM)  
**ACCESS NAME:** CMPNT-ARTFCT-IND  
**ENTITY:** COMPONENT SYSTEM  
**DESCRIPTIVE NAME:** COMPONENT SYSTEM ARTIFACT INDICATOR

**DATA ELEMENT DEFINITION:**

Used to indicate that an item of property belonging to a component system is an artifact.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 'Y' and 'blank'.

---

**SCREEN NAME:** AVERAGE PROCESSING DAY  
**ACCESS NAME:** AGENCY-AVRG-PRCSNG-DAYS-CNT  
**ENTITY:** FEDERAL AGENCY  
**DESCRIPTIVE NAME:** AGENCY AVERAGE PROCESSING DAYS COUNT

**DATA ELEMENT DEFINITION:**

A standard rate established by NASA Headquarters for the number of line items redistributed outside of NASA (Including NASA Contractors and Grantees) divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

**FORMAT:** Packed

**LENGTH:** 3.0

**EDIT CRITERIA**

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

---

**SCREEN NAME:** BEGIN DATE (REPORTS)

**ACCESS NAME:** RPT-BGN-DATE

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT BEGIN DATE

**DATA ELEMENT DEFINITION:**

The calendar date indicating the beginning of a specific reporting cycle.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Internal Date Format.

---

**SCREEN NAME:** BID AMOUNTS

**ACCESS NAME:** PROP-BID-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BID AMOUNT

**DATA ELEMENT DEFINITION:**

The amount of money an individual, or organization/company, is bidding to be considered for award of a specific property lot offered for sale. If awarded the sale and the full PROP-BID-AMT is received in payment for the personal property, the bid amount becomes (is moved to) the PROP-SALE-PRCDS-AMT.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Must be entered, any dollar amount greater than zero.

**SCREEN NAME:** **BID MODIFICATION AMOUNT**  
**ACCESS NAME:** PROP-BID-MDFCTN-AMT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY BID AMOUNT MODIFICATION

**DATA ELEMENT DEFINITION:**

Contains the modified (correct) bid amount determined by an apparent clerical mistake. Any clerical mistake apparent on the face of a bid may be corrected by the sales contracting officer prior to award if the sales contracting officer has first obtained from the bidder verification of the bid amount actually intended (e.g., a bidder bids \$10 each on 10 units, but shows an extended price of \$1,000.00).

**FORMAT:** Packed  
**LENGTH:** 10.2

**EDIT CRITERIA**

User entered, any dollar amount greater than zero.

---

**SCREEN NAME:** **BIDDER NO**  
**ACCESS NAME:** PROP-BIDDER-NMBR; SYS-REC-KEY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY BIDDER NUMBER

**DATA ELEMENT DEFINITION:**

A unique number used to identify a specific individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale. Also used to access the NPDMS Bidder file to extract specific bidder information (e.g., name, address, bid amount, etc.) for reporting and award purposes.

**FORMAT:** Alphanumeric  
**LENGTH:** 10

**EDIT CRITERIA**

User entered, free form.

---

**SCREEN NAME:** **BIDDER NUMBER**  
**ACCESS NAME:** PROP-BIDDER-NMBR; SYS-REC-KEY  
**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BIDDER NUMBER

**DATA ELEMENT DEFINITION:**

A unique number used to identify a specific individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale. Also used to access the NPDMS Bidder file to extract specific bidder information (e.g., name, address, bid amount, etc.) for reporting and award purposes.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

User entered- free form.

---

**SCREEN NAME:** BIN ID

**ACCESS NAME:** PROP-LCTN-BIN-ID

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY LOCATION BIN IDENTIFICATION

**DATA ELEMENT DEFINITION:**

Identification of the physical storage Bin where an asset is located. The first two characters of this field identifies the primary Bin.

**FORMAT:** Alphanumeric

**LENGTH:** 11

**EDIT CRITERIA**

Supplied by NSMS through the batch interface. Example: BIN-ID = WW-S-RRR-L-BBB-C  
WHERE: WW= Warehouse-Id S = Stockroom RRR = Row L = Level or Shelf (starting from the floor) BBB = Bin C = Compartment

**NOTE:** The PROP-LCTN-BIN-ID will be stored without the dashes ('-').

---

**SCREEN NAME:** BINDING

**ACCESS NAME:** INST-RPT-BNDNG-CODE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION REPORT BINDING CODE

**DATA ELEMENT DEFINITION:**

This field contains a one character default code that is used to designate how the output for a specific NPDMS report or maintenance job should be bound.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

S = Stapled; U = Unbound; V = Velobound.

---

**SCREEN NAME:                      BINDING INSTRUCTIONS**

ACCESS NAME:                      RPT-BNDNG-CODE

ENTITY:                              REPORT

**DESCRIPTIVE NAME:**              REPORT BINDING CODE

**DATA ELEMENT DEFINITION:**

This field contains a one character code that is used to designate how the output for a specific NPDMS report or maintenance job should be bound.

**FORMAT:**                              Alphanumeric

**LENGTH:**                              1

**EDIT CRITERIA**

S = Stapled; U = Unbound; V = Velobound.

---

**SCREEN NAME:                      BLDG (INST CNTCT)**

ACCESS NAME:                      INST-CNTCT-BLDG-ADRS

ENTITY:                              NASA INSTALLATION

**DESCRIPTIVE NAME:**              INSTALLATION CONTACT BUILDING ADDRESS

**DATA ELEMENT DEFINITION:**

The default building number where the reporting installation's contact (person) is located. Must be a valid number on NEMS Table 102 for controlled property.

**FORMAT:**                              Alphanumeric

**LENGTH:**                              10

**EDIT CRITERIA**

Must match an entry on the NEMS Table 102 for controlled property. Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:                      BLDG (LCTN)**

ACCESS NAME:                      PROP-LCTN-BLDG-ADRS

ENTITY:                              IDLE NASA PROPERTY

**DESCRIPTIVE NAME:**              PROPERTY LOCATION BUILDING ADDRESS

**DATA ELEMENT DEFINITION:**

The number of the building or other generalized location where the personal property is located. This number must be a valid building number on NEMS Table 102.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

For Controlled Property must be on NEMS Table-102; NOC = not on center. Optional user entry for Non-controlled property.

---

**SCREEN NAME:** **BLDG (RQSTR)**

**ACCESS NAME:** RQSTR-BLDG-ADRS

**ENTITY:** REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR BUILDING ADDRESS

**DATA ELEMENT DEFINITION:**

The number of the building or other generalized location where the personal property will be located. If a Controlled T05, then Building must match NEMS Table 102.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

For Controlled property, Building must match NEMS Table 102.

---

**SCREEN NAME:** **BUILDING**

**ACCESS NAME:** PROP-LCTN-BLDG-ADRS

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY LOCATION BUILDING ADDRESS

**DATA ELEMENT DEFINITION:**

The number of the building or other generalized location where the personal property is located. This number must be a valid building number on NEMS Table 102.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

For Controlled Property must be on NEMS Table 102; NOC = not on center. Optional user entry for non-controlled property.

---

**SCREEN NAME:** **CAP SENS CODE**  
**ACCESS NAME:** PROP-CPTL-SNSTVTY-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** CAPITAL PROPERTY SENSITIVITY CODE

**DATA ELEMENT DEFINITION:**

The mechanism for reporting capital equipment items to the financial management organization for entry in the general ledger 1500-series accounts established for equipment. The six capital/sensitive codes provide the distinction among capital, capital-sensitive, noncapital-sensitive, noncapital-nonsensitive controlled, contractor-held, and noncontrolled equipment items for reporting and control purposes.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Maintained in the NEMS Table - 130 valid codes are:

M = Capital Equipment - Nonsensitive

N = Non-capital Equipment - Sensitive

P = Capital equipment - Sensitive

Q = Non-capital Nonsensitive controlled equipment

E = Contractor equipment - Reportable for reutilization

X = Non-controlled Equipment

---

**SCREEN NAME:** **CC**  
**ACCESS NAME:** PROP-CNDTN-CODE-GRP  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CONDITION CODE

**DATA ELEMENT DEFINITION:**

A code that indicates the physical condition and usability of personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

A one position right-justified entry indicates the PROP-DSPSL-CNDTN-CODE along with the valid values being:

1 = Unused-good, usable without repairs.

2 = Unused fair, usable without repairs, superficial damage.

3 = Unused-poor, usable without repairs, damaged, utility impaired.

4 = Used-good; usable without repairs, most of useful life remains.

5 = Used-fair, usable without repairs, worn may soon require repair.

6 = Used-poor, usable without repairs, very worn, utility impaired.

7 = Minor repairs required, less than 15% of original acquisition cost.

8 = Considerable repairs required, 16 to 40% of original acquisition cost.

9 = Major repairs required, 41 to 65% of original acquisition cost.

X = Salvage, repair impractical, exceeds 65% of original acquisition cost.  
S = Scrap, no value except basic material content.

A two position entry indicates the inclusion of the PROP-SPLY-CNDTN-CODE in the first position. This code is mandatory for all DRMO excess, with the valid values being:

A = Serviceable - issue w/o qualification;  
B = Serviceable - with qualification;  
C = Serviceable - priority issue;  
D = Serviceable - test / modification;  
E = Unserviceable - limited restoration;  
F = Unserviceable - repairable;  
G = Unserviceable - incomplete;  
H = Unserviceable - condemned;  
S = Unserviceable - scrap.

Must match an entry in the NPDMS Supply Condition Code Table-030 and/or the NPDMS Disposal Condition Code Table-035.

---

**SCREEN NAME:** CC (COMPONENT SYSTEM)

ACCESS NAME: CMPNT-CNDTN-CODE-GRP

ENTITY: COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM CONDITION CODE

**DATA ELEMENT DEFINITION:**

A code that indicates the overall physical condition and serviceability of a component system idle property.

**NOTE:** This field will be blank if the property is not part of a component system.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

User entered, see PROP-CNDTN-CODE-GRP for edit criteria.

---

**SCREEN NAME:** CENTER CONTACT

ACCESS NAME: INST-CNTCT-NAME

ENTITY: NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION CONTACT NAME

**DATA ELEMENT DEFINITION:**

The default reporting installation contact (person's name).

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **CENTER NAME**

**ACCESS NAME:** INST-DFLT-NAME

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION DEFAULT NAME

**DATA ELEMENT DEFINITION:**

The reporting installation name (e.g., NASA / Goddard Space Flight Center).

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **CHANGE ANOTHER ITEM (Y/N)**

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for changing of another item record associated with a particular property case number.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are Y or N.

---

**SCREEN NAME:** **CHOICE**

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

A one character field used to navigate within the case review process. This field is used on ND4000MA, ND4000MB, ND4000MC and ND4000MD.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are Next Item = I, Scr Dates = S, Frz Data = F, Txn Data = T, Exit = . (period).

---

**SCREEN NAME:** CHOICE

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

A one character field that allows the user to choose an awardee. This field is used on ND4950MB.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are X or blank.

---

**SCREEN NAME:** CITY (ABNDSTRYD)

**ACCESS NAME:** PROP-ABNDSTRYD-CITY-ADRS

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY SITE CITY ADDRESS

**DATA ELEMENT DEFINITION:**

The city of the site where property was abandoned or destroyed.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** CITY (BIDDER)  
**ACCESS NAME:** PROP-BIDDER-CITY-ADRS  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY BIDDER CITY ADDRESS

**DATA ELEMENT DEFINITION:**

The city where the individual, or organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale is located.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-CITY-ADRS on the transaction record.

---

**SCREEN NAME:** CITY (DRMO DODAAC)  
**ACCESS NAME:** DRMO-DODAAC-CITY-ADRS  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DODAAC CITY ADDRESS

**DATA ELEMENT DEFINITION:**

The city where a particular DODAAC is located.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Free form. Maintained in the NPDMS DRMO DODAAC Code Table-010.

---

**SCREEN NAME:** CITY (GSA)  
**ACCESS NAME:** GSA-CITY-ADRS  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA CITY ADDRESS

**DATA ELEMENT DEFINITION:**

The city where a particular GSA office is located.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Installation specific. Maintained in the NPDMS GSA Region Table-005.

**SCREEN NAME:** CITY (INST))  
**ACCESS NAME:** INST-CITY-ADRS  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION CITY ADDRESS  
**DATA ELEMENT DEFINITION:**  
The city where a particular NASA Installation is located.  
**FORMAT:** Alphanumeric  
**LENGTH:** 20  
**EDIT CRITERIA**  
Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** CITY (INST RPTNG CNTCT)  
**ACCESS NAME:** INST-RPTNG-CNTCT-CITY-ADRS  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** REPORTING INSTALLATION CONTACT CITY ADDRESS  
**DATA ELEMENT DEFINITION:**  
Name of the City where the reporting installation's contact is located.  
**FORMAT:** Alphanumeric  
**LENGTH:** 20  
**EDIT CRITERIA**  
Default maintained in the NPDMS Center Profile Table-050 (INST-CITY-ADRS). If changed, free form but may not be blank.

---

**SCREEN NAME:** CITY (LCTN)  
**ACCESS NAME:** PROP-LCTN-CITY-ADRS  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY LOCATION CITY ADDRESS  
**DATA ELEMENT DEFINITION:**  
The city where a particular item of property is located, if it is different than INST-CITY-ADRS.  
**FORMAT:** Alphanumeric  
**LENGTH:** 20

**EDIT CRITERIA**

Generated (pulled) from Center Profile Table-050 and modifiable.

---

**SCREEN NAME:** CITY (RQSTR)  
**ACCESS NAME:** RQSTR-CITY-ADRS  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR CITY ADDRESS  
**DATA ELEMENT DEFINITION:**  
The city where a particular property Requestor is located.  
**FORMAT:** Alphanumeric  
**LENGTH:** 20  
**EDIT CRITERIA**  
Free form.

---

**SCREEN NAME:** COMP SYSTEM  
**ACCESS NAME:** CMPNT-NAME  
**ENTITY:** COMPONENT SYSTEM  
**DESCRIPTIVE NAME:** COMPONENT SYSTEM NAME  
**DATA ELEMENT DEFINITION:**  
If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System ). If the idle case is not a component system, then this field will be blank.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Free form.

---

**SCREEN NAME:** COMPANY NAME  
**ACCESS NAME:** RQSTR-ORGNZTN-NAME  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR ORGANIZATION NAME

**DATA ELEMENT DEFINITION:**

The name identifying the organization, association, etc., requesting an item of personal property available for transfer, exchange, sale, donation, etc.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **COMPANY NAME (BIDDER)**

**ACCESS NAME:** PROP-BIDDER-CMPNY-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BIDDER COMPANY NAME

**DATA ELEMENT DEFINITION:**

Contains the name of an organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Must be entered if PROP-BIDDER-LAST-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is moved to the RQSTR-QRGNZTN-NAME on the transaction record.

---

**SCREEN NAME:** **COMPONENT INFORMATION**

**ACCESS NAME:** CMPNT-NAME

**ENTITY:** COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM NAME

**DATA ELEMENT DEFINITION:**

If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System ). If the idle case is not a component system, then this field will be blank.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME: COMPONENT SYSTEM NAME**

ACCESS NAME: CMPNT-NAME

ENTITY: COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM NAME

**DATA ELEMENT DEFINITION:**

If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System ). If the idle case is not a component system, then this field will be blank.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME: COMPONENT SYSTEM - NAME**

ACCESS NAME: CMPNT-NAME

ENTITY: COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM NAME

**DATA ELEMENT DEFINITION:**

If an idle case is a component system, this field identifies the kind of system (e.g., IBM 370 Computer System ). If the idle case is not a component system, then this field will be blank.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME: COND**

ACCESS NAME: PROP-CNDTN-CODE-GRP

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CONDITION CODE

**DATA ELEMENT DEFINITION:**

A code that indicates the physical condition and usability of personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

A one position right-justified entry indicates the PROP-DSPSL-CNDTN-CODE along with the

valid values being:

- 1 = Unused-good, usable without repairs.
- 2 = Unused fair, usable without repairs, superficial damage.
- 3 = Unused-poor, usable without repairs, damaged, utility impaired.
- 4 = Used-good; usable without repairs, most of useful life remains.
- 5 = Used-fair, usable without repairs, worn may soon require repair.
- 6 = Used-poor, usable without repairs, very worn, utility impaired.
- 7 = Minor repairs required, less than 15% of original acquisition cost.
- 8 = Considerable repairs required, 16 to 40% of original acquisition cost.
- 9 = Major repairs required, 41 to 65% of original acquisition cost.
- X = Salvage, repair impractical, exceeds 65% of original acquisition cost.
- S = Scrap, no value except basic material content.

A two position entry indicates the inclusion of the PROP-SPLY-CNDTN-CODE in the first position. This code is mandatory for all DRMO excess, with the valid values being:

- A = serviceable - issue w/o qualification;
- B = serviceable - with qualification;
- C = serviceable - priority issue;
- D = serviceable - test / modification;
- E = unserviceable - limited restoration;
- F = unserviceable - repairable;
- G = unserviceable - incomplete;
- H = unserviceable - condemned;
- S = unserviceable - scrap.

Must match an entry in the NPDMS Supply Condition Code Table-030 and/or the NPDMS Disposal Condition Code Table-035.

---

<b>SCREEN NAME:</b>	<b>COND (COMPONENT SYSTEM)</b>
<b>ACCESS NAME:</b>	CMPNT-CNDTN-CODE-GRP
<b>ENTITY:</b>	COMPONENT SYSTEM
<b>DESCRIPTIVE NAME:</b>	COMPONENT SYSTEM CONDITION CODE

**DATA ELEMENT DEFINITION:**

A code that indicates the overall physical condition and serviceability of a component system idle property.

**NOTE:** This field will be blank if the property is not part of a component system.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

User entered, see PROP-CNDTN-CODE-GRP for edit criteria.

---

**SCREEN NAME:** CONTACT PERSON  
**ACCESS NAME:** PROP-CNTCT-NAME  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CONTACT NAME  
**DATA ELEMENT DEFINITION:**  
The field containing the contact person for the property when it is different than the INST-RPTNG-CNTCT-NAME.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Generated (pulled) from Center Profile Table and modifiable.

---

**SCREEN NAME:** CONTACT PERSON (INST RPTNG CNTCT)  
**ACCESS NAME:** INST-RPTNG-CNTCT-NAME  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** REPORTING INSTALLATION CONTACT NAME  
**DATA ELEMENT DEFINITION:**  
The most current name of the person to contact at a reporting installation.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Default maintained in the NPDMS Center Profile Table-050 (INST-CNTCT-NAME). If changed, free form but may not be blank.

---

**SCREEN NAME:** CONTR PROP  
**ACCESS NAME:** CNTRCTR-HELD-PROP-IND  
**ENTITY:** CONTRACTOR  
**DESCRIPTIVE NAME:** CONTRACTOR HELD PROPERTY INDICATOR  
**DATA ELEMENT DEFINITION:**  
Used to indicate if the property is government furnished property to a NASA contractor and will be disposed of in accordance with FAR plant clearance regulations as excess contractor inventory property instead of normal FPMR procedures.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 'Y' and 'blank'.

---

**SCREEN NAME:** **CONTR/GRANT NO**  
**ACCESS NAME:** INST-CNTRCT-GRANT-NMBR  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION CONTRACT/GRANT NUMBER

**DATA ELEMENT DEFINITION:**

A unique identifier assigned to each NASA contract or grant pursuant to NASA Procurement Regulations.

**FORMAT:** Alphanumeric

**LENGTH:** 12

**EDIT CRITERIA**

May not be entered if either the CNTRCTR-HELD-PROP-IND or the PROP-GRANT-IND not equal 'Y'. Free Form.

---

**SCREEN NAME:** **CONTR/GRANTEE NO**  
**ACCESS NAME:** INST-CNTRCT-GRANT-NMBR  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION CONTRACT/GRANT NUMBER

**DATA ELEMENT DEFINITION:**

A unique identifier assigned to each NASA contract or grant pursuant to NASA Procurement Regulations.

**FORMAT:** Alphanumeric

**LENGTH:** 12

**EDIT CRITERIA**

May not be entered if either the CNTRCTR-HELD-PROP-IND or the PROP-GRANT-IND not equal 'Y'. Free Form.

---

**SCREEN NAME:** **CONTRACT PROP REMOVAL DATE**  
**ACCESS NAME:** PROP-CNTRCT-RMVL-DATE  
**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** CONTRACT PROPERTY REMOVAL DATE

**DATA ELEMENT DEFINITION:**

The contract binding date stated in the terms of sale whereby the purchaser must remove the sold personal property from the government's facilities or be placed in default and face potential loss of their right to acquire the property.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Entered. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:** CONTROLLED INVENTORY ITEM CODE

**ACCESS NAME:** SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRL-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;

INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** CONVERT ITEM (Y/N)

ACCESS NAME: NOT MAINTAINED

ENTITY:

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for the conversion of a different component item associated with a specific property case number to a stand alone single item record.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are Y or N.

---

**SCREEN NAME:** COUNTRY (LCTN)

ACCESS NAME: PROP-LCTN-CNTRY-ADRS

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY LOCATION COUNTRY ADDRESS

**DATA ELEMENT DEFINITION:**

The field containing the country of location for Foreign personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** COUNTRY (RQSTR)  
**ACCESS NAME:** RQSTR-CNTRY-ADRS  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR COUNTRY ADDRESS

**DATA ELEMENT DEFINITION:**

Is the country where the property requestor is located. This field is necessary for foreign donations.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** CRITERIA 1  
**ACCESS NAME:** RPT-DATA1-TEXT  
**ENTITY:**  
**DESCRIPTIVE NAME:** REPORT DATA TEXT 1

**DATA ELEMENT DEFINITION:**

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form. Stored on the NPDMS Report Table-055.

---

**SCREEN NAME:** CRITERIA 2  
**ACCESS NAME:** RPT-DATA2-TEXT  
**ENTITY:**  
**DESCRIPTIVE NAME:** REPORT DATA TEXT 2

**DATA ELEMENT DEFINITION:**

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form. Stored on the NPDMS Report Table-055.

---

**SCREEN NAME:** **CRITERIA 3**

**ACCESS NAME:** RPT-DATA3-TEXT

**ENTITY:**

**DESCRIPTIVE NAME:** REPORT DATA TEXT 3

**DATA ELEMENT DEFINITION:**

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form. Stored on the NPDMS Report Table-055.

---

**SCREEN NAME:** **CRITERIA 4**

**ACCESS NAME:** RPT-DATA4-TEXT

**ENTITY:**

**DESCRIPTIVE NAME:** REPORT DATA TEXT 4

**DATA ELEMENT DEFINITION:**

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form. Stored on the NPDMS Report Table-055.

---

**SCREEN NAME: CRITERIA 5**

ACCESS NAME: RPT-DATA5-TEXT

ENTITY:

**DESCRIPTIVE NAME:** REPORT DATA TEXT 5

**DATA ELEMENT DEFINITION:**

Text header information identifying a data element field used in the selection criteria for a specific center unique report.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form. Stored on the NPDMS Report Table-055.

---

**SCREEN NAME: CUR ACQ COST**

ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY

**DATA ELEMENT DEFINITION:**

The current unit adjusted acquisition cost amount of the personal property.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

User entered. Cannot be a negative amount.

---

**SCREEN NAME: CUR QTY**

ACCESS NAME: PROP-CUR-AVLBL-QTY

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CURRENT AVAILABLE QUANTITY

**DATA ELEMENT DEFINITION:**

The current number of available items of personal property.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

**SCREEN NAME:** CURR ACQ COST  
**ACCESS NAME:** PROP-ADJSTD-ACQSTN-COST-AMT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY  
**DATA ELEMENT DEFINITION:**  
The current unit adjusted acquisition cost amount of the personal property.  
**FORMAT:** Packed  
**LENGTH:** 10.2  
**EDIT CRITERIA**  
User entered. Cannot be a negative amount.

---

**SCREEN NAME:** CURR QTY  
**ACCESS NAME:** PROP-CUR-AVLBL-QTY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CURRENT AVAILABLE QUANTITY  
**DATA ELEMENT DEFINITION:**  
The current number of available items of personal property.  
**FORMAT:** Numeric  
**LENGTH:** 5.0  
**EDIT CRITERIA**  
Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

---

**SCREEN NAME:** CURRENT ACQ COST  
**ACCESS NAME:** PROP-ADJSTD-ACQSTN-COST-AMT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY  
**DATA ELEMENT DEFINITION:**  
The current unit adjusted acquisition cost amount of the personal property.  
**FORMAT:** Packed  
**LENGTH:** 10.2

**EDIT CRITERIA**

User entered. Cannot be a negative amount.

---

**SCREEN NAME:** CURRENT AVAILABLE QTY  
**ACCESS NAME:** PROP-CUR-AVLBL-QTY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CURRENT AVAILABLE QUANTITY  
**DATA ELEMENT DEFINITION:**  
The current number of available items of personal property.  
**FORMAT:** Numeric  
**LENGTH:** 5.0

**EDIT CRITERIA**

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

---

**SCREEN NAME:** CURRENT QTY  
**ACCESS NAME:** PROP-CUR-AVLBL-QTY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CURRENT AVAILABLE QUANTITY  
**DATA ELEMENT DEFINITION:**  
The current number of available items of personal property.  
**FORMAT:** Numeric  
**LENGTH:** 5.0

**EDIT CRITERIA**

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

---

**SCREEN NAME:** CUST ACCT NO  
**ACCESS NAME:** CSTDN-ACNT-NMBR; SYS-REC KEY  
**ENTITY:** CUSTODIAN  
**DESCRIPTIVE NAME:** CUSTODIAN ACCOUNT NUMBER

**DATA ELEMENT DEFINITION:**

Identifies who the idle personal property belongs to when reported to the PDO. An account number pertains to only one custodian, although a custodian may have more than one account.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA**

If entered, must match NEMS Custodian Account Number Table 078 (for Controlled Property only).

---

**SCREEN NAME:** CUST ACCT NO

**ACCESS NAME:** RQSTR-CSTDN-ACNT -NMBR

**ENTITY:** REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR CUSTODIAN ACCOUNT NUMBER

**DATA ELEMENT DEFINITION:**

Is the custodian account number of the property custodian requesting an item of personal property. For controlled items, this number must be a valid entry on NEMS Table 078.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA**

Must be on NEMS Table 078 for controlled property when processing a Utilized by Generating NASA Centers disposition transaction.

---

**SCREEN NAME:** CUST ACCT NO

**ACCESS NAME:** SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;

GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;

CSTDN-ACNT-NMBR for the Exception Processing Table-015;

PROP-FSC-CODE for the Federal Supply Classification Code Table-020;

PROP-UOM-CODE for the Unit of Measure Table-025;  
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
 PRINTER DESTINATION CODE for the Printer Destination Table-145;  
 STATE ABBREVIATION for the State Table-150;  
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

<b>SCREEN NAME:</b>	<b>DATE BID AWARDED</b>
ACCESS NAME:	PROP-BID-AWARD-DATE
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	<b>DATE PROPERTY BID AWARDED</b>

**DATA ELEMENT DEFINITION:**

The calendar date a property bidder is awarded the sale of personal property. This is the PROP-SALE-DATE for sealed bids or the PROP-NTFCTN-LTR-SENT-DATE for spot bid or auction sale awards, if the sales contract is not completed the day of the sale.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated same as PROP-SALE-DATE for sealed bids (PROP-SALE-MTHD-ID = '1'). Must be entered if PROP-SALE-MTHD-ID = '2' or '3'. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:**

**DATE FOUND**

ACCESS NAME:

UNCLMD-FOUND-DATE

ENTITY:

ABANDONED OR OTHER UNCLAIMED PROPERTY

**DESCRIPTIVE NAME:**

UNCLAIMED PROPERTY FOUND DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which unclaimed property was found.

**FORMAT:**

D

**LENGTH:**

**EDIT CRITERIA**

Must be entered if UNCLMD-IND equals 'Y'. Cannot be later than the current system date. Display format MM/DD/YY or MM/DD/YYYY, stored in Internal Date format.

---

**SCREEN NAME:**

**DATE LASTED UPDATED**

ACCESS NAME:

SYS-AUDIT-DATE

ENTITY:

SYSTEM

**DESCRIPTIVE NAME:**

SYSTEM AUDIT DATE

**DATA ELEMENT DEFINITION:**

For audit purposes, the calendar date a case or table record was last updated in the system by a user.

**FORMAT:**

D

**LENGTH:**

**EDIT CRITERIA**

Generated. \*DATX (Internal Date format)

---

**SCREEN NAME:**

**DATE PROP ABANDONED OR DESTROYED**

ACCESS NAME:

PROP-ABNDSTRYD-DATE

**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ACTUAL DATE PROPERTY ABANDONED OR DESTROYED  
**DATA ELEMENT DEFINITION:**  
The calendar date on which the property was actually abandoned or destroyed.  
**FORMAT:** D  
**LENGTH:**  
**EDIT CRITERIA**  
User Entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year.  
Stored in Internal Date format.

---

**SCREEN NAME:** DATE PROP DETERMINED LOST  
**ACCESS NAME:** PROP-DTRMND-LOST-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** DATE PROPERTY DETERMINED TO BE LOST  
**DATA ELEMENT DEFINITION:**  
The calendar date on which a property item was determined to be lost. Entered on a T04 Transaction.  
**FORMAT:** D  
**LENGTH:**  
**EDIT CRITERIA**  
User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** DATE SENT TO GSA QUANTITY  
**ACCESS NAME:** PROP-RMVL-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ACTUAL PROPERTY REMOVAL DATE  
**DATA ELEMENT DEFINITION:**  
The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.  
**FORMAT:** D  
**LENGTH:**  
**EDIT CRITERIA**  
User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year.  
Stored in Internal Date format.

**SCREEN NAME:** DAYS  
**ACCESS NAME:** INST-DLNQNT-DAYS-NMBR  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION DEFAULT NUMBER OF FREEZE  
DELINQUENT DAYS

**DATA ELEMENT DEFINITION:**

The default number of days provided in the center's profile table added to the the effective date of a freeze (F00) transaction in order to establish the PROP-FREEZE-DLNQNT-DATE.

**FORMAT:** Numeric

**LENGTH:** 2

**EDIT CRITERIA**

Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** DAYS DONATION SCREENING  
**ACCESS NAME:** SYS-SRPLS-DAYS-CNT  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM COUNT OF SURPLUS PROPERTY DONATION  
SCREENING DAYS

**DATA ELEMENT DEFINITION:**

System count of the default number of calendar days that surplus property undergoes the required donation screening.

**FORMAT:** P

**LENGTH:** 3.0

**EDIT CRITERIA**

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the SRPLSPROP-DNTN-BGN-DATE to establish the SRPLSPROP-DNTN-END-DATE.

---

**SCREEN NAME:** DAYS INSTALLATION SCREENING  
**ACCESS NAME:** SYS-INST-DAYS-CNT  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM COUNT OF INSTALLATION SCREENING DAYS

**DATA ELEMENT DEFINITION:**

System count of the default number of calendar days that personal property undergoes the required internal screening for the owning installation.

**FORMAT:** P

**LENGTH:** 3.0

**EDIT CRITERIA**

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-INST-END-DATE.

---

**SCREEN NAME:** DAYS NASA-WIDE SCREENING

**ACCESS NAME:** SYS-NASA-DAYS-CNT

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM COUNT OF NASA SCREENING DAYS

**DATA ELEMENT DEFINITION:**

System count of the default number of calendar days that personal property undergoes the required internal NASA screening for all installations.

**FORMAT:** P

**LENGTH:** 3.0

**EDIT CRITERIA**

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-NASA-END-DATE.

---

**SCREEN NAME:** DAYS OTHER FEDERAL SCREENING

**ACCESS NAME:** SYS-OFA-DAYS-CNT

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM COUNT OF OTHER FEDERAL AGENCY  
SCREENING DAYS

**DATA ELEMENT DEFINITION:**

System count of the default number of calendar days that personal property undergoes the required external NASA screening for all other federal agencies.

**FORMAT:** P

**LENGTH:** 3.0

**EDIT CRITERIA**

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the PROP-OFA-BGN-DATE to establish the PROP-OFA-END-DATE.

**SCREEN NAME:** DD-1348-1A  
**ACCESS NAME:** RPT-1348-DCMNT-NMBR  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 1348 DOCUMENT NUMBER

**DATA ELEMENT DEFINITION:**

A unique aggregate number generated by the NPDMS and placed on each DD-1348-1A that is produced by the system. This field consists of the INST-FEDAAC-CODE, the Julian date (YDDD), and the serial number. The serial number is generated sequentially starting with 0001 using DRMO Serial Number Table - 112.

**FORMAT:** Alphanumeric  
**LENGTH:** 14

**EDIT CRITERIA**

Generated like the PROP-CASE-NMBR (Positions 1-6 are the INST-FEDAAC-CODE, positions 7-10 are the current Julian date and positions 11-14 are the serial number).

---

**SCREEN NAME:** DEFAULT REIMBURSEMENT CODE  
**ACCESS NAME:** INST-DFLT-REIM-CODE; SYS-REC-KEY  
**ENTITY:**  
**DESCRIPTIVE NAME:** INSTALLATION DEFAULT REIMBURSEMENT CODE

**DATA ELEMENT DEFINITION:**

The reimbursement code designated by each NASA Center s PDO as the default value for property with regard to eligibility for reimbursement, donation, or sales.

**FORMAT:** Alphanumeric  
**LENGTH:** 1

**EDIT CRITERIA**

Installation specific. Maintained on the NPDMS Center Profile Table-050 and moved to the PROP-REIM-CODE at the time of initial add. This is an optional field but if entered code must be on the NPDMS Reimbursement Code Table-160.

---

**SCREEN NAME:** DEFINITION (CNDTN CODE DFNTN1)  
**ACCESS NAME:** PROP-CNDTN-CODE-DFNTN1-TEXT  
**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CONDITION CODE DEFINITION 1 TEXT

**DATA ELEMENT DEFINITION:**

This field contains the textual definition for either the PROP-DSPSL-CNDTN-CODE or the PROP-SPLY-CNDTN-CODE

**FORMAT:** Alphanumeric

**LENGTH:** 130

**EDIT CRITERIA**

Free form. Maintained in the NPDMS Supply Condition Code Table-030 or Disposal Condition Code Table-035.

---

**SCREEN NAME:** DEFINITION (CNDTN CODE DFNTN2)

**ACCESS NAME:** PROP-CNDTN-CODE-DFNTN2-TEXT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CONDITION CODE DEFINITION 2 TEXT

**DATA ELEMENT DEFINITION:**

This field contains the continuation of the textual definition for either the PROP-DSPSL-CNDTN-CODE or the PROP-SPLY-CNDTN-CODE.

**FORMAT:** Alphanumeric

**LENGTH:** 130

**EDIT CRITERIA**

Free form. Maintained in the NPDMS Supply Condition Code Table-030 or Disposal Condition Code Table-035.

---

**SCREEN NAME:** DEFINITION (HAZMAT IND)

**ACCESS NAME:** PROP-HAZMAT-IND-TEXT

**ENTITY:**

**DESCRIPTIVE NAME:** HAZARDOUS MATERIALS PROPERTY INDICATOR CODE TEXT

**DATA ELEMENT DEFINITION:**

The text definition of a code established in the DLSC Total Item Record (TIR) to indicate to users of the federal catalog system all known or suspected hazardous items as defined by safety/health, transaction and/or environmental regulations. (Ref. DoD 4100.39-M, Volume 10, Chapter 4, Table 179).

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form but may not be blank. Maintained on NPDMS Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** **DELINQUENT DATE**  
**ACCESS NAME:** PROP-FREEZE-DLNQNT-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** FREEZE PROPERTY TRANSACTION DELINQUENT DATE

**DATA ELEMENT DEFINITION:**

The effective date of a freeze (F00) transaction + the number of days provided in the center's profile table. This date may be shortened or extended by the PDO. This date will be updated when all disposition transactions are processed from a freeze transaction (i.e., the PROP-PRCSNG-PTY-IND was initially set to 1, 2 or 3).

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and user changeable. Default is 14 days. Display format: MM = 1-12; DD=1-31 consistent with the month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** **DESC (PRNTR)**  
**ACCESS NAME:** SYS-PRNTR-DESC  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM PRINTER LOCATION DESCRIPTION

**DATA ELEMENT DEFINITION:**

Descriptive text for the location of a local printer.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Installation specific. Maintained on NPDMS Table-145.

---

**SCREEN NAME:** **DESCRIPTION (RPT MAINT NAME)**  
**ACCESS NAME:** RPT-MAINT-NAME  
**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT/MAINTENANCE NAME

**DATA ELEMENT DEFINITION:**

The name associated with a specific NPDMS report or maintenance job. Current values are:

Awaiting Pickup Pending GSA Acknowledgement  
Sales Listing Items reported to GSA Over 180 Days  
Foreign Screening Report  
Freeze Status Report  
NEMS Transaction Interface Report  
Property Held by Property Disposal Officer  
623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property  
623 Annual Report of Utilization/Disposal of Idle NASA Personal Property  
NASA Form 811 - Classification of Property as Scrap or Salvage  
NASA form 812 - Authorization to Abandon/Destroy Surplus Property  
Idle Property Screening List Daily Transaction Report  
Annual Report of Exchange/Sale Transactions  
Sales Prep Report  
Abstract of Bids  
Bidder's Notification of Award  
Final Inventory/Reconciliation Report  
Post Inventory Report  
Performance Measures Report  
NSMS Accepted Items Report  
NSMS Rejected Items Report  
NSMS Matched/Overage/Underage Report  
Sales Slip, Sale of Government Personal Property  
Foreign Disposal Approval Report  
Cases Eligible For Transfer To DRMO Report  
NASA Supply Management System Interface  
GSA Magnetic Tape Generation  
SF-120 Report of Excess Personal Property Generation  
SF-120 Withdrawal/Correction Generation  
DD-1348-1A DRMO Issue Release/Receipt Document Generation  
NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation  
Active to History File Processing  
ERN and Serial Number Reset  
Status Flag Reset

**FORMAT:** Alphanumeric

**LENGTH:** 65

**EDIT CRITERIA**

Generated.

**SCREEN NAME:** **DESTINATION**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

DESCRIPTIVE NAME: SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

**SCREEN NAME:** **DISP COST**  
**ACCESS NAME:** PROP-DSPSTN-ACQSTN-COST-AMT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DISPOSITION ACQUISITION COST AMOUNT  
**DATA ELEMENT DEFINITION:**  
The dollar amount of items requested for reutilization, transfer, survey, or scrap on a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction. Derived by multiplying the PROP-ADJSTD-ACQSTN-COST-AMT by the PROP-DSPSTN-QTY.  
**FORMAT:** Packed  
**LENGTH:** 10.2  
**EDIT CRITERIA**  
Calculated.

---

**SCREEN NAME:** **DISP QTY**  
**ACCESS NAME:** PROP-DSPSTN-QTY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DISPOSITION QUANTITY  
**DATA ELEMENT DEFINITION:**  
The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.  
**FORMAT:** Numeric  
**LENGTH:** 5.0  
**EDIT CRITERIA**  
Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

---

**SCREEN NAME:** **DISPOSAL AUTHORITY CODE**  
**ACCESS NAME:** DRMO-DSPSL-ATHRTY-CODE; SYS-REC-KEY  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DISPOSAL AUTHORITY CODE  
**DATA ELEMENT DEFINITION:**  
Indicates that property item(s) being transferred to a DRMO are authorized to be transferred to disposal because of instructions of the IMM/ICP relayed through the MRP or other proper authority.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1

**EDIT CRITERIA**

Maintained in the NPDMS Disposal Authority Code Table - 090. Default is 'N'.

M = Items are IMM/ICP stocks and are being transferred to disposal by authority of the responsible IMM;

N = Items are not reportable by virtue of an exclusion to the MRP or other specific criteria such as extended dollar value or condition limitations on excess reporting and are duly authorized to be transferred to disposal;

R = Items have been reported to the IMM/ICP under MILSTRIP MRP procedures and are considered excess to that IMM/ICPs authorized retention levels. This disposal action is under S/A retention levels and instructions.

---

**SCREEN NAME: DISPOSAL CC**

ACCESS NAME: PROP-DSPSL-CNDTN-CODE; SYS-REC-KEY

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DISPOSAL CONDITION CODE, RECORD KEY

**DATA ELEMENT DEFINITION:**

The right-most position of the PROP-CNDTN-CODE entered to indicate the physical condition and usability of an personal property. Also used with SYS-TBL-ID to access the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

See PROP-CNDTN-CODE. Must match an entry in the NPDMS Disposal Condition Code Table-035.

---

**SCREEN NAME: DISPOSAL CONDITION CODE**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;

GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
 PROP-UOM-CODE for the Unit of Measure Table-025;  
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
 PRINTER DESTINATION CODE for the Printer Destination Table-145;  
 STATE ABBREVIATION for the State Table-150;  
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:**

**DISPOSAL REASON**

ACCESS NAME:

PROP-DSPSL-RSN-TEXT

ENTITY:

**DESCRIPTIVE NAME:**

PROPERTY DISPOSAL REASON TEXT

**DATA ELEMENT DEFINITION:**

The Disposal Reason (in text form) as to why a property item was excessed as scrap/salvage or abandonment/destruction.

**FORMAT:** Alphanumeric

**LENGTH:** 72 (1:10)

**EDIT CRITERIA**

Supplied by NSMS (TXN-DSPSL-CMNTS, A72/1:10) during batch add otherwise, user entered free form with no edit check. Stored on the NPDMS Text Descriptions file in a MU field with up to 10 occurrences.

---

**SCREEN NAME:** **DISPOSITION DATE**

**ACCESS NAME:** PROP-DSPSTN-TXN-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DISPOSITION TRANSACTION DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which the final disposition or disposition reversal transaction was entered.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated. Displayed in format MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** **DISPOSITION QTY**

**ACCESS NAME:** PROP-DSPSTN-QTY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DISPOSITION QUANTITY

**DATA ELEMENT DEFINITION:**

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

---

**SCREEN NAME:** **DISTRIBUTION (CENTER)**  
**ACCESS NAME:** INST-RPT-RQSTR-NAME  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** INSTALLATION REPORT REQUESTOR NAME

**DATA ELEMENT DEFINITION:**

This field will contain the default name of an individual or entity who requested a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **DISTRIBUTION (REPORT)**  
**ACCESS NAME:** RPT-RQSTR-NAME  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT REQUESTOR NAME

**DATA ELEMENT DEFINITION:**

This field will contain the name of the individual or entity who requested a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **DML CODE**  
**ACCESS NAME:** PROP-DML-CODE; SYS-REC-KEY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DEMILITARIZATION CODE

**DATA ELEMENT DEFINITION:**

A code used to identify the demilitarization process needed for the disposal of idle NASA personal property. Also used with SYS-TBL-ID to access the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Source DoD Manual 4160.21-M-1, Appendix 3. Maintained on NPDMS Table-045. Valid codes are:

- A. Non-MLI -- Demilitarization not required.
- B. MLI--Demilitarization required.
- C. MLI-- Remove, and/or demilitarize installed key point(s), as prescribed in DoD Manual 4160.21-M-1, or lethal parts, components and accessories.
- D. MLI-- Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc. (as an alternative, burial or deep water dumping may be used when authorized).
- E. MLI--Demilitarize by burning, shredding, or pulping.
- F. MLI--Demilitarization instructions to be furnished by the Item/Technical Manager.
- G. MLI--Demilitarization required--item to be demilitarized prior to physical transfer to the DPDO. This code is normally limited to ammunition, explosives, and other dangerous articles.
- H. MLI--Remove and/or demilitarize installed key point (s), as prescribed in DoD Manual 4160.21-M-1, or lethal parts, components and accessories overseas only. Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.
- J. MLI--Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc., overseas only. (as an alternative, burial or deep water dumping may be used when authorized.) Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.
- K. MLI--Demilitarize by burning, shredding, or pulping overseas only. Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.
- L. MLI--Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc. (As an alternative, burial or deep water dumping may be used when authorized.) This code will be applied only to items identified as being a component key point on a major end item.
- M. MLI--Demilitarize by mutilation (make unfit for intended purpose) by melting, cutting, tearing, scratching, crushing, breaking, punching, neutralizing, etc., overseas only. (as an alternative, burial or deep water dumping may be used when authorized.) This code will be applied only to items identified as being a component key point on a major end item. Demilitarization not required in the U.S., Puerto Rico, American Samoa, Guam, The Trust Territory of the Pacific Islands, and The Virgin Islands.
- N. MLI or non-MLI with sensitive applications--Demilitarize by removing and destroying all name

plates, label plates, meter face plates, tags, stickers, documents or markings which relate the item to a weapons system or sensitive end item application. Demilitarization will be performed by the generating activity prior to physical transfer of the item to the disposal activity.

**NOTE:** This code will not be used for Army and Air Force managed items.

**NOTE:** When reporting to GSA and a DML Code is entered the demilitarization codes apply only to items identified with 5 of the codes. These 5 codes are: C, D, E, F, L (source 41 CFR 101-43-4801 (7-1-91 Edition)).

**SCREEN NAME:**                      **DML CODE**  
ACCESS NAME:                      SYS-REC-KEY  
ENTITY:                                SYSTEM  
**DESCRIPTIVE NAME:**              SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:**                              Alphanumeric

**LENGTH:**                             10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;

INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135; RPT-MAINT-JOB-TYPE &  
RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

<b>SCREEN NAME:</b>	<b>DML CODE (COMPONENT SYSTEM)</b>
ACCESS NAME:	CMPNT-DML-CODE
ENTITY:	COMPONENT SYSTEM
<b>DESCRIPTIVE NAME:</b>	COMPONENT SYSTEM DEMILITARIZATION CODE
<b>DATA ELEMENT DEFINITION:</b>	
This field contains the highest Demilitarization Code entered for all components.	
<b>FORMAT:</b>	Alphanumeric
<b>LENGTH:</b>	1
<b>EDIT CRITERIA</b>	
System.	

---

<b>SCREEN NAME:</b>	<b>DML DEFINITION (DML CODE DFNTN1)</b>
ACCESS NAME:	PROP-DML-CODE1-DESC
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	PROPERTY DEMILITARIZATION CODE 1 DESCRIPTION
<b>DATA ELEMENT DEFINITION:</b>	
The description associated with the PROP-DML-CODE entry.	
<b>FORMAT:</b>	Alphanumeric
<b>LENGTH:</b>	240
<b>EDIT CRITERIA</b>	
Maintained in the NPDMS Demilitarization Code Table-045.	

**SCREEN NAME:** DML DEFINITION (DML CODE DFNTN2)  
**ACCESS NAME:** PROP-DML-CODE2-DESC  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DEMILITARIZATION CODE 2 DESCRIPTION  
**DATA ELEMENT DEFINITION:**  
 A continuation field for the description associated with the PROP-DML-CODE entry.  
**FORMAT:** Alphanumeric  
**LENGTH:** 240  
**EDIT CRITERIA**  
 Maintained in the NPDMS Demilitarization Code Table-045.

---

**SCREEN NAME:** DML PRIORITY  
**ACCESS NAME:** PROP-DML-RANK  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DEMILITARIZATION CODE RANK  
**DATA ELEMENT DEFINITION:**  
 Numerical description ranking the priority of demilitarization codes established for the disposal of Idle NASA personal property. The lower the numerical ranking of a DML Code, the greater the priority.  
**FORMAT:** Packed  
**LENGTH:** 2.0  
**EDIT CRITERIA**  
 Must be a unique whole number greater than zero. Maintained on NPDMS Demilitarization Code Table-045. See PROP-DML-CODE.  

RANK	DML CODE
1	G
2	M (foreign)
3	L
4	J (foreign)
5	D
6	H (foreign)
7	C
8	K (Foreign)
9	E
10	N

RANK	DML CODE
	(Continued)

11 B  
12 F  
1 A

---

**SCREEN NAME:** **DOC NO**  
**ACCESS NAME:** PROP-RQST-DCMNT-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY REQUEST DOCUMENT NUMBER  
**DATA ELEMENT DEFINITION:**  
The number assigned by the requesting organization that uniquely identifies that request document.  
**FORMAT:** Alphanumeric  
**LENGTH:** 14  
**EDIT CRITERIA**  
Free Form.

---

**SCREEN NAME:** **DOCUMENT IDENTIFIER CODE**  
**ACCESS NAME:** RPT-1348-DCMNT-ID  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 1348 DOCUMENT IDENTIFIER  
**DATA ELEMENT DEFINITION:**  
The DD-1348-1A field which provides a means for identifying a document as to the system to which it pertains and further identifies such document as to its intended purpose and usage.  
**FORMAT:** Alphanumeric  
**LENGTH:** 3  
**EDIT CRITERIA**  
Default is 'TID'.

---

**SCREEN NAME:** **DODAAC**  
**ACCESS NAME:** DRMO-DODAAC-CODE; SYS-REC-KEY  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE

**DATA ELEMENT DEFINITION:**

The Department of Defense Area Activity Code which uniquely identifies the various Defense Reutilization and Marketing Service Activities.

**FORMAT:** Alphanumeric

**LENGTH:** 6

**EDIT CRITERIA**

Maintained in the NPDMS DRMO DODAAC Code Table - 010.

---

**SCREEN NAME:** DONATION BEGIN DT

**ACCESS NAME:** SRPLSPROP-DNTN-BGN-DATE

**ENTITY:** SURPLUS PROPERTY

**DESCRIPTIVE NAME:** SURPLUS PROPERTY DONATION SCREENING BEGIN DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which surplus personal property begins the required 21 day donation screening period.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Set to equal the PROP-OFA-END-DATE plus 1 day at the time of initial add into NPDMS.

---

**SCREEN NAME:** DONATION END DT

**ACCESS NAME:** SRPLSPROP-DNTN-END-DATE

**ENTITY:** SURPLUS PROPERTY

**DESCRIPTIVE NAME:** SURPLUS PROPERTY DONATION SCREENING END DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which surplus personal property completes the required 21 day donation screening period.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for all other property.

If changed, cannot be earlier than the PROP-OFA-BGN-DATE.

---

<b>SCREEN NAME:</b>	<b>DONATION SCREENING BEGIN DATES</b>
ACCESS NAME:	SRPLSPROP-DNTN-BGN-DATE
ENTITY:	SURPLUS PROPERTY
<b>DESCRIPTIVE NAME:</b>	<b>SURPLUS PROPERTY DONATION SCREENING BEGIN DATE</b>

**DATA ELEMENT DEFINITION:**

The calendar date on which surplus personal property begins the required 21 day donation screening period.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Set to equal the PROP-OFA-END-DATE plus 1 day at the time of initial add into NPDMS.

---

<b>SCREEN NAME:</b>	<b>DONATION SCREENING END DATES</b>
ACCESS NAME:	SRPLSPROP-DNTN-END-DATE
ENTITY:	SURPLUS PROPERTY
<b>DESCRIPTIVE NAME:</b>	<b>SURPLUS PROPERTY DONATION SCREENING END DATE</b>

**DATA ELEMENT DEFINITION:**

The calendar date on which surplus personal property completes the required 21 day donation screening period.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the SRPLSPROP-DNTN-BGN-DATE plus the default number of Surplus screening days for all other property.

If changed, cannot be earlier than the PROP-OFA-BGN-DATE.

---

**SCREEN NAME:** DONEE AGENCY

**ACCESS NAME:** RQSTR-ORGNZTN-NAME

**ENTITY:** REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR ORGANIZATION NAME

**DATA ELEMENT DEFINITION:**

The name identifying the organization, association, etc. requesting an item of personal property available for transfer, exchange, sale, donation, etc.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** DRMO  
**ACCESS NAME:** DRMO-RPT-IND  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO REPORT INDICATOR

**DATA ELEMENT DEFINITION:**

When this indicator is set to 'Y' on the Case Record, the case can be transferred to the DRMO when NASA Screening has completed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = yes; Blank = no. Default maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** DRMO DISPOSAL AUTHORITY CODE  
**ACCESS NAME:** SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
 GSA-RGN-CODE for the GSA Region Table-005;  
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
 PROP-UOM-CODE for the Unit of Measure Table-025;  
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;

DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
IINST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** DRMO DODAAC  
**ACCESS NAME:** DRMO-DODAAC-CODE; SYS-REC-KEY  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE  
**DATA ELEMENT DEFINITION:**  
The Department of Defense Area Activity Code which uniquely identifies the various Defense Reutilization and Marketing Service Activities.  
**FORMAT:** Alphanumeric  
**LENGTH:** 6  
**EDIT CRITERIA**  
Maintained in the NPDMS DRMO DODAAC Code Table-010.

---

**SCREEN NAME:** DRMO DODAAC  
**ACCESS NAME:** SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM RECORD KEY  
**DATA ELEMENT DEFINITION:**  
The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.  
**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
IINST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

<b>SCREEN NAME:</b>	<b>DRMO DODAAC CONTACT NAME</b>
ACCESS NAME:	DRMO-DODAAC-CNTCT-NAME
ENTITY:	DRMO

**DESCRIPTIVE NAME:** DRMO DODAAC CONTACT NAME

**DATA ELEMENT DEFINITION:**

The field containing the contact person's name at a particular DRMO DODAAC.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

User entered. Free form however must be entered. Maintained on the DRMO DODAAC Table-010

---

**SCREEN NAME:** DRMO DODAAC (INST)

**ACCESS NAME:** INST-DRMO-DODAAC-CODE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION DRMO DODAAC CODE

**DATA ELEMENT DEFINITION:**

A six digit code used to identify the primary Department of Defense Reutilization and Marketing Office (DRMO) used by a specific NASA Installation Property Disposal Officer (PDO) to report and transfer NASA personal property to for further disposal processing. The DRMO chosen by the NASA installation PDO in this data field will become the default DRMO maintained in the NPDMS center profile record for use whenever doing an add transaction to NPDMS.

**FORMAT:** Alphanumeric

**LENGTH:** 6

**EDIT CRITERIA**

Installation specific, but must be on the NPDMS DODAAC Code Table-010. Default maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** DRMO DODAAC NAME

**ACCESS NAME:** DRMO-DODAAC-NAME

**ENTITY:** DRMO

**DESCRIPTIVE NAME:** DRMO DODAAC NAME

**DATA ELEMENT DEFINITION:**

The name of the DODAAC.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Free form.

**SCREEN NAME:** DRMO DODAAC PHONE  
**ACCESS NAME:** DRMO-DODAAC-PHN-NMBR  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DODAAC PHONE NUMBER  
**DATA ELEMENT DEFINITION:**  
The telephone number, including area code, associated with a specific DODAAC.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10.0  
**EDIT CRITERIA**  
Free form. If entered, Area Code must be included.

---

**SCREEN NAME:** DRMO DODAAC RIC  
**ACCESS NAME:** DRMO-DODAAC-RIC-CODE  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DODAAC ROUTING IDENTIFIER CODE  
**DATA ELEMENT DEFINITION:**  
This field contains SOS codes, inter-system routing codes, intra-system routing codes, and consignor (shipper) codes on NPDMS Table 010.  
**FORMAT:** Alphanumeric  
**LENGTH:** 3  
**EDIT CRITERIA**  
Maintained in the NPDMS DRMO DODAAC Code Table-010. All 3 characters must be filled and the first character must begin with 'S'.

---

**SCREEN NAME:** DRMO DT  
**ACCESS NAME:** RPT-1348-GNRTN-DATE  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 1348 GENERATION DATE  
**DATA ELEMENT DEFINITION:**  
The calendar date on which the DD-1348-1A was generated by NPDMS.  
**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated. Display format: MM = any number 1-12; DD = any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME: DRMO RECEIVING (ADDITIONAL DATA CODE)**

ACCESS NAME: DRMO-RCVNG-CODE; SYS-REC-KEY

ENTITY: DRMO

**DESCRIPTIVE NAME:** DRMO RECEIVING CODE

**DATA ELEMENT DEFINITION:**

Additional DRMO receiving information code to appear on DD-1348-1A.

**FORMAT:** Alphanumeric

**LENGTH:** 3

**EDIT CRITERIA**

Maintained in the NPDMS DRMO Additional Data Codes Table-095.

---

**SCREEN NAME: DRMO UNIT PACKAGE QUANTITY**

ACCESS NAME: NOT MAINTAINED

ENTITY: DRMO

**DESCRIPTIVE NAME:** DRMO PROPERTY UNIT PACKAGE QUANTITY

**DATA ELEMENT DEFINITION:**

The number of units of issue in a package. Entered on the DD form 1348-1A if required by the shipper.

**FORMAT:** Numeric

**LENGTH:** 3.0

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME: DT SHIPPD**

ACCESS NAME: PROP-SHPMNT-DATE

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY SHIPMENT DATE

**DATA ELEMENT DEFINITION:**

The calendar date that an idle personal property item was shipped.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year.  
Stored in Internal Date format.

---

**SCREEN NAME:** ECN

**ACCESS NAME:** NEMS-ECN-NMBR

**ENTITY:** NEMS

**DESCRIPTIVE NAME:** NEMS EQUIPMENT CONTROL NUMBER

**DATA ELEMENT DEFINITION:**

A unique bar-coded identification number affixed to each item of NASA-held, controlled equipment. May be referred to as 'Tag Number' or 'ECN'.

**FORMAT:** Alphanumeric

**LENGTH:** 7

**EDIT CRITERIA**

Position 1, any alphanumeric character, no space; positions 2-6 any valid number.

---

**SCREEN NAME:** EFFECTIVE DATE

**ACCESS NAME:** RPT-EFFCTV-DATE

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT EFFECTIVE DATE

**DATA ELEMENT DEFINITION:**

This element is used to trigger the execution of standard and on-request NPDMS reports and maintenance jobs. If this Julian date is equal to or less than the current date, the program contained in the Report Record will be executed. If the program is for a standard report or maintenance job, this date will be incremented by the RPT-FREQ and the Report Record will be updated when the programs successfully completes.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:** **END DATE (IND)**  
**ACCESS NAME:** RPT-END-DATE-IND  
**ENTITY:**  
**DESCRIPTIVE NAME:** REPORT END DATE INDICATOR  
**DATA ELEMENT DEFINITION:**  
 Indicates if a report ending date is a required entry for a specific NPDMS report.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1

**EDIT CRITERIA**

O = required for on-request reports, R = required on a regularly scheduled report. B = required for both on-request and regularly scheduled reports, and a blank space = not required.

---

**SCREEN NAME:** **END DT (NASA WIDE SCREENING)**  
**ACCESS NAME:** PROP-NASA-END-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING END DATE OF PROPERTY  
**DATA ELEMENT DEFINITION:**  
 The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.  
**FORMAT:** D  
**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y', default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

**SCREEN NAME:** **ENDING DATE (REPORTS)**

**ACCESS NAME:** RPT-END-DATE

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT END DATE

**DATA ELEMENT DEFINITION:**

The calendar date indicating the ending of a specific reporting cycle.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. For reports 008, 009, and 010 when they have a RPT-FREQ of 4 (monthly) or 7 (annually), the RPT-END-DATE is updated the same as the next RPT-EFFCTV-DATE.

---

**SCREEN NAME:** **ERN**

**ACCESS NAME:** PROP-ERN-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSACTION ENTRY REFERENCE NUMBER

**DATA ELEMENT DEFINITION:**

A unique control number generated by NPDMS for each transaction input to NPDMS. The PROP-ERN-NMBR consists of the subinstallation number; the Julian date (YDDD); and a sequence number assigned each transaction processed during the day, starting each day with 0001.

**FORMAT:** Alphanumeric

**LENGTH:** 10.0

**EDIT CRITERIA**

Generated by the NPDMS for NPDMS transactions. The current available sequence number is contained in the ERN Serial Number Record maintained in the NPDMS Table-110.

---

**SCREEN NAME:** **EXC/SALE**

**ACCESS NAME:** EXCHNGSL-IND

**ENTITY:** EXCHANGE/SALE PROPERTY

**DESCRIPTIVE NAME:** EXCHANGE/SALE PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

Identifies personal property not excess to the needs of the owning agency but eligible for replacement, which is exchanged or sold under the provisions of FPMR 101-46 in order to apply the exchange allowance or proceeds of sale, in whole or part payment, for replacement with a similar (like) item. Exchange/Sale property is not available for donation.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = yes; Blank = no, but if yes, must match FSC EXCHNGSL-FSC-ALWD-IND in the NPDMS FSC Code Table-020 and PROP-APRPRTN-ACNT-NMBR may be entered. Default is no.

---

**SCREEN NAME:** EXP DATE (EXPRTN)

**ACCESS NAME:** PROP-SHELF-LIFE-EXPRTN-DATE

**ENTITY:** PROPERTY

**DESCRIPTIVE NAME:** SHELF LIFE PROPERTY EXPIRATION DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which items designated as Supply and Materials Inventory Idle Property are no longer usable for their primary function.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated from NSMS and modifiable. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** EXP DATE (EXPTNSN)

**ACCESS NAME:** PROP-SHELF-LIFE-EXTNSN-DATE

**ENTITY:** PROPERTY

**DESCRIPTIVE NAME:** SHELF LIFE PROPERTY EXTENSION DATE

**DATA ELEMENT DEFINITION:**

The date through which items designated as Supply and Materials Inventory Idle Property are extended as useful for their primary purpose.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated from NSMS and modifiable. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

**SCREEN NAME:** **EXPLANATION (ADP CTGRY)**  
**ACCESS NAME:** PROP-ADP-CTGRY-DESC  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ADPE PROPERTY CATEGORY DESCRIPTION  
**DATA ELEMENT DEFINITION:**  
A description of the category Identification Codes used for Automated Data Processing Equipment.  
**FORMAT:** Alphanumeric  
**LENGTH:** 120  
**EDIT CRITERIA**  
Extracted from NPDMS Table 075. See PROP-ADP-CTGRY-ID

---

**SCREEN NAME:** **EXPLANATION (DRMO CNTRLD INV)**  
**ACCESS NAME:** DRMO-CNTRLD-INV-DESC  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO CONTROLLED INVENTORY ITEM CODE DESCRIPTION  
**DATA ELEMENT DEFINITION:**  
This field contains the description of the DRMO Controlled Inventory Item Code indicating the security classification and/or security risk or pilferage controls for the storage and transportation of property.  
**FORMAT:** Alphanumeric  
**LENGTH:** 78  
**EDIT CRITERIA**  
Extracted from the NPDMS Controlled Inventory Item Code Table-070. See DRMO-CNTRLD-INV-CODE.

---

**SCREEN NAME:** **EXPLANATION (DRMO DSPSL)**  
**ACCESS NAME:** DRMO-DSPSL-ATHRTY-DESC  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DISPOSAL AUTHORITY CODE DESCRIPTION

**DATA ELEMENT DEFINITION:**

The description associated with the DRMO-Disposal-Authority-Code entry.

**FORMAT:** Alphanumeric

**LENGTH:** 250

**EDIT CRITERIA**

Extracted from the NPDMS Disposal Authority Code Table-090. See DRMO-DSPSL-ATHRTY-CODE.

---

**SCREEN NAME:** **EXPLANATION (DRMO RECEIVING)**

**ACCESS NAME:** DRMO-RCVNG-TEXT

**ENTITY:** DRMO

**DESCRIPTIVE NAME:** DRMO RECEIVING INFORMATION TEXT

**DATA ELEMENT DEFINITION:**

This field is for an textual explanation of the additional DRMO receiving information code on the DD-1348-1A.

**FORMAT:** Alphanumeric

**LENGTH:** 200

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **EXPLANATION (DRMO SHIPPING)**

**ACCESS NAME:** DRMO-SHPNG-TEXT

**ENTITY:** DRMO

**DESCRIPTIVE NAME:** DRMO SHIPPING EXPLANATION TEXT

**DATA ELEMENT DEFINITION:**

Textual explanation of additional DRMO shipping information on the DD-1348-1A.

**FORMAT:** Alphanumeric

**LENGTH:** 150

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** EXPLANATION (HAZMAT)  
**ACCESS NAME:** PROP-HAZMAT-DESC  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** HAZARDOUS MATERIALS PROPERTY DESCRIPTION

**DATA ELEMENT DEFINITION:**

This field is for a description of the Hazardous Materials Code identifying explosives and other dangerous articles which require special attention in shipment.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Extracted from the NPDMS Hazardous Materials Code Table-065.

---

**SCREEN NAME:** EXT DATE (EXPTNSN)  
**ACCESS NAME:** PROP-SHELF-LIFE-EXTNSN-DATE  
**ENTITY:** PROPERTY  
**DESCRIPTIVE NAME:** SHELF LIFE PROPERTY EXTENSION DATE

**DATA ELEMENT DEFINITION:**

The date through which items designated as Supply and Materials Inventory Idle Property are extended as useful for their primary purpose.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated from NSMS and modifiable. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** EXTERNAL (AGENCY EXTRNL)  
**ACCESS NAME:** AGENCY-EXTRNL-DSTRBTN-RATE  
**ENTITY:** FEDERAL AGENCY  
**DESCRIPTIVE NAME:** EXTERNAL AGENCY DISTRIBUTION RATE

**DATA ELEMENT DEFINITION:**

A standard rate established by NASA Headquarters for the number of line items redistributed outside of NASA (Including NASA Contractors and Grantees) divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

**FORMAT:** Packed

**LENGTH:** 3.0

**EDIT CRITERIA**

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

---

**SCREEN NAME:** EXTERNAL (INST EXTRNL)

**ACCESS NAME:** INST-EXTRNL-DSTRBTN-RATE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION EXTERNAL DISTRIBUTION RATE

**DATA ELEMENT DEFINITION:**

A rate (established by NASA Headquarters) for the number of line items redistributed outside of NASA (Excluding NASA Contractors and Grantees) by a particular Installation divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

**FORMAT:** Packed

**LENGTH:** 3.0

**EDIT CRITERIA**

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

---

**SCREEN NAME:** FAIR MKT

**ACCESS NAME:** PROP-FMV-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** FAIR MARKET VALUE AMOUNT OF PROPERTY

**DATA ELEMENT DEFINITION:**

The amount of money to be reimbursed to the reporting agency. This is the best estimate of the gross proceeds that would be recovered if reimbursable property were to be sold by competitive bid.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

User entered dollar amount.

---

**SCREEN NAME:** FAX (INST)  
**ACCESS NAME:** INST-FAX-NMBR  
**ENTITY:**  
**DESCRIPTIVE NAME:** REPORTING INSTALLATION FAX TELEPHONE NUMBER  
**DATA ELEMENT DEFINITION:**  
The FAX telephone number of the individual to contact at a reporting installation.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10  
**EDIT CRITERIA**  
Default maintained on the NPDMS Center Profile Table-050 and displayed at the time of initial add. Modifiable but may not be blank.

---

**SCREEN NAME:** FAX (LCTN)  
**ACCESS NAME:** PROP-LCTN-FAX-NMBR  
**ENTITY:**  
**DESCRIPTIVE NAME:** PROPERTY LOCATION FAX PHONE NUMBER  
**DATA ELEMENT DEFINITION:**  
The FAX telephone number of the individual to contact where a particular item of property is located.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10  
**EDIT CRITERIA**  
Default maintained on Center Profile Table-050 and displayed at the time of initial add. Modifiable but may not be blank.

---

**SCREEN NAME:** FEDSTRIP AAC  
**ACCESS NAME:** INST-FEDAAC-CODE  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION FEDERAL ACTIVITY ADDRESS CODE  
**DATA ELEMENT DEFINITION:**  
A six digit code assigned by the General Services Administration (GSA) to uniquely identify Federal organizations authorized to receive Federal sources of supply and support services, including GSA disposal support services.  
**FORMAT:** Alphanumeric  
**LENGTH:** 6.0

#### EDIT CRITERIA

Must be one of the following contained on the Center Profile Table-050.

809101 = AMES (M);  
809103 = AMES (D);  
803226 = GSFC;  
807402 = JSC;  
804235 = KSC;  
803301 = LaRC;  
805501 = LeRC;  
804101 = MSFC;  
804412 = NSTL (STENNIS- SSC);  
807504 = WSTF.

---

**SCREEN NAME:** FEDSTRIP AAC

**ACCESS NAME:** SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

#### DATA ELEMENT DEFINITION:

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

#### EDIT CRITERIA

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;

DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

<b>SCREEN NAME:</b>	<b>FIRST NAME (BIDDER)</b>
ACCESS NAME:	PROP-BIDDER-FIRST-NAME
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	PROPERTY BIDDER FIRST NAME

**DATA ELEMENT DEFINITION:**

Contains the first name of the individual, or the first name of the contact representing an organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

Must be entered if the PROP-BIDDER-CMPNY-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is compressed into the RQSTR-NAME on the transaction record.

---

<b>SCREEN NAME:</b>	<b>FIXED SHELF LIFE CODE</b>
ACCESS NAME:	NOT MAINTAINED
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	FIXED SHELF LIFE CODE OF PROPERTY

**DATA ELEMENT DEFINITION:**

An individual item of supply which is determined, through an evaluation of technical test data and/or actual experience, to be an item with a definite non-extendible period of shelf-life.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

0 = Non-deteriorative item;

A = 1 month;

B = 2 months;

C = 3 months;

D = 4 months;

E = 5 months;

F = 6 months;

G = 9 months;

H = 12 months;

J = 15 months;

K = 18 months;

L = 21 months;

M = 24 months;

N = 27 months;

P = 30 months;

Q = 36 months;

R = 48 months;

S = 60 months;

X = items with shelf-life period greater than 60 months.

---

**SCREEN NAME:** FOREIGN PROP

**ACCESS NAME:** PROP-FRGN-IND

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** FOREIGN PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

Identifies foreign property as personal property located outside the States of the Union, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, Guam, the Commonwealth of the Northern Mariana Islands, the Trust Territory of the Pacific Islands, and the Virgin Islands.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Value 'Y' = Yes, 'blank' = No

---

**SCREEN NAME:** FOREIGN PROP IND  
**ACCESS NAME:** PROP-FRGN-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** FOREIGN PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

Identifies foreign property as personal property located outside the States of the Union, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, Guam, the Commonwealth of the Northern Mariana Islands, the Trust Territory of the Pacific Islands, and the Virgin Islands.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Value 'Y' = Yes, 'blank' = No

---

**SCREEN NAME:** FREEZE DATE  
**ACCESS NAME:** PROP-FREEZE-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY FREEZE TRANSACTION DATE

**DATA ELEMENT DEFINITION:**

The effective calendar date of a freeze (F00) transaction. This date will be on all disposition transactions processed from a freeze transaction (i.e., the PROP-PRCSNG-PTY-IND was initially set to 1, 2, or 3).

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated. Display format: MM = 1-12; DD = 1-31 consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** FREEZE TYPE  
**ACCESS NAME:** RQSTR-AGNCY-ID  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR AGENCY IDENTIFIER

**DATA ELEMENT DEFINITION:**

The type of agency requesting property available for transfer, exchange, sale, donation, etc.:  
N = NASA activity (including contractors and grantees);  
E = Vendor;

F = Other Federal Agency (including contractors and grantees);  
D = Donation;  
S = Sold.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

User-entered, valid codes are 'N', 'E', 'F', 'D', or 'S'.

---

**SCREEN NAME:** **FREQUENCY**

**ACCESS NAME:** RPT-FREQ

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT FREQUENCY

**DATA ELEMENT DEFINITION:**

The frequency that a standard NPDMS report or maintenance job is to be run.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

0 = On Request;  
1 = Daily;  
2 = Weekly;  
3 = Biweekly (14 Days);  
4 = Monthly;  
5 = Quarterly;  
6 = Semiannually;  
7 = Annually.

---

**SCREEN NAME:** **FROZEN**

**ACCESS NAME:** PROP-DSPSTN-QTY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DISPOSITION QUANTITY

**DATA ELEMENT DEFINITION:**

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

---

**SCREEN NAME:** **FSC CODE**  
**ACCESS NAME:** PROP-FSC-CODE; SYS-REC-KEY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY FSC CODE

**DATA ELEMENT DEFINITION:**

The Federal Supply Classification Code portion of the PROP-NSN-NMBR. Also used with SYS-TBL-ID to access the NPDMS Table File.

**FORMAT:** Alphanumeric  
**LENGTH:** 4.0

**EDIT CRITERIA**

Positions 1-2 federal supply group, which classifies similar items into groups; 3-4 federal supply class, which classifies similar items within groups into classes. Maintained in the NPDMS FSC Code Table-020.

---

**SCREEN NAME:** **FSC CODE**  
**ACCESS NAME:** SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric  
**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;

INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
 PRINTER DESTINATION CODE for the Printer Destination Table-145;  
 STATE ABBREVIATION for the State Table-150;  
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

**SCREEN NAME: FSC CODE (COMPONENT SYSTEM)**

ACCESS NAME: CMPNT-FSC-CODE

ENTITY: COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM FSC CODE

**DATA ELEMENT DEFINITION:**

The Federal Supply Classification (FSC) Code of a component system. This field consists of the federal supply group, which classifies similar items into groups; and the federal supply class, which classifies similar items within groups. Since reportability for a component system is determined at the case, not item level, this field is necessary.

**FORMAT:** Alphanumeric

**LENGTH:** 4.0

**EDIT CRITERIA**

User entered. Positions 1-2 federal supply group, which classifies similar items into groups; 3-4 federal supply class, which classifies similar items within groups into sub-classes. Must be in the NPDMS Federal Supply Classification Code Table-020.

**SCREEN NAME:** FSC EXCHANGE/SALE ALLOWED  
**ACCESS NAME:** EXCHNGSL-FSC-ALWD-IND  
**ENTITY:** EXCHANGE/SALE PROPERTY  
**DESCRIPTIVE NAME:** EXCHANGE/SALE PROPERTY FSC ALLOWED INDICATOR  
**DATA ELEMENT DEFINITION:**  
The field indicating whether a specific PROP-FSC-GROUP-CODE is or is not allowed in the Exchange / Sale Program.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA**  
Y = yes; Blank = no. Maintained in the NPDMS FSC Code Table-020.

---

**SCREEN NAME:** FSC GROUP NAME  
**ACCESS NAME:** PROP-FSC-GRP-NAME  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY FSC GROUP NAME  
**DATA ELEMENT DEFINITION:**  
The federal supply classification group name.  
**FORMAT:** Alphanumeric  
**LENGTH:** 100  
**EDIT CRITERIA**  
Per Cataloging Handbook H2-1. Maintained in the NPDMS Federal Supply Classification Code Table-020.

---

**SCREEN NAME:** FSC MINIMUM CONDITION  
**ACCESS NAME:** PROP-FSC-MIN-CNDTN-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY FSC MINIMUM DISPOSAL CONDITION CODE  
**DATA ELEMENT DEFINITION:**  
The minimum PROP-DSPSL-CNDTN-CODE associated with a specific Federal Supply

Classification group or Federal Supply class used to determine a Personal Property's reportability to GSA.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

1-9, inclusive. Maintained in the NPDMS Federal Supply Classification Code Table-020.

---

**SCREEN NAME:** **FSC MINIMUM COST**

**ACCESS NAME:** PROP-FSC-MIN-COST-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY FSC MINIMUM COST AMOUNT

**DATA ELEMENT DEFINITION:**

The minimum cost associated with a specific Federal Supply Classification group used to determine an Idle Property's reportability to GSA.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Specific to Federal Supply Classification codes. Maintained in the NPDMS Federal Supply Classification Code Table-020.

---

**SCREEN NAME:** **FSC REPORTABLE IND**

**ACCESS NAME:** PROP-RPTBL-FSC-IND

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY REPORTABLE FSC INDICATOR

**DATA ELEMENT DEFINITION:**

Identifies if an item of personal property has a Federal Supply Classification Code that indicates the item be reported to GSA.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = yes; Blank = no. Maintained in the NPDMS Federal Supply Classification Code Table-020.

---

**SCREEN NAME:**                      **FUNCTION**  
**ACCESS NAME:**                      NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for the addition or deletion of item record from the Inventory file.

**FORMAT:**                              Numeric

**LENGTH:**                              2.0

**EDIT CRITERIA**

The possible values are A=Add , D=Delete or Blank.

---

**SCREEN NAME:**                      **GRANTEE PROP**  
**ACCESS NAME:**                      PROP-GRANT-IND  
**ENTITY:**                              IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:**              GRANTEE PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates that the property being reported for disposal processing is from a grantee.

**FORMAT:**                              Alphanumeric

**LENGTH:**                              1

**EDIT CRITERIA**

Possible values are 'Y' or blank.

---

**SCREEN NAME:**                      **GSA**  
**ACCESS NAME:**                      NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

Designate a sale as being GSA sale.

**FORMAT:**                              Alphanumeric

**LENGTH:**                              1

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** GSA CONTROL NO  
**ACCESS NAME:** GSA-CNTRL-NMBR  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA CONTROL NUMBER

**DATA ELEMENT DEFINITION:**

Number assigned by the General Services Administration (GSA) to identify personal property for Federal and donation screening. Although the property case number is the primary cross reference with GSA during all phases of disposal including sales, the GSA control number may be used as an optional secondary reference during the Federal and donation screening periods.

**FORMAT:** Alphanumeric  
**LENGTH:** 14

**EDIT CRITERIA**  
GSA supplied.

---

**SCREEN NAME:** GSA CONTROL NUMBER  
**ACCESS NAME:** GSA-CNTRL-NMBR  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA CONTROL NUMBER

**DATA ELEMENT DEFINITION:**

Number assigned by the General Services Administration (GSA) to identify personal property for Federal and donation screening. Although the property case number is the primary cross reference with GSA during all phases of disposal including sales, the GSA control number may be used as an optional secondary reference during the Federal and donation screening periods.

**FORMAT:** Alphanumeric  
**LENGTH:** 14

**EDIT CRITERIA**  
GSA supplied.

---

**SCREEN NAME:** GSA DTE  
**ACCESS NAME:** GSA-RPT-DATE  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA REPORT DATE

**DATA ELEMENT DEFINITION:**

The calendar date when personal property is reported via electronic media or hardcopy SF-120 to the General Services Administration (GSA) for federal screening, donation screening and/or sales action. This date is system generated.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated. Display format: MM = Any number 1-12; DD = Any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** GSA ITEM DESCRIPTION

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** GSA ITEM DESCRIPTION

**DATA ELEMENT DEFINITION:**

The description of the NASA excess being reported on the tape sent to the GSA. This field is on GSA Record Type 'D' of which there can be 51 per item excessed. This data element will be developed by combining existing data elements and is not maintained on the NPDMS data base.

**FORMAT:** Alphanumeric

**LENGTH:** 79

**EDIT CRITERIA**

The following NPDMS Data Elements are within the 'D' records only if they contain data and that data is not None or Unknown:

If a component item:

ITEM-NAME,

PROP-CUR-AVLBL-QTY

PROP-UOM-CODE (only if qty > 1).

For all property:

PROP-MFG-NAME,

PROP-MFG-MODEL-NMBR,

PROP-MFG-PART-NMBR,

PROP-MFG-YR,

PROP-MFG-SERIAL-NMBR, PROP-DESC (up to 40 occurrences),

PROP-SHELF-LIFE-TYPE,

PROP-SHELF-LIFE-EXPTN-DATE or PROP-SHELF-LIFE-EXTNSN-DATE,

PROP-HAZMAT-CODE & PROP-HAZMAT-DESC,

WRHS-LCTN-ADRS, and

Any freeze referral information.

---

**SCREEN NAME:** **GSA ITEM NAME**  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** GSA ITEM NAME

**DATA ELEMENT DEFINITION:**

The field in which the PROP-ITEM-NAME is reported on the tape to the GSA. This field is not maintained on the NPDMS data base.

**FORMAT:** Alphanumeric

**LENGTH:** 69

**EDIT CRITERIA**

ITEM NAME or COMPONENT SYSTEM NAME.

---

**SCREEN NAME:** **GSA NAME**  
**ACCESS NAME:** GSA-RGNL-OFC-NAME  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA REGIONAL OFFICE NAME

**DATA ELEMENT DEFINITION:**

The name of the GSA Regional Office.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Installation specific. Maintained in the NPDMS GSA Region Table-005.

---

**SCREEN NAME:** **GSA REGION**  
**ACCESS NAME:** GSA-RGN-CODE; SYS-REC-KEY  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA REGION CODE

**DATA ELEMENT DEFINITION:**

A two position code used to identify the GSA Reporting Regions. Also used with SYS-TBL-ID to access the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

00; 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; and W. Maintained in the NPDMS GSA Region Table-005.

---

**SCREEN NAME:** GSA REGION  
**ACCESS NAME:** SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
 GSA-RGN-CODE for the GSA Region Table-005;  
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
 PROP-UOM-CODE for the Unit of Measure Table-025;  
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;

INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** **GSA REGION (INST)**  
**ACCESS NAME:** INST-GSA-RGN-ID; SYS-REC-KEY  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION GSA REPORTING REGION ID

**DATA ELEMENT DEFINITION:**

A two digit code used to identify the primary General Services Administration (GSA) regional office used by a specific NASA Installation Property Disposal Officer (PDO) to report and transfer NASA personal property to for other Federal agency screening, donation screening, or sales action conducted by GSA. The GSA regional office chosen by the NASA installation PDO in this data field will become the default GSA regional office maintained in the NPDMS center profile record for use whenever doing an add transaction to NPDMS.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Valid codes include 00; 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; and W, but must be on the NPDMS GSA Region Table-005. Default maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **GSA REPORT DATE**  
**ACCESS NAME:** GSA-RPT-DATE  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA REPORT DATE

**DATA ELEMENT DEFINITION:**

The calendar date when personal property is reported via electronic media or hardcopy SF-120 to the General Services Administration (GSA) for federal screening, donation screening and/or sales action. This date is system generated.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated. Display format: MM = Any number 1-12; DD = Any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** **GSA RPT DATE**

**ACCESS NAME:** GSA-RPT-DATE

**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA REPORT DATE

**DATA ELEMENT DEFINITION:**

The calendar date when personal property is reported via electronic media or hardcopy SF-120 to the General Services Administration (GSA) for federal screening, donation screening and/or sales action. This date is system generated.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated. Display format: MM = Any number 1-12; DD = Any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** **GSA WITHDRAWAL APPROVAL DATE**

**ACCESS NAME:** GSA-WTHDRWL-APRVL-DATE

**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA WITHDRAWAL APPROVAL DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which GSA approved the withdrawal of previously reported personal property.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** **HAZ MAT**

**ACCESS NAME:** PROP-HAZMAT-CODE; SYS-REC-KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** HAZARDOUS MATERIALS PROPERTY CODE

**DATA ELEMENT DEFINITION:**

The codes identifying explosives and other dangerous articles that require special handling in shipment. Maintained in the NPDMS Hazardous Materials Code Table-065.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Maintained in the NPDMS Hazardous Materials Code Table-065.

AA = Ammunition for cannon with empty projectile, Class B explosive;  
AB = Ammunition for cannon with explosive projectile, Class A explosive;  
AC = Ammunition for cannon with gas projectile, Class A explosive;  
AD = Ammunition for cannon with illuminating projectile, Class A explosive;  
AE = Ammunition for cannon with incendiary projectile, Class A explosive;  
AF = Ammunition for cannon with inert-loaded projectile, Class B explosive;  
AG = Ammunition for cannon with smoke projectile, Class A explosive;  
AH = Ammunition for cannon with solid projectile, Class B explosive;  
AI = Ammunition for cannon without projectile, Class B explosive;  
AJ = Chloropicrin, liquid, Poison B;  
AK = Ammunition for small arms with explosive projectile, Class A explosive;  
AL = Black powder, Class A explosive;  
AM = Chemical ammunition, nonexplosive, irritating material;  
AN = Detonators;  
AO = Irritating agent, n.o.s., irritating material;  
AP = Booster, explosive, Class A explosive;  
AQ = Burster, explosive, Class A explosive;  
AR = Cannon primers, Class C explosive;  
AS = Cartridge bags, empty, with black powder igniter, Class C explosive;  
AT = Cartridge cases, empty, primed, Class C explosive;  
AU = Combination fuze, Class C explosive;  
AV = Combination primer, Class C explosive;  
AW = Cordeau detonant fuze, Class C explosive;  
AX = Corrosive liquid, n.o.s., corrosive material;  
AY = Radioactive material, n.o.s.;  
AZ = Detonating fuze, Class A explosive;  
BA = Detonating fuze, Class A explosive, with or without radioactive components;  
BB = Detonating fuze, Class C explosive;  
BC = Detonating primer, Class A explosive;  
BD = Detonators, Class A or Class C explosive;  
BE = Electric squib, Class C explosive;  
BF = Explosive bomb, Class A explosive;  
BG = Explosive cable cutter, Class C explosive;  
BH = Explosive mine, Class A explosive;  
BI = Explosive projective, Class A explosive;  
BJ = Explosive release device, Class C explosive;  
BK = Explosive rivet, Class C explosive;  
BL = Explosive torpedo, Class A explosive;

BM = Diphenylaminechloroarsine, (DM), irritating material;  
BN = Flammable liquid, n.o.s., flammable liquid;  
BO = Flammable solid, n.o.s., flammable solid;  
BP = Fuze igniter, Class C explosive;  
BQ = Fuze lighter, Class C explosive;  
BR = Grenade, empty, primed, Class C explosive;  
BS = Grenade, hand, explosive, Class A explosive;  
BT = High explosive, Class A explosive;  
BU = High explosive, liquid, Class A explosive;  
BV = Igniter cord, Class C explosive;  
BW = Igniter, Class C explosive;  
BX = Igniter, jet thrust (jato), Class A explosive;  
BY = Igniter, Jet thrust (jato), Class B explosive;  
BZ = Initiating explosive, Class A explosive;  
CA = Fuze, instantaneous, Class C explosive;  
CB = Jet thrust unit (jato), Class A explosive;  
CC = Jet thrust unit (jato), Class B explosive;  
CD = Low explosive, Class A explosive;  
CE = Percussion cap, Class C explosive;  
CF = Percussion fuze, Class C explosive;  
CG = Poisonous liquid or gas, n.o.s., Poison A;  
CH = Poisonous liquid, n.o.s., Poison B;  
CI = Poisonous solid, n.o.s., Poison B;  
CJ = Propellant explosive, Class A explosive;  
CK = Propellant explosive, solid, Class B explosive;  
CL = Propellant explosive in water, Class B explosive;  
CM = Propellant explosives in water, unstable, condemned or deteriorated, Class B explosive;  
CN = Fusee, railway, Flammable solid;  
CO = Torpedo, railway, Class B explosive;  
CP = Grenade, hand or rifle, explosive, Class A explosive;  
CQ = Rocket ammunition with empty projectile, Class B explosive;  
CR = Rocket ammunition with explosive projectile, Class A explosive;  
CS = Rocket ammunition with illuminating projectile, Class A explosive;  
CT = Rocket ammunition with gas projectile, Class A explosive;  
CU = Rocket ammunition with incendiary projectile, Class A explosive;  
CV = Rocket ammunition with inert-loaded projectile, Class B explosive;  
CW = Rocket ammunition with smoke projectile, Class A explosive;  
CX = Rocket ammunition with solid projectile, Class B explosive;  
CY = Aniline Oil, liquid, Poison B;  
CZ = Fuze, safety, Class C explosive;  
DA = Safety squib, Class C explosive;  
DB = Signal flare, Class C explosive;  
DC = Small-arms ammunition, Class C explosive;  
DD = Small-arms ammunition, irritating cartridge, Class C explosive;  
DE = Small-arms primer, Class C explosive;  
DF = Smoke pot, Class C explosive;  
DG = Smoke signal, Class C explosive;  
DH = Fireworks, special, Class B explosive;  
DI = Starter cartridge, Class B explosive;

DJ = Supplementary charge (explosive), Class A explosive;  
 DK = Fuze, time, Class C explosive;  
 DL = Toy propellant device, Class C explosive;  
 DM = Toy smoke device, Class C explosive;  
 DN = Toy caps, Class C explosive;  
 DO = Tracer, Class C explosive;  
 DP = Tracer fuze, Class C explosive;  
 DQ = Very signal cartridge, Class C explosive;  
 DR = Fireworks, common, Class C explosive;  
 DS = Chloroacetophenone solid, (CN), irritating material;  
 DT = Chlorosulfonic acid, corrosive material;  
 DU = Chloroacetophenone, gas, liquid, (CN), irritating material;  
 DV = Smoke grenade, Class C explosive;  
 DW = Hydrocyanic acid (prussic), solution, poison A;  
 DX = Grenade, tear gas, irritating material;  
 DZ = Phosphorus, white, dry, flammable solid;  
 EA = Explosive power device, class C, Class C explosive;  
 EB = Sodium Perchlorate, Oxidizer;  
 EC = Explosive power device, class B, Class B explosive;  
 ED = Starter cartridge, Class C explosive;  
 EE = Corrosive solid, n.o.s., corrosive material;  
 EF = Oxidizing material, n.o.s., Oxidizer;  
 EG = Compressed gas, n.o.s., nonflammable gas;  
 EH = Compressed gas, n.o.s., flammable gas;  
 EI = Mercuric Acetate, Poison B;  
 EJ = Nitrobenzol, liquid, Poison B;  
 EK = Rocket engine, liquid, Class B explosive;  
 EL = Rocket motor, Class A explosive;  
 EM = Rocket motor, Class B explosive;  
 EN = Ammunition for small arms with incendiary projectile, Class A explosive;  
 EO = Igniter, rocket motor, Class A explosive;  
 EP = Igniter, rocket motor, Class B explosive;  
 EQ = Hand signal device, Class C explosive;  
 ER = Propellant explosive, liquid, Class B explosive;  
 ES = Insecticide, liquid, n.o.s., flammable liquid;  
 ET = Malathion, ORM, A;  
 EU = Fluorine, nonflammable gas;  
 EV = Mercuric-Potassium Iodide, solid, Poison B;  
 EW = Cartridge, practice, ammunition, Class C explosive;  
 EX = Actuating cart, exp, fire ext or valve, Class C explosive;  
 FA = Perchloric Acid, exceeding 50% but not exceeding 72% strength, oxidizer;  
 FB = Formic Acid, Solution, corrosive material;  
 FC = Hydrochloric (Muriatic) acid, corrosive material;  
 FD = Sodium Sulfide, anhydrous, flammable solid;  
 FE = Petroleum Naphtha, combustible liquid;  
 FG = Medicines, n.o.s., solid, flammable solid;  
 FH = Fire extinguisher, nonflammable gas;  
 FI = Chlordane, liquid, combustible liquid;  
 FJ = Compound, rust preventing, corrosive material;

FK = Calcium Cyanide, solid or calcium cyanide mixture, solid, Poison B;  
FL = Fuel, aviation, turbine engine, flammable liquid;  
FM = Pentane, flammable liquid;  
FN = Benzene, flammable liquid;  
FO = Acetic acid, glacial, corrosive material;  
FP = Acetone, flammable liquid;  
FQ = Acetylene, flammable gas;  
FR = Air, compressed, nonflammable gas;  
FS = Alcohol, n.o.s., flammable liquid;  
FT = Ammonia, anhydrous, nonflammable gas;  
FU = Ammonium Nitrate (no organic coating), oxidizer;  
FV = Ammonium Nitrate (organic coating), oxidizer;  
FW = Amyl Acetate, flammable liquid;  
FY = Arsenic Trioxide, solid, Poison B;  
FZ = Barium Nitrate, oxidizer;  
GA = Battery, electric, storage, wet, corrosive material;  
GB = Benzene (benzol), flammable liquid;  
GC = Bromine, corrosive material;  
GD = Butyl Acetate, flammable liquid;  
GE = Calcium Nitrate, oxidizer;  
GF = Calcium Resinate, flammable solid;  
GG = Phenol, Poison B;  
GH = Carbon Bisulfide or Carbon Disulfide, flammable liquid;  
GI = Carbon Dioxide, liquefied, nonflammable gas;  
GJ = Carbon Dioxide-Oxygen mixture, nonflammable;  
GK = Cement, liquid, n.o.s., flammable liquid;  
GL = Cement, rubber, flammable liquid;  
GM = Chlorine, nonflammable gas;  
GN = Chromic acid, solid, oxidizer;  
GO = Coating solution, flammable liquid;  
GP = Compounds, tree or weed killing liquid, Poison B;  
GQ = Crotonaldehyde, flammable liquid;  
GR = Crude oil, petroleum, flammable liquid;  
GS = Dinitrobenzene, solid or Dinitrobenzol, solid, Poison B;  
GT = Eradicators, paint or grease, liquid, flammable liquid;  
GU = Diethyl ether, flammable liquid;  
GV = Ethyl Acetate, flammable liquid;  
GW = Ethyl Chloride, flammable liquid;  
GX = Ethylene Dichloride, flammable liquid;  
GY = Ethylene Oxide, flammable liquid;  
GZ = Gasoline (including casing-head and natural) flammable liquid;  
HA = Helium, nonflammable gas;  
HB = Helium - Oxygen mixture, nonflammable gas;  
HC = Heptane, flammable liquid;  
HD = Hexane, flammable liquid;  
HE = Hydrochloric acid solution, inhibited, corrosive material;  
HF = Hydrogen, flammable gas;  
HG = Isooctane, flammable liquid;  
HH = Lead Nitrate, oxidizer;

HI = Liquefied Petroleum gas, flammable gas;  
 HJ = Lindane, other regulated material, A;  
 HK = Magnesium, metal, (powdered, pellets, turnings or ribbons) flammable solid;  
 HL = Methyl Bromide liquid, Poison B;  
 HM = Methyl Chloride, flammable gas;  
 HN = Methyl Ethyl Ketone, flammable liquid;  
 HO = Monobromotrifluoromethane, nonflammable gas;  
 HP = Chloroacetic acid, liquid or solution, corrosive material;  
 HQ = Nitrate, n.o.s., oxidizer;  
 HR = Nitric acid (over 40%), oxidizer;  
 HS = Nitric acid (40% or less), corrosive material;  
 HT = Nitrogen, nonflammable gas;  
 HU = Oxygen, nonflammable gas;  
 HV = Petroleum ether, flammable liquid;  
 HW = Phosphoric Anhydride, corrosive material;  
 HX = Phosphorous, amorphous, red, flammable solid;  
 HY = Phosphorous, Oxchloride, corrosive material;  
 HZ = Phosphorous, Pentachloride, solid, corrosive material;  
 JA = Phosphorous Trichloride, corrosive material;  
 JB = Potassium Hydroxide, dry, solid, flake, bead or granular, corrosive material;  
 JC = Potassium Nitrate, oxidizer;  
 JD = Rubber shoddy or rubber, regenerated rubber or reclaimed, flammable solid;  
 JE = Sodium Arsenate, solid, Poison B;  
 JF = Sodium Arsenite liquid, (solution), Poison B;  
 JG = Sodium Hydroxide, dry solid, flake, bead or granular, corrosive material;  
 JH = Sodium Hydrosulfite, flammable solid;  
 JI = Sodium Nitrate, oxidizer;  
 JJ = Sodium Nitrite, oxidizer;  
 JK = Sodium Peroxide, oxidizer;  
 JL = Strontium Nitrate, oxidizer;  
 JM = Sulfur Chloride (mono and di), corrosive material;  
 JN = Sulfur Hexafluoride, nonflammable gas;  
 JO = Titanium Tetrachloride, corrosive material;  
 JP = Vinyl Acetate, flammable liquid;  
 FF = Code FF denotes special factors or conditions in an item description which have an effect on the rating of charges;  
 FX = Code FX denotes special factors in an item description, therefore, the item description in the respective rail of motor dangerous articles tariff should be read carefully to ensure that the exact tariff description is shown on the bill of lading.

---

<b>SCREEN NAME:</b>	<b>HAZ MAT CODE</b>
ACCESS NAME:	PROP-HAZMAT-CODE; SYS-REC-KEY
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	HAZARDOUS MATERIALS PROPERTY CODE

**DATA ELEMENT DEFINITION:**

The codes identifying explosives and other dangerous articles which require special handling in shipment. Maintained in the NPDMS Hazardous Materials Code Table - 065.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Maintained in the NPDMS Hazardous Materials Code Table - 065. AA = Ammunition for cannon with empty projectile, Class B explosive;

AB = Ammunition for cannon with explosive projectile, Class A explosive;

AC = Ammunition for cannon with gas projectile, Class A explosive;

AD = Ammunition for cannon with illuminating projectile, Class A explosive;

AE = Ammunition for cannon with incendiary projectile, Class A explosive;

AF = Ammunition for cannon with inert-loaded projectile, Class B explosive;

AG = Ammunition for cannon with smoke projectile, Class A explosive;

AH = Ammunition for cannon with solid projectile, Class B explosive;

AI = Ammunition for cannon without projectile, Class B explosive;

AJ = Chloropicrin, liquid, Poison B;

AK = Ammunition for small arms with explosive projectile, Class A explosive;

AL = Black powder, Class A explosive;

AM = Chemical ammunition, nonexplosive, irritating material;

AN = Detonators;

AO = Irritating agent, n.o.s., irritating material;

AP = Booster, explosive, Class A explosive;

AQ = Bursting, explosive, Class A explosive;

AR = Cannon primers, Class C explosive;

AS = Cartridge bags, empty, with black powder igniter, Class C explosive;

AT = Cartridge cases, empty, primed, Class C explosive;

AU = Combination fuze, Class C explosive;

AV = Combination primer, Class C explosive;

AW = Cordeau detonant fuze, Class C explosive;

AX = Corrosive liquid, n.o.s., corrosive material;

AY = Radioactive material, n.o.s.;

AZ = Detonating fuze, Class A explosive;

BA = Detonating fuze, Class A explosive, with or without radioactive components;

BB = Detonating fuze, Class C explosive;

BC = Detonating primer, Class A explosive;

BD = Detonators, Class A or Class C explosive;

BE = Electric squib, Class C explosive;

BF = Explosive bomb, Class A explosive;

BG = Explosive cable cutter, Class C explosive;

BH = Explosive mine, Class A explosive;

BI = Explosive projectile, Class A explosive;

BJ = Explosive release device, Class C explosive;

BK = Explosive rivet, Class C explosive;

BL = Explosive torpedo, Class A explosive;

BM = Diphenylaminechloroarsine, (DM), irritating material;

BN = Flammable liquid, n.o.s., flammable liquid;

BO = Flammable solid, n.o.s., flammable solid;

BP = Fuze igniter, Class C explosive;  
BQ = Fuze lighter, Class C explosive;  
BR = Grenade, empty, primed, Class C explosive;  
BS = Grenade, hand, explosive, Class A explosive;  
BT = High explosive, Class A explosive;  
BU = High explosive, liquid, Class A explosive;  
BV = Igniter cord, Class C explosive;  
BW = Igniter, Class C explosive;  
BX = Igniter, jet thrust (jato), Class A explosive;  
BY = Igniter, Jet thrust (jato), Class B explosive;  
BZ = Initiating explosive, Class A explosive;  
CA = Fuze, instantaneous, Class C explosive;  
CB = Jet thrust unit (jato), Class A explosive;  
CC = Jet thrust unit (jato), Class B explosive;  
CD = Low explosive, Class A explosive;  
CE = Percussion cap, Class C explosive;  
CF = Percussion fuze, Class C explosive;  
CG = Poisonous liquid or gas, n.o.s., Poison A;  
CH = Poisonous liquid, n.o.s., Poison B;  
CI = Poisonous solid, n.o.s., Poison B;  
CJ = Propellant explosive, Class A explosive;  
CK = Propellant explosive, solid, Class B explosive;  
CL = Propellant explosive in water, Class B explosive;  
CM = Propellant explosives in water, unstable, condemned or deteriorated, Class B explosive;  
CN = Fusee, railway, Flammable solid;  
CO = Torpedo, railway, Class B explosive;  
CP = Grenade, hand or rifle, explosive, Class A explosive;  
CQ = Rocket ammunition with empty projectile, Class B explosive;  
CR = Rocket ammunition with explosive projectile, Class A explosive;  
CS = Rocket ammunition with illuminating projectile, Class A explosive;  
CT = Rocket ammunition with gas projectile, Class A explosive;  
CU = Rocket ammunition with incendiary projectile, Class A explosive;  
CV = Rocket ammunition with inert-loaded projectile, Class B explosive;  
CW = Rocket ammunition with smoke projectile, Class A explosive;  
CX = Rocket ammunition with solid projectile, Class B explosive;  
CY = Aniline Oil, liquid, Poison B;  
CZ = Fuze, safety, Class C explosive;  
DA = Safety squib, Class C explosive;  
DB = Signal flare, Class C explosive;  
DC = Small-arms ammunition, Class C explosive;  
DD = Small-arms ammunition, irritating cartridge, Class C explosive;  
DE = Small-arms primer, Class C explosive;  
DF = Smoke pot, Class C explosive;  
DG = Smoke signal, Class C explosive;  
DH = Fireworks, special, Class B explosive;  
DI = Starter cartridge, Class B explosive;  
DJ = Supplementary charge (explosive), Class A explosive;  
DK = Fuze, time, Class C explosive;  
DL = Toy propellant device, Class C explosive;

DM = Toy smoke device, Class C explosive;  
DN = Toy caps, Class C explosive;  
DO = Tracer, Class C explosive;  
DP = Tracer fuze, Class C explosive;  
DQ = Very signal cartridge, Class C explosive;  
DR = Fireworks, common, Class C explosive;  
DS = Chloroacetophenone solid, (CN), irritating material;  
DT = Chlorosulfonic acid, corrosive material;  
DU = Chloroacetophenone, gas, liquid, (CN), irritating material;  
DV = Smoke grenade, Class C explosive;  
DW = Hydrocyanic acid (prussic), solution, poison A;  
DX = Grenade, tear gas, irritating material;  
DZ = Phosphorus, white, dry, flammable solid;  
EA = Explosive power device, class C, Class C explosive;  
EB = Sodium Perchlorate, Oxidizer;  
EC = Explosive power device, class B, Class B explosive;  
ED = Starter cartridge, Class C explosive;  
EE = Corrosive solid, n.o.s., corrosive material;  
EF = Oxidizing material, n.o.s., Oxidizer;  
EG = Compressed gas, n.o.s., nonflammable gas;  
EH = Compressed gas, n.o.s., flammable gas;  
EI = Mercuric Acetate, Poison B;  
EJ = Nitrobenzol, liquid, Poison B;  
EK = Rocket engine, liquid, Class B explosive;  
EL = Rocket motor, Class A explosive;  
EM = Rocket motor, Class B explosive;  
EN = Ammunition for small arms with incendiary projectile, Class A explosive;  
EO = Igniter, rocket motor, Class A explosive;  
EP = Igniter, rocket motor, Class B explosive;  
EQ = Hand signal device, Class C explosive;  
ER = Propellant explosive, liquid, Class B explosive;  
ES = Insecticide, liquid, n.o.s., flammable liquid;  
ET = Malathion, ORM, A;  
EU = Fluorine, nonflammable gas;  
EV = Mercuric-Potassium Iodide, solid, Poison B;  
EW = Cartridge, practice, ammunition, Class C explosive;  
EX = Actuating cart, exp, fire ext or valve, Class C explosive;  
FA = Perchloric Acid, exceeding 50% but not exceeding 72% strength, oxidizer;  
FB = Formic Acid, Solution, corrosive material;  
FC = Hydrochloric (Muriatic) acid, corrosive material;  
FD = Sodium Sulfide, anhydrous, flammable solid;  
FE = Petroleum Naphtha, combustible liquid;  
FG = Medicines, n.o.s., solid, flammable solid;  
FH = Fire extinguisher, nonflammable gas;  
FI = Chlordane, liquid, combustible liquid;  
FJ = Compound, rust preventing, corrosive material;  
FK = Calcium Cyanide, solid or calcium cyanide mixture, solid, Poison B;  
FL = Fuel, aviation, turbine engine, flammable liquid;  
FM = Pentane, flammable liquid;

FN = Benzine, flammable liquid;  
FO = Acetic acid, glacial, corrosive material;  
FP = Acetone, flammable liquid;  
FQ = Acetylene, flammable gas;  
FR = Air, compressed, nonflammable gas;  
FS = Alcohol, n.o.s., flammable liquid;  
FT = Ammonia, anhydrous, nonflammable gas;  
FU = Ammonium Nitrate (no organic coating), oxidizer;  
FV = Ammonium Nitrate (organic coating), oxidizer;  
FW = Amyl Acetate, flammable liquid;  
FY = Arsenic Trioxide, solid, Poison B;  
FZ = Barium Nitrate, oxidizer;  
GA = Battery, electric, storage, wet, corrosive material;  
GB = Benzene (benzol), flammable liquid;  
GC = Bromine, corrosive material;  
GD = Butyl Acetate, flammable liquid;  
GE = Calcium Nitrate, oxidizer;  
GF = Calcium Resinate, flammable solid;  
GG = Phenol, Poison B;  
GH = Carbon Bisulfide or Carbon Disulfide, flammable liquid;  
GI = Carbon Dioxide, liquefied, nonflammable gas;  
GJ = Carbon Dioxide-Oxygen mixture, nonflammable;  
GK = Cement, liquid, n.o.s., flammable liquid;  
GL = Cement, rubber, flammable liquid;  
GM = Chlorine, nonflammable gas;  
GN = Chromic acid, solid, oxidizer;  
GO = Coating solution, flammable liquid;  
GP = Compounds, tree or weed killing liquid, Poison B;  
GQ = Crotonaldehyde, flammable liquid;  
GR = Crude oil, petroleum, flammable liquid;  
GS = Dinitrobenzene, solid or Dinitrobenzol, solid, Poison B;  
GT = Eradicators, paint or grease, liquid, flammable liquid;  
GU = Diethyl ether, flammable liquid;  
GV = Ethyl Acetate, flammable liquid;  
GW = Ethyl Chloride, flammable liquid;  
GX = Ethylene Dichloride, flammable liquid;  
GY = Ethylene Oxide, flammable liquid;  
GZ = Gasoline (including casing-head and natural) flammable liquid;  
HA = Helium, nonflammable gas;  
HB = Helium - Oxygen mixture, nonflammable gas;  
HC = Heptane, flammable liquid;  
HD = Hexane, flammable liquid;  
HE = Hydrochloric acid solution, inhibited, corrosive material;  
HF = Hydrogen, flammable gas;  
HG = Isooctane, flammable liquid;  
HH = Lead Nitrate, oxidizer;  
HI = Liquefied Petroleum gas, flammable gas;  
HJ = Lindane, other regulated material, A;  
HK = Magnesium, metal, (powdered, pellets, turnings or ribbons) flammable solid;

HL = Methyl Bromide liquid, Poison B;  
 HM = Methyl Chloride, flammable gas;  
 HN = Methyl Ethyl Ketone, flammable liquid;  
 HO = Monobromotrifluoromethane, nonflammable gas;  
 HP = Chloroacetic acid, liquid or solution, corrosive material;  
 HQ = Nitrate, n.o.s., oxidizer;  
 HR = Nitric acid (over 40%), oxidizer;  
 HS = Nitric acid (40% or less), corrosive material;  
 HT = Nitrogen, nonflammable gas;  
 HU = Oxygen, nonflammable gas;  
 HV = Petroleum ether, flammable liquid;  
 HW = Phosphoric Anhydride, corrosive material;  
 HX = Phosphorous, amorphous, red, flammable solid;  
 HY = Phosphorous, Oxchloride, corrosive material;  
 HZ = Phosphorous, Pentachloride, solid, corrosive material;  
 JA = Phosphorous Trichloride, corrosive material;  
 JB = Potassium Hydroxide, dry, solid, flake, bead or granular, corrosive material;  
 JC = Potassium Nitrate, oxidizer;  
 JD = Rubber shoddy or rubber, regenerated rubber or reclaimed, flammable solid;  
 JE = Sodium Arsenate, solid, Poison B;  
 JF = Sodium Arsenite liquid, (solution), Poison B;  
 JG = Sodium Hydroxide, dry solid, flake, bead or granular, corrosive material;  
 JH = Sodium Hydrosulfite, flammable solid;  
 JI = Sodium Nitrate, oxidizer;  
 JJ = Sodium Nitrite, oxidizer;  
 JK = Sodium Peroxide, oxidizer;  
 JL = Strontium Nitrate, oxidizer;  
 JM = Sulfur Chloride (mono and di), corrosive material;  
 JN = Sulfur Hexafluoride, nonflammable gas;  
 JO = Titanium Tetrachloride, corrosive material;  
 JP = Vinyl Acetate, flammable liquid;  
 FF = Code FF denotes special factors or conditions in an item description which have an effect on the rating of charges;  
 FX = Code FX denotes special factors in an item description, therefore, the item description in the respective rail of motor dangerous articles tariff should be read carefully to ensure that the exact tariff description is shown on the bill of lading.

---

<b>SCREEN NAME:</b>	<b>HAZ MAT CODE</b>
ACCESS NAME:	SYS-REC-KEY
ENTITY:	SYSTEM
<b>DESCRIPTIVE NAME:</b>	SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

<b>FORMAT:</b>	Alphanumeric
----------------	--------------

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

<b>SCREEN NAME:</b>	<b>HAZ MAT IND</b>
ACCESS NAME:	CMPNT-HAZMAT-IND
ENTITY:	COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM HAZARDOUS MATERIALS  
INDICATOR

**DATA ELEMENT DEFINITION:**

If any of the components in a component system contain hazardous materials, this indicator will be set to 'Y'.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Generated, Y = yes, Blank = no. Default is no.

**SCREEN NAME:** HAZ MAT IND

**ACCESS NAME:** PROP-HAZMAT-IND; SYS-REC-KEY

**ENTITY:**

**DESCRIPTIVE NAME:** HAZARDOUS MATERIALS PROPERTY INDICATOR CODE

**DATA ELEMENT DEFINITION:**

A code established in the DLSC Total Item Record (TIR) to indicate to users of the federal catalog system all known or suspected hazardous items as defined by safety/health, transaction and/or environmental regulations, to serve as a flag that a procuring activity must acquire a Material Safety Data Sheet (MSDS) when a hazardous item is procured and to inform federal catalog system users when more detailed information on an item is available in the Hazardous Materials Information System (HMIS). (Ref. DoD 4100.39-M, Volume 10, Chapter 4, Table 179).

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Valid values maintained on NPDMS Hazardous Material Indicator Code Table-165.

Code:	Definition:
Y	Indicates information is in the Hazardous Materials Information System (HMIS).
D	Indicates there is no information in the HMIS; however, the NSN is in a FSC in Table II of Federal Standard 313 and a MSDS should be available to the user.
P	Indicates there is no information in the HMIS; however, the NSN is in a FSC in Table II of Federal Standard 313 and a MSDS may be required by the user. The requirement for a MSDS is dependent on a hazard determination of the supplier or the intended end use of the product.
N	Indicates there is no data in the HMIS and the NSN is in a FSC not generally suspected of containing hazardous materials.

---

**SCREEN NAME: HAZMAT INDICATOR CODE**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRL-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;

RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** **INITIATORS NAME**

ACCESS NAME: INTR-NAME

ENTITY: INITIATOR

**DESCRIPTIVE NAME:** INITIATORS NAME

**DATA ELEMENT DEFINITION:**

Name of the individual reporting idle personal property to the PDO.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **INITIATORS ORG CODE**

ACCESS NAME: INTR-ORGNZTN-CODE

ENTITY: INITIATOR

**DESCRIPTIVE NAME:** INITIATORS ORGANIZATION CODE

**DATA ELEMENT DEFINITION:**

Organization code of the individual reporting idle personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **INITIATORS PHONE**

ACCESS NAME: INTR-PHN-NMBR

ENTITY: INITIATOR

**DESCRIPTIVE NAME:** INITIATORS PHONE NUMBER

**DATA ELEMENT DEFINITION:**

The telephone number, including area code, of the individual reporting personal property for disposal processing.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

Standard form. If entered, must include area code.

---

**SCREEN NAME:** INST

**ACCESS NAME:** SYS-INST-DAYS-CNT

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM COUNT OF INSTALLATION SCREENING DAYS

**DATA ELEMENT DEFINITION:**

System count of the default number of calendar days that personal property undergoes the required internal screening for the owning installation.

**FORMAT:** P

**LENGTH:** 3.0

**EDIT CRITERIA**

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-INST-END-DATE.

---

**SCREEN NAME:** INST FEADAAC CODE

**ACCESS NAME:** INST-FEDAAC-CODE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION FEDERAL ACTIVITY ADDRESS CODE

**DATA ELEMENT DEFINITION:**

A six digit code assigned by the General Services Administration (GSA) to uniquely identify Federal organizations authorized to receive Federal sources of supply and support services, including GSA disposal support services.

**FORMAT:** Alphanumeric

**LENGTH:** 6.0

**EDIT CRITERIA**

Must be one of the following contained on the Center Profile Table-050.

809101 = AMES (M);

809103 = AMES (D);

803226 = GSFC;  
807402 = JSC;  
804235 = KSC;  
803301 = LaRC;  
805501 = LeRC;  
804101 = MSFC;  
804412 = NSTL (STENNIS- SSC);  
807504 = WSTF.

---

**SCREEN NAME:** **INST NMBR**  
**ACCESS NAME:** INST-NMBR; SYS-REC-KEY  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION NUMBER

**DATA ELEMENT DEFINITION:**

A four digit number identifying the installation; positions 1-2 identify the prime installation, positions 3-4 identify sub-installation.

**FORMAT:** Numeric

**LENGTH:** 4.0

**EDIT CRITERIA**

Default maintained on Center Profile Table. Must match NPDMS Installation Number Table-105.

---

**SCREEN NAME:** **INSTALL**  
**ACCESS NAME:** PROP-INST-SCRNG-MTHD-ID  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** INSTALLATION SCREENING METHOD IDENTIFIER FOR PROPERTY

**DATA ELEMENT DEFINITION:**

Identifies the method of screening to be used by the Installation PDO for property undergoing installation screening: C = NPDMS Catalog F = FAX L = Local N = NEMS only.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 'C', 'F', 'L', 'N'.

---

**SCREEN NAME:** INSTALL BEGIN DT  
**ACCESS NAME:** PROP-INST-BGN-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** INSTALLATION SCREENING BEGIN DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property begins the required internal screening period for the owning NASA installation. Reportable ADPE is reported to GSA.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Default is the current date of the initial add into NPDMS.

---

**SCREEN NAME:** INSTALL END DT  
**ACCESS NAME:** PROP-INST-END-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** INSTALLATION SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required internal screening period for the owning NASA installation.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y , default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for all other property.

If changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

<b>SCREEN NAME:</b>	<b>INSTALL NAME</b>
ACCESS NAME:	PROP-LCTN-INST-NAME
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	PROPERTY LOCATION INSTALLATION NAME

**DATA ELEMENT DEFINITION:**  
Contains the center name where the personal property is located if different than the INST-DFLT-NAME.

<b>FORMAT:</b>	Alphanumeric
<b>LENGTH:</b>	40

**EDIT CRITERIA**  
Generated (pulled) from Center Profile Table and modifiable.

---

<b>SCREEN NAME:</b>	<b>INSTALLATION ACRONYM</b>
ACCESS NAME:	INST-ACRNM-ID
ENTITY:	NASA INSTALLATION
<b>DESCRIPTIVE NAME:</b>	INSTALLATION ACRONYM IDENTIFIER

**DATA ELEMENT DEFINITION:**  
The acronym of each NASA Installation and Subinstallation (e.g., GSFC, KSC, etc.).

<b>FORMAT:</b>	Alphanumeric
<b>LENGTH:</b>	4

**EDIT CRITERIA**  
Maintained on NPDMS Installation Code Table-105:  
LARC = Langley Research Center  
ARC = Ames Research Center  
LERC = Lewis Research Center  
DFRF = Dryden Flight Research Facility  
GSFC = Goddard Space Flight Center  
WFF = Wallops Flight Facility  
MAF = Michoud Assembly Facility  
JPL = Jet Propulsion Laboratory  
MSFC = Marshall Space Flight Center  
JSC = Johnson Space Center  
WSTF = White Sands Test Facility  
JSC = Johnson Space Center (STSO)

JSC = Johnson Space Center (FEPC)  
KSC = Kennedy Space Center  
KSC = Kennedy Space Center (BOC)  
KSC = Kennedy Space Center (SPC)  
VAFB = Kennedy Space Center (Vandenberg AFB)  
KSC = Kennedy Space Center (PGOC)  
KSC = Kennedy Space Center (RIC)  
HQ = NASA Headquarters  
SSC = Stennis Space Center.

---

**SCREEN NAME:                      INSTALLATION NAME**

ACCESS NAME:                      INST-NAME

ENTITY:                              NASA INSTALLATION

**DESCRIPTIVE NAME:              INSTALLATION NAME**

**DATA ELEMENT DEFINITION:**

The installation name (e.g., Goddard Space Flight Center) associated for each NASA Installation and Subinstallation.

**FORMAT:**                              Alphanumeric

**LENGTH:**                              40

**EDIT CRITERIA**

Maintained on NPDMS Installation Code Table-105:

LARC = Langley Research Center  
ARC = Ames Research Center  
LERC = Lewis Research Center  
DFRF = Dryden Flight Research Facility  
GSFC = Goddard Space Flight Center  
WFF = Wallops Flight Facility  
MAF = Michoud Assembly Facility  
JPL = Jet Propulsion Laboratory  
MSFC = Marshall Space Flight Center  
JSC = Johnson Space Center  
WSTF = White Sands Test Facility  
JSC = Johnson Space Center (STSO)  
JSC = Johnson Space Center (FEPC)  
KSC = Kennedy Space Center  
KSC = Kennedy Space Center (BOC)  
KSC = Kennedy Space Center (SPC)  
VAFB = Kennedy Space Center (Vandenberg AFB)  
KSC = Kennedy Space Center (PGOC)  
KSC = Kennedy Space Center (RIC)  
HQ = NASA Headquarters  
SSC = Stennis Space Center.

**SCREEN NAME:** **INSTALLATION NO**  
**ACCESS NAME:** SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;

PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:                      INSTALLATION NO (T05, T06 TRANSACTIONS)**

ACCESS NAME:                      RQSTR-INST-NMBR

ENTITY:                              REQUESTOR

**DESCRIPTIVE NAME:**              REQUESTOR INSTALLATION NUMBER

**DATA ELEMENT DEFINITION:**

A four digit number identifying the installation of the property requestor on a T05 or T06 final disposition; first 2 positions identify the PRIMINST-NMBR, positions 3-4 identify SUBINST-NMBR. Must be a valid entry on NPDMS Table 105.

**FORMAT:**                              Alphanumeric

**LENGTH:**                              4.0

**EDIT CRITERIA**

Must match NPDMS Table 105 for Controlled property.

---

**SCREEN NAME:                      INSTALLATION NUMBER**

ACCESS NAME:                      INST-NMBR; SYS-REC-KEY

ENTITY:                              NASA INSTALLATION

**DESCRIPTIVE NAME:**              INSTALLATION NUMBER

**DATA ELEMENT DEFINITION:**

A four digit number identifying the installation; positions 1-2 identify the prime installation, positions 3-4 identify sub-installation.

**FORMAT:**                              Numeric

**LENGTH:**                              4.0

**EDIT CRITERIA**

Default maintained on Center Profile Table. Must match NPDMS Installation Number Table-105.

---

**SCREEN NAME:                      INSTALLATION REDISTRIBUTION RATE**

ACCESS NAME:                      INST-INTRNL-DSTRBTN-RATE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION INTERNAL DISTRIBUTION RATE

**DATA ELEMENT DEFINITION:**

A rate (established by NASA Headquarters) for the number of line items redistributed within NASA (Including NASA Contractors and Grantees) by a particular Installation divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

**FORMAT:** Packed

**LENGTH:** 3.0

**EDIT CRITERIA**

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

---

**SCREEN NAME:** INSTALLATION SCREENING BEGIN DATES

**ACCESS NAME:** PROP-INST-BGN-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** INSTALLATION SCREENING BEGIN DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property begins the required internal screening period for the owning NASA installation. Reportable ADPE is reported to GSA.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Default is the current date of the initial add into NPDMS.

---

**SCREEN NAME:** INSTALLATION SCREENING END DATES

**ACCESS NAME:** PROP-INST-END-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** INSTALLATION SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required internal screening period for the owning NASA installation.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-INST-BGN-DATE plus the default number of installation screening days for all other property.

If changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

**SCREEN NAME:****INSTALLATION SCREENING METHOD**

ACCESS NAME:

PROP-INST-SCRNG-MTHD-ID

ENTITY:

IDLE NASA PROPERTY

**DESCRIPTIVE NAME:**  
PROPERTY

INSTALLATION SCREENING METHOD IDENTIFIER FOR

**DATA ELEMENT DEFINITION:**

Identifies the method of screening to be used by the Installation PDO for property undergoing installation screening: C = NPDMS Catalog F = FAX L = Local N = NEMS only.

**FORMAT:**

Alphanumeric

**LENGTH:**

1

**EDIT CRITERIA**

Possible values are 'C', 'F', 'L', 'N'.

---

**SCREEN NAME:****INTERNAL (AGENCY INTRNL)**

ACCESS NAME:

AGENCY-INTRNL-DSTRBTN-RATE

ENTITY:

FEDERAL AGENCY

**DESCRIPTIVE NAME:**

INTERNAL AGENCY DISTRIBUTION RATE

**DATA ELEMENT DEFINITION:**

A standard rate established by NASA Headquarters for the number of line items redistributed within NASA (Including NASA Contractors and Grantees) divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

**FORMAT:** Packed

**LENGTH:** 3.0

**EDIT CRITERIA**

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

---

**SCREEN NAME:** INTERNAL (INST INTRNL)

**ACCESS NAME:** INST-INTRNL-DSTRBTN-RATE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION INTERNAL DISTRIBUTION RATE

**DATA ELEMENT DEFINITION:**

A rate (established by NASA Headquarters) for the number of line items redistributed within NASA (Including NASA Contractors and Grantees) by a particular Installation divided by the total line items reported excess to the Property Disposal Officer plus the total line items formally screened through NEMS but not reported to the PDO as excess, expressed by a percentage.

**FORMAT:** Packed

**LENGTH:** 3.0

**EDIT CRITERIA**

As supplied by HQ NASA and entered by the user. Stored on the NPDMS Performance Measures Table-040.

---

**SCREEN NAME:** INVENTORY DATE (INV END DATE)

**ACCESS NAME:** PROP-INV-END-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY INVENTORY END DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which an item was physically sighted and verified during an approved full or partial inventory process.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User-entered. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:**                    **ITEM DESC**  
**ACCESS NAME:**                PROP-DESC  
**ENTITY:**                        IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:**        PROPERTY DESCRIPTION

**DATA ELEMENT DEFINITION:**

Additional information which further describes the personal property, i.e., dimensions, capabilities, power requirements, etc.

**FORMAT:**                        Alphanumeric  
**LENGTH:**                       60 (1:40)

**EDIT CRITERIA**

Supplied by NSMS (NSMS-INDEX-DESC) on the Batch Interface file otherwise, user-entered free form with no edit check. Stored on the NPDMS Text Descriptions file in a MU field with up to 40 occurrences.

---

**SCREEN NAME:**                    **ITEM ID**  
**ACCESS NAME:**                PROP-ITEM-ID  
**ENTITY:**                        IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:**        PROPERTY ITEM IDENTIFIER

**DATA ELEMENT DEFINITION:**

Number automatically assigned by the NPDMS to uniquely identify the Case and Item records associated with a PROP-CASE-NMBR. It is a sequential number from 01-99.

**FORMAT:**                        Numeric  
**LENGTH:**                       2.0

**EDIT CRITERIA**

Generated, 00 through 99, inclusive.

---

**SCREEN NAME:**                    **ITEM NAME**  
**ACCESS NAME:**                NEMS-STNDRD-ITEM-NAME-IND  
**ENTITY:**                        NEMS

**DESCRIPTIVE NAME:** NEMS STANDARD ITEM NAME INDICATOR

**DATA ELEMENT DEFINITION:**

The indicator set by the item name standardization process initiated by the NEMS Central Cataloger. When it is present the PROP-ITEM-NAME in the NPDMS cannot be altered through the Add or Change Processes.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = Yes; Blank = No. Default is blank for no.

---

**SCREEN NAME:** ITEM NAME

**ACCESS NAME:** PROP-ITEM-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY ITEM NAME

**DATA ELEMENT DEFINITION:**

The name associated with personal property that clearly identifies the said item. In the case of controlled items, the original ITEM-NAME will be extracted from the NEMS record. For Supply property, the GENERIC-NAME and TECHNICAL-NAME are extracted from NSMS and compressed into this field. Item Name is comprised of a standard noun name and may be followed by adjective descriptors.

**FORMAT:** Alphanumeric

**LENGTH:** 60

**EDIT CRITERIA**

If Controlled Property, the ORIGINAL ITEM NAME will be extracted from the NEMS record. For Supply Property, the GENERIC NAME and TECHNICAL NAME are moved from the NSMS interface file and compressed into this field. Free form for other types of property but must be entered - standard used is the Federal Cataloging Handbook, H-6 series.

---

**SCREEN NAME:** ITEM NAME/DESC

**ACCESS NAME:** PROP-ITEM-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY ITEM NAME

**DATA ELEMENT DEFINITION:**

The name associated with personal property that clearly identifies the said item. In the case of controlled items, the original ITEM-NAME will be extracted from the NEMS record. For Supply property, the GENERIC-NAME and TECHNICAL-NAME are extracted from NSMS and

compressed into this field. Item Name is comprised of a standard noun name and may be followed by adjective descriptors.

**FORMAT:** Alphanumeric

**LENGTH:** 60

**EDIT CRITERIA**

If Controlled Property, the ORIGINAL ITEM NAME will be extracted from the NEMS record. For Supply Property, the GENERIC NAME and TECHNICAL NAME are moved from the NSMS interface file and compressed into this field. Free form for other types of property but must be entered - standard used is the Federal Cataloging Handbook, H-6 series.

---

**SCREEN NAME:** **JOB CARD**

**ACCESS NAME:** INST-JOB-CARD-TEXT

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION JOB CARD TEXT

**DATA ELEMENT DEFINITION:**

The default job card information used for the system batch execution of all NPDMS report and maintenance job processing.

**FORMAT:** Alphanumeric

**LENGTH:** 72

**EDIT CRITERIA**

Installation specific. Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **JOB TYPE DETERMINATION**

**ACCESS NAME:** RPT-MAINT-JOB-IND-SB

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT/MAINTENANCE JOB INDICATOR

**DATA ELEMENT DEFINITION:**

A one character field that identifies whether a Report/Maintenance Selection Record on the NPDMS Table File is for a report (R) or maintenance (M) job.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

R = Report; M = Maintenance Job.

---

**SCREEN NAME:** LAST NAME (BIDDER)  
**ACCESS NAME:** PROP-BIDDER-LAST-NAME  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY BIDDER LAST NAME

**DATA ELEMENT DEFINITION:**

Contains the last name of the individual, or the last name of the contact representing an organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Must be entered if the PROP-BIDDER-CMPNY-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is compressed into the RQSTR-NAME on the transaction record.

---

**SCREEN NAME:** LINE  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

The line number on a screen listing all reversible disposition transaction for a specific item record.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

System generated.

---

**SCREEN NAME:** LOCAL  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

Designate a sale as being sale by NASA or it s agent.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Free form.

**SCREEN NAME:** LOCAL REF NO  
**ACCESS NAME:** PROP-LOCAL-RFRNC-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY LOCAL REFERENCE NUMBER

**DATA ELEMENT DEFINITION:**

Space reserved for installations to capture information for local use only. Although the data element is identified as a "Number", the information is not restricted to a numeric format.

**NOTE:** "Source Document Numbers" should be recorded in the PROP-TURN-IN-DCMNT-NMBR" field.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

User entered. Installation specific.

---

**SCREEN NAME:** LOCATION BLDG  
**ACCESS NAME:** PROP-LCTN-BLDG-ADRS  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY LOCATION BUILDING ADDRESS

**DATA ELEMENT DEFINITION:**

The number of the building or other generalized location where the personal property is located. This number must be a valid building number on NEMS Table 102.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

For Controlled Property must be on NEMS Table 102; NOC = Not On Center. Optional user entry for Non-controlled property.

---

**SCREEN NAME:** LOT NO OF PROP  
**ACCESS NAME:** PROP-LOT-NMBR  
**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** LOT NUMBER OF PROPERTY

**DATA ELEMENT DEFINITION:**

The assigned number designating the lot in which a particular item was included for sale. To the extent practicable, and consistent with the types of property and usual commercial practice, property offered for sale shall be assembled in reasonably sized lots of like or similar items by make (i.e., FSC Group) or manufacturer with the following exceptions:

- 1)- Unused property shall be lotted separately from used (property) items;
- 2)- Scrap and other property having scrap value only shall generally not be included in the same lot with usable items; and
- 3)- each property item authorized for Exchange/Sale shall be lotted as a single item lot except when otherwise authorized under the provisions of FPMR 41 CFR, 101-46.202.

**FORMAT:** Alphanumeric

**LENGTH:** 4

**EDIT CRITERIA**

System generated for Local NASA Sales; user entered for GSA Sales.

---

**SCREEN NAME:** MAIL STOP

**ACCESS NAME:** INST-MAIL-STOP-ADRS

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION MAIL STOP ADDRESS

**DATA ELEMENT DEFINITION:**

The default mail code of the individual who requests a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

Installation specific. Maintained on the Center Profile Table-050.

---

**SCREEN NAME:** MAIL STOP

**ACCESS NAME:** RPT-MAIL-STOP-ADRS

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT MAIL STOP ADDRESS

**DATA ELEMENT DEFINITION:**

This field will contain mail code of the individual who requested a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 7

**EDIT CRITERIA**

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** MAINTENANCE JOB NUMBER

**ACCESS NAME:** RPT-MAINT-JOB-NMBR-SB

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT/MAINTENANCE JOB NUMBER

**DATA ELEMENT DEFINITION:**

The number assigned to a specific report or maintenance job.

**FORMAT:** Numeric

**LENGTH:** 3

**EDIT CRITERIA**

- 001 Awaiting Pickup
- 002 Pending GSA Acknowledgement
- 003 Sales Listing
- 004 Items reported to GSA Over 180 Days
- 005 Foreign Screening Report
- 006 Freeze Status Report
- 007 NEMS Transaction Interface Report
- 008 Property Held by Property Disposal Officer
- 009 623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property
- 010 623 Annual Report of Utilization/Disposal of Idle NASA Personal Property
- 011 Foreign Disposal Approval Report
- 012 NASA Form 811 - Classification of Property as Scrap or Salvage
- 013 NASA form 812 - Authorization to Abandon/Destroy Surplus Property
- 014 Idle Property Screening List
- 015 Cases Eligible For Transfer To DRMO Report
- 016 Daily Transaction Report
- 017 Annual Report of Exchange/Sale Transactions
- 018 Sales Prep Report
- 019 Abstract of Bids
- 020 Bidder's Notification of Award
- 021 Final Inventory/Reconciliation Report
- 022 Post Inventory Report
- 023 Performance Measures Report
- 024 NSMS Accepted Items Report
- 025 NSMS Rejected Items Report

026 NSMS Matched/Overage/Underage Report  
027 Sales Slip, Sale of Government Personal Property  
028 Foreign Disposal Approval Report  
029 Cases Eligible For Transfer To DRMO Report  
100 NASA Supply Management System Interface  
110 GSA Magnetic Tape Generation  
120 SF-120 Report of Excess Personal Property Generation  
130 SF-120 Withdrawal/Correction Generation  
140 DD-1348-1A DRMO Issue Release/Receipt Document Generation  
150 NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation  
190 Active to History File Processing  
200 ERN and Serial Number Reset  
210 Status Flag Reset

---

**SCREEN NAME:** MARK FOR  
**ACCESS NAME:** PROP-HAZMAT-CLSFCTN-ID  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** HAZARDOUS MATERIALS PROPERTY CLASSIFICATION  
**IDENTIFIER**

**DATA ELEMENT DEFINITION:**

For NPDMS purposes, classifies hazardous material property as being either hazardous materials (HM) or hazardous waste (HW).

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Free form. HM, HW or 'Blank'.

---

**SCREEN NAME:** MAT INV  
**ACCESS NAME:** PROP-MTRLs-INV-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY MATERIALS INVENTORY INDICATOR

**DATA ELEMENT DEFINITION:**

A field indicating the personal property is a materials inventory item. Each Installation has an option to build their own Supply interface (based on NSMS). In addition, there is also an option to enter these items manually as Non-Controlled property Adds. This item will be 'Y' for those items entering the NPDMS from the 1200 Account.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = yes; Blank = no. This item will be 'Y' for those items entering NPDMS from the 1200 Account through the electronic interface module.

---

**SCREEN NAME:** MATERIALS SCREENING CODE

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** MATERIALS SCREENING CODE

**DATA ELEMENT DEFINITION:**

The field indicating to the GSA the 'reportable' or 'non-reportable' status of reported NASA excess. This is determined by the **CONDITION CODE**, **FSC CODE**, and **ADJUSTED ACQUISITION COST** of an item meeting criteria found in the NPDMS Federal Supply Classification Code Table-020. When reporting property to the GSA via electronic media, these codes are used by the system to calculate the **GSA-SRD-DATE**. This element is not maintained in the NPDMS data base.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Generated.

K = All Automated Data Processing Equipment;

N = non-reportable; R = reportable;

1. Non-reportable ADPE, including FSC Code 7045, with an adjusted acquisition cost of less than one million dollars (\$1,000,000), will have a Material Screening Code (MSC) of 'K';

2. Reportable ADPE with an adjusted acquisition cost of one million dollars (\$1,000,000) or greater and less than nine years old will be reported via the SF-120 hard copy report and will have a MSC of 'K';

3. Reportable property, other than FSC group '70' property, will have a Materials Screening code of 'R';

4. All other Non-Reportable property will have a Materials Screening Code of 'N'.

---

**SCREEN NAME:** MATERIEL MANAGEMENT AGGREGATION CODE

**ACCESS NAME:** SYS-REC-KEY

ENTITY: SYSTEM  
DESCRIPTIVE NAME: SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

FORMAT: Alphanumeric

LENGTH: 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

**SCREEN NAME:** MATERIEL MANAGEMENT AGGREGATION CODE  
**ACCESS NAME:** PROP-MMAC-CODE; SYS-REC-KEY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** MATERIEL MANAGEMENT AGGREGATION PROPERTY CODE

**DATA ELEMENT DEFINITION:**

A two position alphanumeric code used to designate materiel management responsibility. A separate MMAC is assigned to each segment or category of materiel that is to be managed and reported as a separate logistics program. Such programs include weapon/support systems, engines, FSCs, approved technology groups (that is, groupings of materiel based on specialized technologies used in logistics support processes), special programs, special projects, or combinations thereof. The separate code identifies the program for reporting purposes, and the items coded to the program under the criteria established in AFM 67-1, Volume 1, Part two, amendment 7, para. 8 (dated 12/90). Though not part of the PROP-NSN-NMBR, this field, if entered, immediately follows it. Also used with SYS-TBL-ID to access the NPDMS Table file.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Optional user entry. If entered, must match entry on the MMAC Table-085. Source Air Force Manual 67-1, VOL. 1, Amendment 7, Part Two, Attachment A-5, 10 Dec 90.

---

**SCREEN NAME:** MFG YEAR  
**ACCESS NAME:** PROP-MFG-YEAR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** YEAR PROPERTY MANUFACTURED

**DATA ELEMENT DEFINITION:**

The year that an item of equipment was manufactured.

**FORMAT:** Numeric

**LENGTH:** 4.0

**EDIT CRITERIA**

Must be an integer value up to the current date. Required only for controlled property; optional entry for Non-controlled property.

---

**SCREEN NAME:** MFG S CODE  
**ACCESS NAME:** PROP-MFG-CODE  
**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY MANUFACTURER CODE

**DATA ELEMENT DEFINITION:**

A code assigned in the Federal Cataloging Handbooks, H-4 series. A unique code is assigned to each manufacturer listed in the handbook. The following codes are also valid: "XXXXX" - manufacturer is known, but code needs to be assigned; "ZZZZZ" - manufacturer is unknown. If the NEMS-IND equal 'blank', then PROP-MFG-NAME must be filled in.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA**

Optional for Non-controlled property. As provided from NEMS for Controlled property. Provided if known by NSMS for supply property otherwise, enter any code in the Federal Cataloging Handbook or XXXXX = manufacturer is known but a code needs to be assigned; ZZZZZ = manufacturer is unknown. If the NEMS-IND equal 'blank', then PROP-MFG-NAME must be filled in.

---

**SCREEN NAME:** MFG S NAME

**ACCESS NAME:** PROP-MFG-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY MANUFACTURER NAME

**DATA ELEMENT DEFINITION:**

The name of the manufacturer of an item of equipment or supply.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Optional for Non-controlled property. Provided if known by NSMS for supply property. If the NEMS-IND not equal 'blank', this field must be filled if the PROP-MFG-CODE is blank.

---

**SCREEN NAME:** MI (BIDDER)

**ACCESS NAME:** PROP-BIDDER-LAST-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BIDDER LAST NAME

**DATA ELEMENT DEFINITION:**

Contains the last name of the individual, or the last name of the contact representing an organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Must be entered if the PROP-BIDDER-CMPNY-NAME is 'blank', free form. If a particular bidder is awarded the sale, this field is compressed into the RQSTR-NAME on the transaction record.

---

**SCREEN NAME:** MMA CODE

**ACCESS NAME:** PROP-MMAC-CODE; SYS-REC-KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** MATERIEL MANAGEMENT AGGREGATION PROPERTY  
CODE

**DATA ELEMENT DEFINITION:**

A two position alphanumeric code used to designate materiel management responsibility. A separate MMAC is assigned to each segment or category of materiel that is to be managed and reported as a separate logistics program. Such programs include weapon/support systems, engines, FSCs, approved technology groups (that is, groupings of materiel based on specialized technologies used in logistics support processes), special programs, special projects, or combinations thereof. The separate code identifies the program for reporting purposes, and the items coded to the program under the criteria established in AFM 67-1, Volume 1, Part two, amendment 7, para. 8 (dated 12/90). Though not part of the PROP-NSN-NMBR, this field, if entered, immediately follows it. Also used with SYS-TBL-ID to access the NPDMS Table file.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Optional user entry. If entered, must match entry on the MMAC Table-085. Source Air Force Manual 67-1, VOL. 1, Amendment 7, Part Two, Attachment A-5, 10 Dec 90.

---

**SCREEN NAME:** MMAC MANAGER

**ACCESS NAME:** PROP-MMAC-MNGR-CODE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** MATERIEL MANAGEMENT AGGREGATION PROPERTY  
MANAGER CODE

**DATA ELEMENT DEFINITION:**

The code of the Item Manager and storage site assigned responsibility for property items which meet the criteria established by paragraph 7b, AFLCR 522-1, for management outside of the FSC management environment.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

Extracted From The NPDMS MMAC Table-085. Valid Codes Are:

- a. OO - Ogden ALC;
  - b. OC - Oklahoma City ALC;
  - c. SM - Sacramento ALC;
  - d. SA - San Antonio ALC;
  - e. SAAFS - San Antonio AFS (FY9000);
  - f. WR - Warner Robins ALC;
  - g. DC - DCSC;
  - h. DP - DPSC;
  - i. DE - DESC;
  - j. DF - DFSC;
  - k. DG - DGSC;
  - l. DI - DISC;
  - m. GSA - General Services Administration;
  - n. ATAC - Army Tank Automotive Command;
  - o. USAMEC - US Army Mobility Equipment Center;
  - p. AFC&TO - AF Clothing And Textile Office;
  - q. AFCSC - Air Force Cryptologic Support Center.
- 

**SCREEN NAME:****MMAC NOMENCLATURE**

ACCESS NAME:

PROP-MMAC-DESC

ENTITY:

IDLE NASA PROPERTY

**DESCRIPTIVE NAME:**

MATERIEL MANAGEMENT AGGREGATION PROPERTY

CODE DESCRIPTION

**DATA ELEMENT DEFINITION:**

A description of the two position alphabetic MMAC used to designate materiel management responsibility.

**FORMAT:**

Alphanumeric

**LENGTH:**

75

**EDIT CRITERIA**

Extracted From The NPDMS MMAC Table-085.

---

**SCREEN NAME:****MODEL NO**

ACCESS NAME:

PROP-MFG-MODEL-NMBR

ENTITY:

IDLE NASA PROPERTY

**DESCRIPTIVE NAME:**

PROPERTY MANUFACTURER MODEL NUMBER

**DATA ELEMENT DEFINITION:**

A number provided by the manufacturer that identifies a single type of equipment produced by that manufacturer. This field is not necessary for supplies.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Optional for Non-controlled property. As provided from NEMS for Controlled property but may not be 'blank'. Provided if known by NSMS for supply property. Otherwise free form.

---

**SCREEN NAME:                      MODIFICATION AMOUNT EXPLANATION**

ACCESS NAME: PROP-CNDTN-ADJSTMNT-DESC

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CONDITION ADJUSTMENT DESCRIPTION

**DATA ELEMENT DEFINITION:**

An explanation as to why the property's physical condition or cost, or quantity was adjusted.

**FORMAT:** Alphanumeric

**LENGTH:** 80

**EDIT CRITERIA**

Free form but must be entered if the PROP-CNDTN-CODE, or PROP-ADJSTD-ACQSTN-COST-AMT, PROP-CUR-AVLBL-QTY is changed during a Receipt (T02) or Change (E02) transaction.

---

**SCREEN NAME:                      MORE INPUTS**

ACCESS NAME: NOT MAINTAINED

ENTITY:

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

Indicates to the user if additional inputs are required for any specific report. Invokes map ND2200ME during NPDMS Reports Process.

**FORMAT:** Alphanumeric

**LENGTH:** 3

**EDIT CRITERIA**

Generated, not modifiable. YES = additional inputs, NO = no additional inputs.

---

**SCREEN NAME:** **NARRATIVE TO GSA**  
**ACCESS NAME:** GSA-WTHDRWL-CRCTN-TEXT  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA WITHDRAWAL/CORRECTION TEXT  
**DATA ELEMENT DEFINITION:**  
Contains the text to be printed on the SF-120 for withdrawals confirming verbal withdrawal approval by GSA, or an explanation of changes made to previously reported data for corrections.  
**FORMAT:** Alphanumeric  
**LENGTH:** 240  
**EDIT CRITERIA**  
Free form

---

**SCREEN NAME:** **NASA**  
**ACCESS NAME:** SYS-NASA-DAYS-CNT  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM COUNT OF NASA SCREENING DAYS  
**DATA ELEMENT DEFINITION:**  
System count of the default number of calendar days that personal property undergoes the required internal NASA screening for all installations.  
**FORMAT:** P  
**LENGTH:** 3.0  
**EDIT CRITERIA**  
Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the current system date to establish the PROP-NASA-END-DATE.

---

**SCREEN NAME:** **NASA HQ APPROVING OFFICIAL NAME**  
**ACCESS NAME:** HQ-APRVNG-OFCL-NAME  
**ENTITY:** NASA HEADQUARTERS  
**DESCRIPTIVE NAME:** NASA HEADQUARTERS APPROVING OFFICIAL NAME  
**DATA ELEMENT DEFINITION:**  
Contains the name of an approving official who is located at NASA Headquarters. This element will print on either the NASA Survey Form 811 or 812.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30

**EDIT CRITERIA**

Free form and Installation specific. Maintained on Center Profile Table

---

**SCREEN NAME:** NASA-WIDE  
**ACCESS NAME:** PROP-NASA-SCRNG-MTHD-ID  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING METHOD IDENTIFIER FOR PROPERTY

**DATA ELEMENT DEFINITION:**

This field identifies the method of screening to be used for personal property undergoing NASA wide screening: C = NPDMS CATALOG F = FAX L = LOCAL, N = NEMS ONLY

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 'C', 'F', 'L', 'N'.

---

**SCREEN NAME:** NASA WIDE END DATE  
**ACCESS NAME:** PROP-NASA-END-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y', default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

**SCREEN NAME:** NASA -WIDE SCREENING METHOD  
**ACCESS NAME:** PROP-NASA-SCRNG-MTHD-ID  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING METHOD IDENTIFIER FOR PROPERTY

**DATA ELEMENT DEFINITION:**

This field identifies the method of screening to be used for personal property undergoing NASA wide screening: C = NPDMS CATALOG F = FAX L = LOCAL, N = NEMS ONLY

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 'C', 'F', 'L', 'N'.

---

**SCREEN NAME:** NASA-WIDE BEGIN DT  
**ACCESS NAME:** PROP-NASA-BGN-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING BEGIN DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property begins the required internal NASA screening period at all NASA installations.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Default is the current date of the initial add into NPDMS. If changed cannot be earlier than the PROP-INST-BGN-DATE.

---

**SCREEN NAME:** NASA-WIDE END DT  
**ACCESS NAME:** PROP-NASA-END-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y', default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

**SCREEN NAME:** NASA-WIDE SCREENING BEGIN DATES  
**ACCESS NAME:** PROP-NASA-BGN-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING BEGIN DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property begins the required internal NASA screening period at all NASA installations.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display Format: MM/DD/YY or MM/DD/YYYY. Stored in Internal

Date format. Generated as follows: Default is the current date of the initial add into NPDMS. If changed cannot be earlier than the PROP-INST-BGN-DATE.

---

**SCREEN NAME:** NASA-WIDE SCREENING END DATES  
**ACCESS NAME:** PROP-NASA-END-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** NASA WIDE SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required internal NASA screening period at all NASA installations.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table 155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals 'Y', default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Exchange/Sale property.

If Non-reportable ADPE (FSG 70) with PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property.

For all other reportable and non-reportable property, default is the PROP-NASA-BGN-DATE plus the default number of NASA screening days for all other property.

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

**SCREEN NAME:** NAVIGATION  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**  
**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows the following functions:

1. The user can navigate through a menu hierarchy from a main menu to selected sub-functions.
2. A user can move directly from one activity to another through a direct command feature.
3. A user can directly access certain functions from other functions through PF-keys.

**FORMAT:** Alphanumeric

**LENGTH:** 55

**EDIT CRITERIA**

The possible values are:

PF-keys  
ADD CASE  
ADD RPT  
ADD TBL  
ADD ITEM  
CHANGE CASE  
CHANGE RPT  
CHANGE TBL  
CONVERT CASE  
CONVERT COMPONENT  
DELETE CASE  
DELETE RPT  
DELETE TBL  
DISPOSITION ABANDONED  
DISPOSITION SCRAP  
DISPOSITION SURVEY  
DONATION APPROVED  
DONATION FOREIGN  
DONATION OTHER  
DONATION PUBLIC  
ENTER SRD  
EXCHANGE  
FREEZE  
INVENTORY  
LIST RPT  
SALES  
MAIN  
RECEIPTS  
REPORTS  
REPORTS SCHEDULE  
REVERSE TRANSACTION  
REVERSE RECEIPT  
SELECT CASE  
SELECT RPT  
TABLES  
TXN  
TRANSFER OTHER

TRANSFER DRMO  
TRANSFER OFAGSA  
TRANSFER NASA  
TRANSFER NASA GENERATING  
TRANSFER OFA  
TRANSFER GSA  
TRADE  
PROCESS RPT

---

**SCREEN NAME: NEMS ACCEPTED EXTERNAL COUNT**

ACCESS NAME: RPT-PRMTRS-TEXT

ENTITY: REPORT

**DESCRIPTIVE NAME:** REPORT PARAMETERS TEXT

**DATA ELEMENT DEFINITION:**

This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 150

**EDIT CRITERIA**

---

**SCREEN NAME: NEMS ACCEPTED INTERNAL COUNT**

ACCESS NAME: RPT-PRMTRS-TEXT

ENTITY: REPORT

**DESCRIPTIVE NAME:** REPORT PARAMETERS TEXT

**DATA ELEMENT DEFINITION:**

This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 150

**EDIT CRITERIA**

---

**SCREEN NAME:** NEMS SCREENING COUNT  
**ACCESS NAME:** RPT-PRMTRS-TEXT  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT PARAMETERS TEXT  
**DATA ELEMENT DEFINITION:**  
This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.  
**FORMAT:** Alphanumeric  
**LENGTH:** 150  
**EDIT CRITERIA**

---

**SCREEN NAME:** NEMS USER NO  
**ACCESS NAME:** NEMS-USER-NMBR  
**ENTITY:** NEMS  
**DESCRIPTIVE NAME:** NEMS USER NUMBER  
**DATA ELEMENT DEFINITION:**  
A unique identification number assigned to the person holding sensitive, borrowed, or loan pool equipment. This number may be the individual's badge number. Used with on-site reutilization transactions updating NEMS. Must match NEMS Table 090.  
**FORMAT:** Alphanumeric  
**LENGTH:** 6  
**EDIT CRITERIA**  
Optional entry. If entered, must match the NEMS User Number Table 090.

---

**SCREEN NAME:** NEW LOT NO  
**ACCESS NAME:** PROP-LOT-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** LOT NUMBER OF PROPERTY  
**DATA ELEMENT DEFINITION:**  
The assigned number designating the lot in which a particular item was included for sale. To the extent practicable, and consistent with the types of property and usual commercial practice, property offered for sale shall be assembled in reasonably sized lots of like or similar items by make (i.e., FSC Group) or manufacturer with the following exceptions:  
  
1)- Unused property shall be lotted separately from used (property) items;

2)- Scrap and other property having scrap value only shall generally not be included in the same lot with usable items; and

3)- each property item authorized for Exchange/Sale shall be lotted as a single item lot except when otherwise authorized under the provisions of FPMR 41 CFR, 101-46.202.

**FORMAT:** Alphanumeric

**LENGTH:** 4

**EDIT CRITERIA**

System generated for Local NASA Sales; user entered for GSA Sales.

---

**SCREEN NAME:** NEW PROP ACCEPTANCE DATE

**ACCESS NAME:** PROP-NEW-ACPTNC-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** NEW PROPERTY ACCEPTANCE DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which the new property is accepted as the result of an exchange or sale.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Optional user entry. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** NEW QTY

**ACCESS NAME:** PROP-CUR-AVLBL-QTY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CURRENT AVAILABLE QUANTITY

**DATA ELEMENT DEFINITION:**

The current number of available items of personal property.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

---

**SCREEN NAME: NEW SALE NO**

ACCESS NAME: PROP-SALE-NMBR

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** SALE NUMBER OF PROPERTY

**DATA ELEMENT DEFINITION:**

Unique number assigned by the selling activity (GSA or NASA, including agent) to all sale lots of personal property associated with a specific sale to be conducted on a single day of the year.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

System generated for Local Sales, user entered, free form for GSA sales. If a GSA Sale, the first 6 characters of the sale number may not equal the user's INST-FEDAAC-CODE.

---

**SCREEN NAME: NEW STATUS**

ACCESS NAME: RPT-STS-CODE

ENTITY: REPORT

**DESCRIPTIVE NAME:** REPORT STATUS CODE

**DATA ELEMENT DEFINITION:**

This field contains the execution status for a specific NPDMS report or maintenance job. P = Postpone C = Cancel ' ' = on schedule

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

P = Postpone; C = Cancel; Blank space = On Schedule.

---

**SCREEN NAME: NEW UNIT COST**

ACCESS NAME: PROP-ADJSTD-ACQSTN-COST-AMT

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY

**DATA ELEMENT DEFINITION:**

The current unit adjusted acquisition cost amount of the personal property.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

User entered. Cannot be a negative amount.

---

**SCREEN NAME:** **NEXT ITEM ID**

ACCESS NAME: NOT MAINTAINED

ENTITY:

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for entry of the next item id associated with the next property case number to process the same transaction.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

If CMPNT-IND = C, must enter 00 through 99.

---

**SCREEN NAME:** **NEXT LOT**

ACCESS NAME: NOT MAINTAINED

ENTITY:

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field gives the user the option to choose an awardee for another lot within the same sale. This field is used on ND4950MB.

**FORMAT:** Numeric

**LENGTH:** 4.0

**EDIT CRITERIA**

User entered, any number from 0001-9999.

---

**SCREEN NAME:** **NEXT PROP CASE NO**

ACCESS NAME: NOT MAINTAINED

ENTITY:

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for the entry of the next property case number to process the same transaction.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

---

**SCREEN NAME:** NEXT TRADED TO VENDOR TRANS (Y/N)

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for processing of a new Trade-In to Vendor (T19) transaction.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are Y, N or Blank space.

---

**SCREEN NAME:** NO OF COPIES

**ACCESS NAME:** INST-RPT-QTY

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION REPORT QUANTITY

**DATA ELEMENT DEFINITION:**

The default number of copies of a specific report to be printed.

**FORMAT:** Packed

**LENGTH:** 2.0

**EDIT CRITERIA**

Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** NO OF COPIES  
**ACCESS NAME:** RPT-QTY  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT QUANTITY

**DATA ELEMENT DEFINITION:**

The number of copies of a specific report that the user wants printed.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

1 to 99, inclusive. The default is maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** NO. OF DAYS (IND)  
**ACCESS NAME:** RPT-NMBR-DAYS-IND  
**ENTITY:**  
**DESCRIPTIVE NAME:** REPORT NUMBER OF DAYS INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates if a number of days to select records is a required entry for a specific NPDMS report.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

O = required for on-request reports, R = required on a regularly scheduled report. B = required for both on-request and regularly scheduled reports, and a blank space = not required.

---

**SCREEN NAME:** NO OF FREEZE SCRNING DAYS  
**ACCESS NAME:** INST-DLNQNT-DAYS-NMBR  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION DEFAULT NUMBER OF FREEZE  
DELINQUENT DAYS

**DATA ELEMENT DEFINITION:**

The default number of days provided in the center's profile table added to the the effective date of a freeze (F00) transaction in order to establish the PROP-FREEZE-DLNQNT-DATE.

**FORMAT:** Numeric

**LENGTH:** 2

**EDIT CRITERIA**

Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **NSN**

**ACCESS NAME:** PROP-NSN-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY NATIONAL STOCK NUMBER

**DATA ELEMENT DEFINITION:**

A standard property identification number. The number consists of the PROP-FSC-CODE and the PROP-NIIN-NMBR. The FSC Code is used along with PROP-CNDTN-CODE and PROP-ADJSTD-ACQSTN-COST-AMT to determine a case's GSA reportability.

**FORMAT:** Alphanumeric

**LENGTH:** 13

**EDIT CRITERIA**

Positions 1-2 are the PROP-FSC-GROUP-CODE, which classifies similar items into groups; 3-4 are the PROP-FSC-CLASS-CODE, which classifies similar items within groups into sub-classes; 5-6 are the National Codification Bureau (NCB) code, which indicates the country that assigned the national item identification (U.S. is '00' and '01'); and 7-13 = numeric characters, which identify items to the detail level. Positions 1-4 must be in the NPDMS Federal Supply Classification Code Table-020.

---

**SCREEN NAME:** **NUMBER OF COMPONENTS**

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

The total number of item records associated with a specific property case number.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

System generated.

---

**SCREEN NAME: NUMBER OF COPIES**

ACCESS NAME: RPT-QTY

ENTITY: REPORT

**DESCRIPTIVE NAME:** REPORT QUANTITY

**DATA ELEMENT DEFINITION:**

The number of copies of a specific report that the user wants printed.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

1 to 99, inclusive. The default is maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME: NUMBER OF DAYS**

ACCESS NAME: RPT-PRMTRS-TEXT

ENTITY: REPORT

**DESCRIPTIVE NAME:** REPORT PARAMETERS TEXT

**DATA ELEMENT DEFINITION:**

This field will contain any parameters that are necessary for program execution for a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 150

**EDIT CRITERIA**

---

**SCREEN NAME: OFA**

ACCESS NAME: SYS-OFA-DAYS-CNT

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM COUNT OF OTHER FEDERAL AGENCY  
SCREENING DAYS

**DATA ELEMENT DEFINITION:**

System count of the default number of calendar days that personal property undergoes the required external NASA screening for all other federal agencies.

**FORMAT:** P

**LENGTH:** 3.0

**EDIT CRITERIA**

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the PROP-OFA-BGN-DATE to establish the PROP-OFA-END-DATE.

---

<b>SCREEN NAME:</b>	<b>OFA SCRNG END DATE</b>
ACCESS NAME:	PROP-OFA-END-DATE
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required external NASA excess screening period for other federal agencies.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table 155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y , default is PROP-OFA-BGN-DATE plus the default number of OFA screening days for Exchange/Sale property (normally 7 days if reporting to GSA).

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-OFA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property (normally 0 days if reporting to GSA).

For all other reportable and non-reportable property, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for all other property (normally 21 days if reporting to GSA).

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

<b>SCREEN NAME:</b>	<b>ORG CODE</b>
ACCESS NAME:	RQSTR-ORGNZTN-CODE
ENTITY:	REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR ORGANIZATION CODE

**DATA ELEMENT DEFINITION:**

Identifies the organization code of the person requesting an item of personal property. If a Controlled T05, must be on NEMS Table 078.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA**

Installation specific. If a Controlled T05, must be on NEMS Table 078.

---

**SCREEN NAME:** ORIG ACQ COST

**ACCESS NAME:** PROP-UNIT-ACQSTN-COST-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY UNIT ACQUISITION COST AMOUNT

**DATA ELEMENT DEFINITION:**

The unit acquisition cost of the personal property.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Any number greater than zero.

---

**SCREEN NAME:** ORIG QTY

**ACCESS NAME:** PROP-QTY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY QUANTITY

**DATA ELEMENT DEFINITION:**

The number of units of issue of property being processed during an add.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Any number 0 - 99999.

---

**SCREEN NAME:** OTHER FED BEGIN DT  
**ACCESS NAME:** PROP-OFA-BGN-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** OTHER FEDERAL AGENCY SCREENING BEGIN DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property begins the required external NASA excess screening period for other federal agencies.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Set to equal the PROP-NASA-END-DATE plus 1 day at the time of initial add into NPDMS. If changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

**SCREEN NAME:** OTHER FED END DT  
**ACCESS NAME:** PROP-OFA-END-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required external NASA excess screening period for other federal agencies.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less than 9 years old, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is PROP-OFA-BGN-DATE plus the default number of OFA screening days for Exchange/Sale property (normally 7 days if reporting to GSA).

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-OFA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property (normally 0 days if reporting to GSA).

For all other reportable and non-reportable property, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for all other property (normally 21 days if reporting to GSA).

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

<b>SCREEN NAME:</b>	<b>OTHER FEDERAL SCREENING BEGIN DATES</b>
ACCESS NAME:	PROP-OFA-BGN-DATE
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	OTHER FEDERAL AGENCY SCREENING BEGIN DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property begins the required external NASA excess screening period for other federal agencies.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. Generated as follows: Set to equal the PROP-NASA-END-DATE plus 1 day at the time of initial add into NPDMS. If changed, cannot be earlier than the PROP-INST-BGN-DATE.

---

<b>SCREEN NAME:</b>	<b>OTHER FEDERAL SCREENING END DATES</b>
ACCESS NAME:	PROP-OFA-END-DATE
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY

**DATA ELEMENT DEFINITION:**

The calendar date on which personal property completes the required external NASA excess screening period for other federal agencies.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

System generated at the time of Add and modifiable. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format. This date is generated using default values maintained on ND-Table-155 (Screening Days Table) as follows:

If Reportable ADPE with a PROP-ADJSTD-ACQSTN-COST-AMT GE \$1,000,000.00 and less

than 9 years old, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for reportable ADPE property.

If the EXCHNGSL-IND equals Y, default is PROP-OFA-BGN-DATE plus the default number of OFA screening days for Exchange/Sale property (normally 7 days if reporting to GSA).

If Non-reportable ADPE (FSG 70) with a PROP-ADJSTD-ACQSTN-COST-AMT less than \$1,000,000.00, default is the PROP-OFA-BGN-DATE plus the default number of NASA screening days for Non-reportable ADPE property (normally 0 days if reporting to GSA).

For all other reportable and non-reportable property, default is the PROP-OFA-BGN-DATE plus the default number of OFA screening days for all other property (normally 21 days if reporting to GSA).

If date changed, cannot be earlier than the PROP-INST-BGN-DATE.

**SCREEN NAME:** **OUTPUT CLASS**  
ACCESS NAME: RPT-OUTPUT-CODE  
ENTITY: REPORT  
**DESCRIPTIVE NAME:** REPORT OUTPUT CODE

**DATA ELEMENT DEFINITION:**

The code used to designate how the output for a specific NPDMS report or maintenance job should be printed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Installation specific. Default maintained in the NPDMS Center Profile Table-050.

**SCREEN NAME:** **OUTPUT CLASS (INST DFLT)**  
ACCESS NAME: INST-DFLT-RPT-OUTPUT-CODE  
ENTITY: NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION DEFAULT REPORT OUTPUT CODE

**DATA ELEMENT DEFINITION:**

The default code used to designate where the output for a specific NPDMS report or maintenance job should be printed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Installation specific. Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:**                      **OUTPUT CODE**  
ACCESS NAME:                      RPT-OUTPUT-CODE  
ENTITY:                              REPORT  
**DESCRIPTIVE NAME:**              REPORT OUTPUT CODE

**DATA ELEMENT DEFINITION:**

The code used to designate how the output for a specific NPDMS report or maintenance job should be printed.

**FORMAT:**                              Alphanumeric  
**LENGTH:**                              1

**EDIT CRITERIA**

Installation specific. Default maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:**                      **PART NO (MFG)**  
ACCESS NAME:                      PROP-MFG-PART-NMBR  
ENTITY:                              IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:**              PROPERTY MANUFACTURER PART NUMBER

**DATA ELEMENT DEFINITION:**

The manufacturer's part number for an item of equipment or supply.

**FORMAT:**                              Alphanumeric  
**LENGTH:**                              32

**EDIT CRITERIA**

Optional entry, free form. As provided from NEMS for controlled property. Provided if known by NSMS for supply property.

---

**SCREEN NAME:**                      **PAYMENT DUE DATE**  
ACCESS NAME:                      PROP-PYMNT-DUE-DATE  
ENTITY:                              IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:**              PROPERTY PAYMENT DUE DATE

**DATA ELEMENT DEFINITION:**

The contract binding date stated in the terms of sale whereby full payment for the sold personal property is required of the purchaser before removal of the property from the government's facilities or be placed in default and face potential loss of their right to acquire the property.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Supplied by the PDO and entered. Cannot be greater than the PROP-CNTRCT-RMVL-DATE. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:** PDO CUST ACCT NO

**ACCESS NAME:** PDO-CSTDN-ACNT-NMBR

**ENTITY:** PDO

**DESCRIPTIVE NAME:** PDO CUSTODIAN ACCOUNT NUMBER

**DATA ELEMENT DEFINITION:**

The number in the NPDMS Center Profile Record used to identify the NEMS account of the Property Disposal Officer when transferring property accountability to the PDO.

**FORMAT:** Alphanumeric

**LENGTH:** 6

**EDIT CRITERIA**

Installation Specific. Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** PDO JUSTIFICATION

**ACCESS NAME:** PROP-TXN-DESC

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSACTION DESCRIPTION

**DATA ELEMENT DEFINITION:**

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

**SCREEN NAME:** PDO NAME  
**ACCESS NAME:** PDO-NAME  
**ENTITY:** PDO  
**DESCRIPTIVE NAME:** PROPERTY DISPOSAL OFFICER NAME

**DATA ELEMENT DEFINITION:**

Contains the name of an installation's Property Disposal Officer. This element will print on either the NASA Form 811 or 812.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form and Installation specific. Maintained on Center Profile Table-050

---

**SCREEN NAME:** PDO USER NO  
**ACCESS NAME:** PDO-USER-NMBR  
**ENTITY:** PDO  
**DESCRIPTIVE NAME:** PDO USER NUMBER

**DATA ELEMENT DEFINITION:**

The number in the NPDMS Center Profile Record used to identify the NEMS user number of the Property Disposal Officer when transferring property accountability to the PDO.

**FORMAT:** Alphanumeric

**LENGTH:** 6

**EDIT CRITERIA**

Installation Specific. Maintained in the NPDMS Center Profile Table-050. Must be in the NEMS Table 090.

---

**SCREEN NAME:** PHONE (ABNDSTRYD)  
**ACCESS NAME:** PROP-ABNDSTRYD-PHN-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY SITE PHONE NUMBER

**DATA ELEMENT DEFINITION:**

The telephone number, including area code, of the site where property was abandoned or destroyed.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

Free form however, if entered must include area code.

---

**SCREEN NAME:** **PHONE (BIDDER)**

**ACCESS NAME:** PROP-BIDDER-PHN-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BIDDER PHONE NUMBER

**DATA ELEMENT DEFINITION:**

The telephone number, including area code, of the individual, or organization/company, submitting a competitive bid for consideration to acquire a specific property lot offered for sale.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

Free form. If entered, must include area code. If a particular bidder is awarded the sale, this field is moved to the RQSTR-PHN-NMBR on the transaction record.

---

**SCREEN NAME:** **PHONE (CNTCT PHN)**

**ACCESS NAME:** PROP-CNTCT-PHN-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY LOCATION CONTACT PHONE NUMBER

**DATA ELEMENT DEFINITION:**

The telephone number, including area code, of the contact person for the personal property, when it is different than the INST-PHN-NMBR.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

If entered, must include area code. Generated (pulled) from Center Profile Table-050 and modifiable.

---

**SCREEN NAME:** PHONE (INST)  
**ACCESS NAME:** INST-PHN-NMBR  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION PHONE NUMBER  
**DATA ELEMENT DEFINITION:**  
The default installation telephone number, including area code, of the contact person for personal property.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10  
**EDIT CRITERIA**  
Maintained in the NPDMS Center Profile Table-050. Must contain the area code.

---

**SCREEN NAME:** PHONE (INST RPTNG CNTCT)  
**ACCESS NAME:** INST-RPTNG-CNTCT-PHN-NMBR  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** REPORTING INSTALLATION CONTACT PHONE NUMBER  
**DATA ELEMENT DEFINITION:**  
The current commercial telephone number, including area code, of the person to contact at a reporting installation.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10  
**EDIT CRITERIA**  
Default maintained in the NPDMS Center Profile Table-050 (INST-PHN-NMBR). If changed, must include area code.

---

**SCREEN NAME:** PHONE (RQSTR)  
**ACCESS NAME:** RQSTR-PHN-NMBR  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR CONTACT PHONE NUMBER  
**DATA ELEMENT DEFINITION:**  
The telephone number, including area code, of the person or contact requesting personal property available for transfer, exchange, sale, donation, etc.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **PHYSICAL SECURITY**  
**ACCESS NAME:** DRMO-CNTRLD-INV-CODE; SYS-REC-KEY  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO CONTROLLED INVENTORY ITEM CODE

**DATA ELEMENT DEFINITION:**

The DRMO Controlled Inventory Item Code indicating the security classification and/or security risk or pilferage controls for the storage and transportation of property.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Maintained in the NPDMS Controlled Inventory Item Codes Table-070.

Classified Items Code:

A = Confidential - formerly restricted data;  
B = Confidential - restricted data;  
C = Confidential;  
D = Confidential - cryptologic;  
E = Secret - cryptologic;  
F = Top Secret - cryptologic;  
G = Secret - formerly restricted data;  
H = Secret - restricted data;  
K = Top Secret - formerly restricted data;  
L = Top Secret - restricted data;  
O = Item contains naval nuclear propulsion information;  
S = Secret;  
T = Top Secret;  
U = Unclassified;  
7 = Item displays sensitive information;  
9 = This code identifies an item as a Controlled Cryptographic Item (CCI).

Sensitive Items Code:

1 = Highest Sensitivity (Category I) - nonnuclear missiles and rockets;  
2 = High Sensitivity (Category II) - arms, ammunition and explosives;  
3 = Moderate Sensitivity (Category III) - arms, ammunition and explosives;  
4 = Low Sensitivity (Category IV) - arms, ammunition and explosives;  
5 = Highest Sensitivity (Category I) - arms, ammunition and explosives with classification of Secret;  
6 = Highest Sensitivity (Category I) - arms, ammunition and explosives with classification of Confidential;  
8 = High Sensitivity (Category II) - arms, ammunition and explosives with classification of

Confidential;  
Q = A drug or other controlled substance designated as a schedule III, IV or V item;  
R = Precious Metals, a drug or other controlled substance designated as a schedule I or II item.

Pilferage Code:

J = Pilferage;  
I = aircraft engine equipment and parts;  
M = Handtools and shop equipment;  
N = firearms;  
P = ammunition and explosives;  
V = individual clothing and equipment;  
W = office machines;  
X = photographic equipment and supplies;  
Y = communication/electronic equipment and parts;  
Z = vehicular equipment and parts.

---

<b>SCREEN NAME:</b>	<b>PICKUP DOC GENERATION DEFAULT</b>
ACCESS NAME:	INST-DFLT-PCKP-GNRTN-IND
ENTITY:	NASA INSTALLATION
<b>DESCRIPTIVE NAME:</b>	INSTALLATION DEFAULT PICKUP DOCUMENT
GENERATION INDICATOR	

**DATA ELEMENT DEFINITION:**

The field in the NPDMS Center Profile Record indicating that a Pickup Document will or will not be generated as a system default.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = yes; Blank = no. Maintained in the NPDMS Center Profile Table-050.

---

<b>SCREEN NAME:</b>	<b>PREC METAL</b>
ACCESS NAME:	PROP-PRCS-MTLS-CODE; SYS-REC-KEY
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	PRECIOUS METALS PROPERTY CODE

**DATA ELEMENT DEFINITION:**

Code used to Identify type and content value of precious metals contained in the personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Maintained in the NPDMS Precious Metals Code Table - 080. Default is Code 'A'.

A = No known precious metal;

B = Item is known to contain precious metal(s) but the amount(s) is unknown;

C = Presence or absence of precious metals varies between items of production for the same item of supply;

D = Silver, equals 15 grams or more;

E = Silver, less than 15 grams;

F = Gold, equals 10 grams or more;

G = Gold, less than 10 grams;

H = Platinum, equals 10 grams or more;

I = Platinum, less than 10 grams;

J = Palladium, equals 5 grams or more;

K = Palladium, less than 5 grams;

L = Iridium, equals 20 grams or more;

M = Iridium, less than 20 grams;

N = Rhodium, equals 15 grams or more;

O = Rhodium, less than 15 grams;

P = Osmium, equals 10 grams or more;

Q = Osmium, less than 10 grams;

R = Ruthenium, equals 10 grams or more;

S = Ruthenium, less than 10 grams;

T = Silver-Gold, combination equals 15 grams or more;

U = Silver-Gold, combination contains less than 15 grams;

V = Silver-Platinum Family, combination equals 15 grams or more;

W = Silver-Platinum Family, combination contains less than 15 grams;

X = Silver-Gold-Platinum Family, combination equals 15 grams or more;

Y = Silver-Gold-Platinum Family, combination contains less than 15 grams;

Z = Gold-Platinum Family, combination equals 10 grams or more;

2 = Gold-Platinum Family, combination contains less than 10 grams;

3 = Determination of precious metal content is uneconomical.

---

**SCREEN NAME:** **PRECIOUS METALS CODE**

**ACCESS NAME:** PROP-PRCS-MTLS-CODE; SYS-REC-KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PRECIOUS METALS PROPERTY CODE

**DATA ELEMENT DEFINITION:**

Code used to Identify type and content value of precious metals contained in the personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Maintained in the NPDMS Precious Metals Code Table - 080. Default is Code 'A'.

A = No known precious metal;

B = Item is known to contain precious metal(s) but the amount(s) is unknown;

C = Presence or absence of precious metals varies between items of production for the same item of supply;

D = Silver, equals 15 grams or more;

E = Silver, less than 15 grams;

F = Gold, equals 10 grams or more;

G = Gold, less than 10 grams;

H = Platinum, equals 10 grams or more;

I = Platinum, less than 10 grams;

J = Palladium, equals 5 grams or more;

K = Palladium, less than 5 grams;

L = Iridium, equals 20 grams or more;

M = Iridium, less than 20 grams;

N = Rhodium, equals 15 grams or more;

O = Rhodium, less than 15 grams;

P = Osmium, equals 10 grams or more;

Q = Osmium, less than 10 grams;

R = Ruthenium, equals 10 grams or more;

S = Ruthenium, less than 10 grams;

T = Silver-Gold, combination equals 15 grams or more;

U = Silver-Gold, combination contains less than 15 grams;

V = Silver-Platinum Family, combination equals 15 grams or more;

W = Silver-Platinum Family, combination contains less than 15 grams;

X = Silver-Gold-Platinum Family, combination equals 15 grams or more;

Y = Silver-Gold-Platinum Family, combination contains less than 15 grams;

Z = Gold-Platinum Family, combination equals 10 grams or more;

2 = Gold-Platinum Family, combination contains less than 10 grams;

3 = Determination of precious metal content is uneconomical.

---

**SCREEN NAME:** PRECIOUS METALS CODE

**ACCESS NAME:** SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;

GSA-RGN-CODE for the GSA Region Table-005;

DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
 PROP-UOM-CODE for the Unit of Measure Table-025;  
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
 PRINTER DESTINATION CODE for the Printer Destination Table-145;  
 STATE ABBREVIATION for the State Table-150;  
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

<b>SCREEN NAME:</b>	<b>PRECIOUS METALS CONTENT DESCRIPTION (LINE 1)</b>
ACCESS NAME:	PROP-PRCS-MTLS-DESC
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	<b>PRECIOUS METALS PROPERTY CONTENT DESCRIPTION</b>
<b>DATA ELEMENT DEFINITION:</b>	
The first line of description of the type and content value (weight) of any precious metals contained in personal property.	

**FORMAT:** Alphanumeric

**LENGTH:** 50

**EDIT CRITERIA**

Extracted from the NPDMS Precious Metals Code Table-080. See PRECIOUS METALS PROPERTY CODE.

---

**SCREEN NAME:** PRECIOUS METALS CONTENT DESCRIPTION (LINE 2)

**ACCESS NAME:** PROP-PRCS-MTLS-DESC

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PRECIOUS METALS PROPERTY CONTENT DESCRIPTION

**DATA ELEMENT DEFINITION:**

The second line of description of the type and content value (weight) of any precious metals contained in personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 50

**EDIT CRITERIA**

Extracted from the NPDMS Precious Metals Code Table-080. See PRECIOUS METALS PROPERTY CODE.

---

**SCREEN NAME:** PRECIOUS METALS IND

**ACCESS NAME:** CMPNT-PRCS-MTLS-IND

**ENTITY:** COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM PRECIOUS METALS INDICATOR

**DATA ELEMENT DEFINITION:**

If any of the components in a component system contain precious metals, this indicator will be set to 'Y'.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Computer generated, Y = yes, Blank = no. Default is no.

---

**SCREEN NAME:** PREV 1348  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

Indicates whether or not a DOD 1348-1A has been generated for a specific item record.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible display values are N or Y.

---

**SCREEN NAME:** PREV CASE NO  
**ACCESS NAME:** PROP-PRVS-CASE-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PREVIOUS PROPERTY CASE NUMBER

**DATA ELEMENT DEFINITION:**

The previous Property Case Number of the record that was converted from a single case record to an item of a Component System or vice versa.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

Generated (moved) at the time of a Convert Case To Component or Convert Component To Case process and written to the transaction file.

---

**SCREEN NAME:** PRIME INSTALLATION NUMBER  
**ACCESS NAME:** PRIMINST-NMBR  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** PRIME INSTALLATION NUMBER

**DATA ELEMENT DEFINITION:**

A two digit number identifying a prime (accountable) NASA Installation. This is the first 2 positions of the INST-NMBR.

**FORMAT:** Alphanumeric

**LENGTH:** 2.0

**EDIT CRITERIA**

Must match NPDMS Installation Number Table-105.

01- Langley Research Center  
02- Ames Research Center  
03- Lewis Research Center  
05- Goddard Space Flight Center  
07- Jet Propulsion Laboratory  
08- Marshall Space Flight Center  
09- Johnson Space Center  
10- Kennedy Space Center  
11- Headquarters  
13- Stennis Space Center.

---

**SCREEN NAME:** PRINT 1348

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for the printing of a DOD form 1348-1A for a specific item record.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y=Generate; N=Do Not Generate. Default value is N.

---

**SCREEN NAME:** PRINT DD-1348-1A ( Y )

**ACCESS NAME:** RPT-1348-GNRTN-IND

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT 1348 GENERATION INDICATOR

**DATA ELEMENT DEFINITION:**

The indicator set to designate the generation of a DD-1348-1A for a specific Excess Property Item. Once the report has been generated thru the Report Process, this indicator is reset to its default value.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = Generate; Blank = Do Not Generate.

---

**SCREEN NAME:** PRINT DOC (Y/N)  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for a listing of various disposal document available for generation.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are Y or N.

---

**SCREEN NAME:** PRINT FOREIGN DISPOSAL APPROVAL FORM ( Y )  
**ACCESS NAME:** RPT-FRGN-DSPSL-APRVL-IND  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** FOREIGN DISPOSAL APPROVAL REPORT INDICATOR

**DATA ELEMENT DEFINITION:**

The indicator set when to designate the generation of the Foreign Disposal Approval Form.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

'Y' = Generate report, 'blank' = Don't generate (default). Once the form is generated, this field will be set to blank.

---

**SCREEN NAME:** PRINT NASA 811 ( Y )  
**ACCESS NAME:** RPT-811-IND  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 811 GENERATION INDICATOR

**DATA ELEMENT DEFINITION:**

The indicator set when processing an Expended to Scrap Property Transaction (T03) to designate the generation of the NPDMS 811 report.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = Generate; = Do Not Generate. If set to 'Y' the PROP-DSPSL-CNDTN-CODE must be 'S' (scrap) or 'X' (salvage).

**SCREEN NAME:** PRINT NASA 812 ( Y )  
**ACCESS NAME:** RPT-812-IND  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 812 GENERATION INDICATOR

**DATA ELEMENT DEFINITION:**

The indicator set when processing an Abandoned or Destroyed Transaction (T18) to designate the generation of the NPDMS 812 report.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = Generate; Blank space = Do Not Generate.

---

**SCREEN NAME:** PRINT PICKUP DOC  
**ACCESS NAME:** PROP-PCKP-DCMNT-GNRTN-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY PICKUP DOCUMENT GENERATION INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates if a pickup document (NASA Form 1638) should be generated for a case. Once a case is entered into the NPDMS, the user will have the option of overriding the system default value.

**NOTE:** one pickup document will be generated for each item ID associated with a Component System.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Current system date at the time of generation. Display Format: MM = any number 1-12; DD = any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** PRINT SF-120 CORRECTION  
**ACCESS NAME:** GSA-SF120-WTHDRWL-CRCTN-CODE  
**ENTITY:** GSA

**DESCRIPTIVE NAME:** SF-120 WITHDRAWAL/CORRECTION TO GSA CODE

**DATA ELEMENT DEFINITION:**

A corrected SF-120 must be sent to GSA whenever the property has been previously reported to GSA for screening purposes and changes are made to any data elements listed on a SF-120 including description, condition code, quantity and acquisition cost. A withdrawal SF-120 is sent to GSA when the property is being requested back from the screening control of GSA for use by NASA. The indicator is set when entering Transactions (E02, E03, T02, T03, T04, T05, T06, T07, T09, T11, T12, T16, T18, T19, T20, and Reversals).

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

W= withdrawal; C= correction or space = not required.

---

**SCREEN NAME:** PRINT SF-120 WITHDRAWAL

**ACCESS NAME:** GSA-SF120-WTHDRWL-CRCTN-CODE

**ENTITY:** GSA

**DESCRIPTIVE NAME:** SF-120 WITHDRAWAL/CORRECTION TO GSA CODE

**DATA ELEMENT DEFINITION:**

A corrected SF-120 must be sent to GSA whenever the property has been previously reported to GSA for screening purposes and changes are made to any data elements listed on a SF-120 including description, condition code, quantity and acquisition cost. A withdrawal SF-120 is sent to GSA when the property is being requested back from the screening control of GSA for use by NASA. The indicator is set when entering Transactions (E02, E03, T02, T03, T04, T05, T06, T07, T09, T11, T12, T16, T18, T19, T20, and Reversals).

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

W= withdrawal; C= correction or space = not required.

---

**SCREEN NAME:** PRINTER ADDRESS

**ACCESS NAME:** INST-PRNTR-ADRS

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION DEFAULT PRINTER ADDRESS

**DATA ELEMENT DEFINITION:**

An Installation's default address for a local printer.

**FORMAT:** Alphanumeric

**LENGTH:** 8

**EDIT CRITERIA**

Installation specific but value must be on NPDMS Table-145. Default maintained on the Center Profile Table-050.

---

**SCREEN NAME: PRINTER DESCRIPTION**

ACCESS NAME: SYS-PRNTR-DESC

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM PRINTER LOCATION DESCRIPTION

**DATA ELEMENT DEFINITION:**

Descriptive text for the location of a local printer.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Installation specific. Maintained on NPDMS Table-145.

---

**SCREEN NAME: PRINTER DEST**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance

Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
 PRINTER DESTINATION CODE for the Printer Destination Table-145;  
 STATE ABBREVIATION for the State Table-150;  
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

<b>SCREEN NAME:</b>	<b>PRINTER DESTINATION</b>
ACCESS NAME:	INST-PRNTR-ADRS
ENTITY:	NASA INSTALLATION
<b>DESCRIPTIVE NAME:</b>	INSTALLATION DEFAULT PRINTER ADDRESS

**DATA ELEMENT DEFINITION:**

An Installation's default address for a local printer.

**FORMAT:** Alphanumeric

**LENGTH:** 8

**EDIT CRITERIA**

Installation specific but value must be on NPDMS Table-145. Default maintained on the Center Profile Table-050.

**SCREEN NAME: PRINTER DESTINATION**

ACCESS NAME: SYS-REC-KEY

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

**SCREEN NAME:** **PRINTER PICKUP DOC**  
**ACCESS NAME:** PROP-PCKP-DCMNT-GNRTN-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY PICKUP DOCUMENT GENERATION INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates if a pickup document (NASA Form 1638) should be generated for a case. Once a case is entered into the NPDMS, the user will have the option of overriding the system default value.

**NOTE:** one pickup document will be generated for each item ID associated with a Component System.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Current system date at the time of generation. Display Format: MM = any number 1-12; DD = any number 1-31 and consistent with month; YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** **PRIORITY FREEZE REFER PROP IND**  
**ACCESS NAME:** PROP-REFER-SUSPD-RPTNG-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** FREEZE REFERRAL/SUSPEND PROPERTY REPORTING INDICATOR

**DATA ELEMENT DEFINITION:**

One digit alpha identifier to suspend reporting to GSA or the Transfer to DRMO, and also to refer a freeze to GSA when reporting. Freeze Referral/Suspend Codes are as follows:

Blank - Report the case as scheduled to either GSA or DRMO and not include freeze information to GSA.

R - Property will be either reported to GSA or Transferred to DRMO as scheduled and include (refer) the freeze information as a referral for GSA action.

S - Suspend the reporting of the entire case to GSA or Transfer to DRMO as scheduled and freezes must be resolved by NASA. Freezes will continue to appear on the Freeze Status Report until the freeze is removed, the referral/suspend indicator is changed to 'R' or 'Blank', or a disposition is processed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The valid codes are 'blank', 'R', or 'S'.

---

**SCREEN NAME:** **PRIORITY IND**

**ACCESS NAME:** PROP-PRCSNG-PTY-IND

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY PROCESSING PRIORITY INDICATOR

**DATA ELEMENT DEFINITION:**

Indicator used to designate the extent and type of transaction (freeze or final disposition) processing a property item will undergo.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA**

1 = process a freeze transaction (F00) with paperwork;

2 = process a freeze transaction without paperwork;

3 = priority freeze (with or without paperwork);

4 = priority process a disposition transaction without a freeze transaction being created.

---

**SCREEN NAME:** **PROCEEDS**

**ACCESS NAME:** PROP-SALE-PRCDS-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY SALE PROCEEDS AMOUNT

**DATA ELEMENT DEFINITION:**

The amount received as a result of a sale of a single sales lot of property by GSA or NASA, including agent. Once the full PROPERTY BID AMOUNT is received in payment for the personal property, the bid amount becomes (is moved to) the "Proceeds". In most cases proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts (see PROP-APRRTN-ACNT-NMBR).

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Generated (moved) from the NPDMS Sale Bidder Table for T14 (Sold by NASA or Agent). User entered for T15 (Sold by GSA).

---

**SCREEN NAME:** **PROCUREMENT DOC NO**  
**ACCESS NAME:** PROP-PRCRMNT-DCMNT-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY PROCUREMENT DOCUMENT NUMBER  
**DATA ELEMENT DEFINITION:**  
Document number of the form used to procure the exchange or sale of personal property.  
**FORMAT:** Alphanumeric  
**LENGTH:** 14  
**EDIT CRITERIA**

---

**SCREEN NAME:** **PROP CASE NMBR**  
**ACCESS NAME:** PROP-CASE-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CASE NUMBER  
**DATA ELEMENT DEFINITION:**  
The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.  
**FORMAT:** Alphanumeric  
**LENGTH:** 14  
**EDIT CRITERIA**  
Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

**NOTE:** The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

---

**SCREEN NAME:** **PROP CASE NO**  
**ACCESS NAME:** PROP-CASE-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CASE NUMBER

**DATA ELEMENT DEFINITION:**

The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

**NOTE:** The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

---

**SCREEN NAME:** PROP DESC

**ACCESS NAME:** PROP-DESC

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DESCRIPTION

**DATA ELEMENT DEFINITION:**

Additional information which further describes the personal property, i.e., dimensions, capabilities, power requirements, etc.

**FORMAT:** Alphanumeric

**LENGTH:** 60 (1:40)

**EDIT CRITERIA**

Supplied by NSMS (NSMS-INDEX-DESC) on the Batch Interface file otherwise, user entered free form with no edit check. Stored on the NPDMS Text Descriptions file in a MU field with up to 40 occurrences.

---

**SCREEN NAME:** PROP DISPOSAL APPROVAL DATE

**ACCESS NAME:** PROP-DSPSL-APRVL-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DISPOSAL APPROVAL DATE

**DATA ELEMENT DEFINITION:**

The specific date on which the property disposal document or survey report was approved.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User Entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** PROP LOC FAX

**ACCESS NAME:** PROP-LCTN-FAX-NMBR

**ENTITY:**

**DESCRIPTIVE NAME:** PROPERTY LOCATION FAX PHONE NUMBER

**DATA ELEMENT DEFINITION:**

The FAX telephone number of the individual to contact where a particular item of property is located.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

Default maintained on Center Profile Table-050 and displayed at the time of initial add. Modifiable but may not be blank.

---

**SCREEN NAME:** PROP RMVL DT

**ACCESS NAME:** PROP-RMVL-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** ACTUAL PROPERTY REMOVAL DATE

**DATA ELEMENT DEFINITION:**

The specific date on which the property was actually physically removed from the NASA storage facility by the new owner or their agent, including shippers.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM = 1-12, DD = any number 1-31, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME: PROPERTY CASE NUMBERS**

ACCESS NAME: PROP-CASE-NMBR

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CASE NUMBER

**DATA ELEMENT DEFINITION:**

The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

**NOTE:** The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

---

**SCREEN NAME: PROPERTY TRANSACTION DESCRIPTION**

ACCESS NAME: PROP-TXN-DESC

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSACTION DESCRIPTION

**DATA ELEMENT DEFINITION:**

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

---

**SCREEN NAME: PROVINCE (RQSTR)**

ACCESS NAME: RQSTR-PRVNC-ADRS

ENTITY: REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR PROVINCE ADDRESS

**DATA ELEMENT DEFINITION:**

Is the province in the country where the property requestor is located. This field is necessary for foreign donations.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**  
free form

---

**SCREEN NAME:** QTY (CUR AVLBL)

ACCESS NAME: PROP-CUR-AVLBL-QTY

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CURRENT AVAILABLE QUANTITY

**DATA ELEMENT DEFINITION:**

The current number of available items of personal property.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Calculated; minus PROP-DSPSTN-QTY for disposition transactions; plus PROP-DSPSTN-QTY for disposition reversal transactions. Entered user value at time of add or change.

---

**SCREEN NAME:** QTY (DSPSTN)

ACCESS NAME: PROP-DSPSTN-QTY

ENTITY: IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DISPOSITION QUANTITY

**DATA ELEMENT DEFINITION:**

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

---

**SCREEN NAME:** QTY SOLD  
**ACCESS NAME:** PROP-DSPSTN-QTY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DISPOSITION QUANTITY  
**DATA ELEMENT DEFINITION:**  
The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.  
**FORMAT:** Numeric  
**LENGTH:** 5.0  
**EDIT CRITERIA**  
Any number from 1-99999, that does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

---

**SCREEN NAME:** REC NO  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**  
**DESCRIPTIVE NAME:**  
**DATA ELEMENT DEFINITION:**  
The next available item id when processing a new Trade-In to Vendor (T19) transaction.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA**  
System generated.

---

**SCREEN NAME:** RECEIVING INFO  
**ACCESS NAME:** DRMO-RCVNG-TEXT  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO RECEIVING INFORMATION TEXT  
**DATA ELEMENT DEFINITION:**  
This field is for an textual explanation of the additional DRMO receiving information code on the DD-1348-1A.  
**FORMAT:** Alphanumeric  
**LENGTH:** 200  
**EDIT CRITERIA**  
Free form.

**SCREEN NAME:** RECLAM CODE (DRMO)  
**ACCESS NAME:** DRMO-RCLMTN-CODE  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO RECLAMATION CODE

**DATA ELEMENT DEFINITION:**

A code indicating the level of reclamation processing required for an item transferred to a DRMO on the DD-1348-1A.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = reclamation performed prior to release to DRMO; R = reclamation to be performed after turn-in to DRMO; N = reclamation not required. Default is 'N'.

---

**SCREEN NAME:** REFER SUSP  
**ACCESS NAME:** PROP-REFER-SUSPD-RPTNG-IND  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** FREEZE REFERRAL/SUSPEND PROPERTY REPORTING INDICATOR

**DATA ELEMENT DEFINITION:**

One digit alpha identifier to suspend reporting to GSA or the Transfer to DRMO, and also to refer a freeze to GSA when reporting. Freeze Referral/Suspend Codes are as follows:

Blank - Report the case as scheduled to either GSA or DRMO and not include freeze information to GSA.

R - Property will be either reported to GSA or Transferred to DRMO as scheduled and include (refer) the freeze information as a referral for GSA action.

S - Suspend the reporting of the entire case to GSA or Transfer to DRMO as scheduled and freezes must be resolved by NASA. Freezes will continue to appear on the Freeze Status Report until the freeze is removed, the referral/suspend indicator is changed to 'R' or 'Blank', or a disposition is processed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The valid codes are 'blank', 'R', or 'S'.

**SCREEN NAME:** REIMBURSABLE (Y/N)

**ACCESS NAME:** PROP-REIM-IND

**ENTITY:**

**DESCRIPTIVE NAME:** PROPERTY REIMBURSEMENT INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates if the net proceeds from an exchange or sale of idle NASA property are to be returned to the reporting center based on the property item's reimbursement code.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

User entered: Y = Reimbursable, N = Non-reimbursable. Maintained on the NPDMS Reimbursement Code Table-160.

---

**SCREEN NAME:** REIMBURSEMENT AMOUNT

**ACCESS NAME:** EXCHNGSL-REIM-AMT

**ENTITY:** EXCHANGE/SALE PROPERTY

**DESCRIPTIVE NAME:** EXCHANGE/SALE REIMBURSEMENT AMOUNT

**DATA ELEMENT DEFINITION:**

The amount of reimbursement to the holding installation resulting from the transfer of an Exchange/Sale property item to those authorized.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Any dollar amount greater than zero.

---

**SCREEN NAME:** REIMBURSEMENT CODE

**ACCESS NAME:** PROP-REIM-CODE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY REIMBURSEMENT CODE

**DATA ELEMENT DEFINITION:**

A one character code designating the reimbursement classification of property for GSA reporting

with regard to eligibility for reimbursement, donation, or sales. On the SF-120, the code is translated to correctly complete block 15, Reim/Reqd (Yes or No).

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Must be entered if reporting to GSA. Valid values maintained on NPDMS Reimbursement Code Table-165:

- 1 = Reimbursable/ Nondonable/ to be sold by GSA
  - 2 = Nonreimbursable/ Donable/ to be sold by GSA
  - 4 = Reimbursable(exchange/sale)/ Nondonable/ to be sold by GSA
  - 5 = Nonreimbursable/ Nondonable/ to be sold by GSA
  - 6 = Reimbursable only if sold/ Donable/ to be sold by GSA
  - 7 = Nonreimbursable (military property)/ Donable/ to be sold by GSA
  - 8 = Reimbursable (military property)/ Nondonable/ to be sold by GSA
  - A = Reimbursable/ Nondonable/ not to be sold by GSA
  - B = Reimbursable only if sold/ Donable/ not to be sold by GSA
  - C = Nonreimbursable/ Donable/ not to be sold by GSA
  - D = Nonreimbursable/ Donable/ not to be sold by GSA
  - E = Reimbursable (exchange/sale)/ Nondonable/ not to be sold by GSA
  - F = Reimbursable (foreign country equity)/ Nondonable/ not to be sold by GSA.
- 

**SCREEN NAME:** REIMBURSEMENT CODE

**ACCESS NAME:** SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

- SYS-USER-ID for the User Access Table-001;
- GSA-RGN-CODE for the GSA Region Table-005;
- DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;
- CSTDN-ACNT-NMBR for the Exception Processing Table-015;
- PROP-FSC-CODE for the Federal Supply Classification Code Table-020;
- PROP-UOM-CODE for the Unit of Measure Table-025;
- PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;
- PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;
- INST-FEDAAC-CODE for the Performance Measures Table-040;
- PROP-DML-CODE for the Demilitarization Code Table-045;
- INST-NMBR for the Center Profile Table-050;
- INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance

Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
 PRINTER DESTINATION CODE for the Printer Destination Table-145;  
 STATE ABBREVIATION for the State Table-150;  
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** REIMBURSEMENT CODE DESC  
**ACCESS NAME:** PROP-REIM-CODE-DESC  
**ENTITY:**  
**DESCRIPTIVE NAME:** REIMBURSEMENT PROPERTY CODE DESCRIPTION  
**DATA ELEMENT DEFINITION:**  
 A description of a property items s reimbursement code with regard to eligibilty for reimbursement, donation, and sale.  
**FORMAT:** Alphanumeric  
**LENGTH:** 79  
**EDIT CRITERIA**  
 Maintained on NPDMS Reimbursement Code Table-160. Free form but may not be blank:

Code	Description
1	Reimbursable/ Nondonable/ to be sold by GSA

2	Nonreimbursable/ Donable/ to be sold by GSA
4	Reimbursable(exchange/sale)/ Nondonable/ to be sold by GSA
5	Nonreimbursable/ Nondonable/ to be sold by GSA
6	Reimbursable only if sold/ Donable/ to be sold by GSA
7	Nonreimbursable (military property)/ Donable/ to be sold by GSA
8	Reimbursable (military property)/ Nondonable/ to be sold by GSA
A	Reimbursable/ Nondonable/ not to be sold by GSA
B	Reimbursable only if sold/ Donable/ not to be sold by GSA
C	Nonreimbursable/ Donable/ not to be sold by GSA
D	Nonreimbursable/ Donable/ not to be sold by GSA
E	Reimbursable (exchange/sale)/ Nondonable/ not to be sold by GSA
F	Reimbursable (foreign country equity)/ Nondonable/ not to be sold by GSA.

**SCREEN NAME:** **REPORT EXECUTION SEQUENCE NO**  
**ACCESS NAME:** RPT-EXCTN-SEQ-NMBR  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT EXECUTION SEQUENCE NUMBER

**DATA ELEMENT DEFINITION:**  
The execution sequence number of each NPDMS report.

**FORMAT:** Packed

**LENGTH:** 4.0

**EDIT CRITERIA**

Maintained on the ND-Table-055 file. If scheduled, reports will run in the following order:

Report Number	Report Execution Sequence Number
NDM100PA	01
NDR110PA	05
NDR120PA	10
NDR130PA	15
NDR002PA	20
NDR150PA	25
NDR001PA	30

NDR140PA	35
NDR006PA	40
NDR022PA	45
NDR021PA	50
NDM610PA	100
NDR003PA	100
NDR004PA	100
NDR006PA	100
NDR007PA	100
NDR008PA	100
NDR009PA	100
NDR010PA	100
NDR011PA	100
NDR013PA	100
NDR014PA	100
NDR015PA	100
NDR016PA	100
NDR017PA	100
NDR018PA	100
NDR019PA	100
NDR020PA	100
NDR023PA	100
NDR024PA	100
NDR025PA	100
NDR026PA	100
NDR027PA	100
Any site unique reports	100
NDM200PA	9800
NDM300PA	9999

**SCREEN NAME:**

ACCESS NAME:

**REPORT /MAINTENANCE NAME**

RPT-MAINT-NAME

ENTITY: REPORT  
DESCRIPTIVE NAME: REPORT/MAINTENANCE NAME

**DATA ELEMENT DEFINITION:**

The name associated with a specific NPDMS report or maintenance job. Current values are:

Awaiting Pickup  
Pending GSA Acknowledgement  
Sales Listing  
Items reported to GSA Over 180 Days  
Foreign Screening Report  
Freeze Status Report  
NEMS Transaction Interface Report  
Property Held by Property Disposal Officer  
623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property  
623 Annual Report of Utilization/Disposal of Idle NASA Personal Property  
NASA Form 811 - Classification of Property as Scrap or Salvage  
NASA form 812 - Authorization to Abandon/Destroy Surplus Property  
Idle Property Screening List  
Daily Transaction Report  
Annual Report of Exchange/Sale Transactions  
Sales Prep Report  
Abstract of Bids  
Bidder's Notification of Award  
Final Inventory/Reconciliation Report  
Post Inventory Report  
Performance Measures Report  
NSMS Accepted Items Report  
NSMS Rejected Items Report  
NSMS Matched/Overage/Underage Report  
Sales Slip, Sale of Government Personal Property  
Foreign Disposal Approval Report  
Cases Eligible For Transfer To DRMO Report  
NASA Supply Management System Interface  
GSA Magnetic Tape Generation  
SF-120 Report of Excess Personal Property Generation  
SF-120 Withdrawal/Correction Generation  
DD-1348-1A DRMO Issue Release/Receipt Document Generation  
NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation  
Active to History File Processing  
ERN and Serial Number Reset  
Status Flag Reset

**FORMAT:** Alphanumeric

**LENGTH:** 65

**EDIT CRITERIA**

Generated.

**SCREEN NAME:**                      **REPORT NAME**  
ACCESS NAME:                      RPT-MAINT-NAME  
ENTITY:                              REPORT  
**DESCRIPTIVE NAME:**              REPORT/MAINTENANCE NAME

**DATA ELEMENT DEFINITION:**

The name associated with a specific NPDMS report or maintenance job. Current values are:

Awaiting Pickup  
Pending GSA Acknowledgement  
Sales Listing  
Items reported to GSA Over 180 Days  
Foreign Screening Report  
Freeze Status Report  
NEMS Transaction Interface Report  
Property Held by Property Disposal Officer  
623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property  
623 Annual Report of Utilization/Disposal of Idle NASA Personal Property  
NASA Form 811 - Classification of Property as Scrap or Salvage  
NASA form 812 - Authorization to Abandon/Destroy Surplus Property  
Idle Property Screening List  
Daily Transaction Report  
Annual Report of Exchange/Sale Transactions  
Sales Prep Report  
Abstract of Bids  
Bidder's Notification of Award  
Final Inventory/Reconciliation Report  
Post Inventory Report  
Performance Measures Report  
NSMS Accepted Items Report  
NSMS Rejected Items Report  
NSMS Matched/Overage/Underage Report  
Sales Slip, Sale of Government Personal Property  
Foreign Disposal Approval Report  
Cases Eligible For Transfer To DRMO Report  
NASA Supply Management System Interface  
GSA Magnetic Tape Generation  
SF-120 Report of Excess Personal Property Generation  
SF-120 Withdrawal/Correction Generation  
DD-1348-1A DRMO Issue Release/Receipt Document Generation  
NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation  
Active to History File Processing  
ERN and Serial Number Reset  
Status Flag Reset

**FORMAT:**                              Alphanumeric

**LENGTH:**                              65

**EDIT CRITERIA**

Generated.

**SCREEN NAME:** **REPORT NUMBER**  
**ACCESS NAME:** RPT-MAINT-JOB-NMBR-SB  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT/MAINTENANCE JOB NUMBER

**DATA ELEMENT DEFINITION:**

The number assigned to a specific report or maintenance job.

**FORMAT:** Numeric

**LENGTH:** 3

**EDIT CRITERIA**

- 001 Awaiting Pickup
- 002 Pending GSA Acknowledgement
- 003 Sales Listing
- 004 Items reported to GSA Over180 Days
- 005 Foreign Screening Report 006 Freeze Status Report
- 007 NEMS Transaction Interface Report
- 008 Property Held by Property Disposal Officer
- 009 623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property
- 010 623 Annual Report of Utilization/Disposal of Idle NASA Personal Property
- 011 Foreign Disposal Approval Report
- 012 NASA Form 811 - Classification of Property as Scrap or Salvage
- 013 NASA form 812 - Authorization to Abandon/Destroy Surplus Property
- 014 Idle Property Screening List
- 015 Cases Eligible For Transfer To DRMO Report
- 016 Daily Transaction Report
- 017 Annual Report of Exchange/Sale Transactions
- 018 Sales Prep Report
- 019 Abstract of Bids
- 020 Bidder's Notification of Award
- 021 Final Inventory/Reconciliation Report
- 022 Post Inventory Report
- 023 Performance Measures Report
- 024 NSMS Accepted Items Report
- 025 NSMS Rejected Items Report
- 026 NSMS Matched/Overage/Underage Report
- 027 Sales Slip, Sale of Government Personal Property
- 028 Foreign Disposal Approval Report
- 029 Cases Eligible For Transfer To DRMO Report
- 100 NASA Supply Management System Interface
- 110 GSA Magnetic Tape Generation
- 120 SF-120 Report of Excess Personal Property Generation
- 130 SF-120 Withdrawal/Correction Generation
- 140 DD-1348-1A DRMO Issue Release/Receipt Document Generation

150 NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation  
190 Active to History File Processing  
200 ERN and Serial Number Reset  
210 Status Flag Reset

---

**SCREEN NAME:** **REPORT OUTPUT CLASS**

ACCESS NAME: RPT-OUTPUT-CODE

ENTITY: REPORT

**DESCRIPTIVE NAME:** REPORT OUTPUT CODE

**DATA ELEMENT DEFINITION:**

The code used to designate how the output for a specific NPDMS report or maintenance job should be printed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Installation specific. Default maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** **REPORT/MAINTENANCE JOB NO**

ACCESS NAME: RPT-MAINT-JOB-NMBR-SB

ENTITY: REPORT

**DESCRIPTIVE NAME:** REPORT/MAINTENANCE JOB NUMBER

**DATA ELEMENT DEFINITION:**

The number assigned to a specific report or maintenance job.

**FORMAT:** Numeric

**LENGTH:** 3

**EDIT CRITERIA**

001 Awaiting Pickup  
002 Pending GSA Acknowledgement  
003 Sales Listing  
004 Items reported to GSA Over180 Days  
005 Foreign Screening Report 006 Freeze Status Report  
007 NEMS Transaction Interface Report  
008 Property Held by Property Disposal Officer  
009 623 Monthly Report of Utilization/Disposal of Idle NASA Personal Property  
010 623 Annual Report of Utilization/Disposal of Idle NASA Personal Property  
011 Foreign Disposal Approval Report  
012 NASA Form 811 - Classification of Property as Scrap or Salvage

013 NASA form 812 - Authorization to Abandon/Destroy Surplus Property  
014 Idle Property Screening List  
015 Cases Eligible For Transfer To DRMO Report  
016 Daily Transaction Report  
017 Annual Report of Exchange/Sale Transactions  
018 Sales Prep Report  
019 Abstract of Bids  
020 Bidder's Notification of Award  
021 Final Inventory/Reconciliation Report  
022 Post Inventory Report  
023 Performance Measures Report  
024 NSMS Accepted Items Report  
025 NSMS Rejected Items Report  
026 NSMS Matched/Overage/Underage Report  
027 Sales Slip, Sale of Government Personal Property  
028 Foreign Disposal Approval Report  
029 Cases Eligible For Transfer To DRMO Report  
100 NASA Supply Management System Interface  
110 GSA Magnetic Tape Generation  
120 SF-120 Report of Excess Personal Property Generation  
130 SF-120 Withdrawal/Correction Generation  
140 DD-1348-1A DRMO Issue Release/Receipt Document Generation  
150 NASA 1638 NPDMS Idle Personal Property Pickup Authorization Generation  
190 Active to History File Processing  
200 ERN and Serial Number Reset  
210 Status Flag Reset

---

<b>SCREEN NAME:</b>	<b>REPORTING ACTIVITY NAME</b>
ACCESS NAME:	CSTDN-ORGNZTN-NAME
ENTITY:	CUSTODIAN
<b>DESCRIPTIVE NAME:</b>	CUSTODIAN'S ORGANIZATION NAME

**DATA ELEMENT DEFINITION:**

The name of the organization that a specific custodian account number belongs to. Must be on the NPDMS Exception Processing Table-015.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Entry must be on the NPDMS Custodian Account Exception Processing Table-015.

---

**SCREEN NAME:** REPORTING INSTALL DRMO  
**ACCESS NAME:** INST-DRMO-RPT-IND  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION DRMO REPORT INDICATOR  
**DATA ELEMENT DEFINITION:**  
The field on the Center Profile Table containing the default value indicating reporting responsibility to DRMO.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA**  
Y = yes; Blank = no. Maintained in the Center Profile Table-050.

---

**SCREEN NAME:** REPORTING INSTALL GSA  
**ACCESS NAME:** GSA-RPT-IND  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA REPORT INDICATOR  
**DATA ELEMENT DEFINITION:**  
The field on a case record indicating that the property is to be reported to GSA.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA**  
Y = yes; Blank = no. Default maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** REPORTING INSTALL GSA  
**ACCESS NAME:** INST-GSA-RPT-IND  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION GSA REPORT INDICATOR  
**DATA ELEMENT DEFINITION:**  
The field in the NPDMS Center Profile Record indicating reporting responsibility to GSA.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA**  
Y = yes; Blank = no. Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME: REPORTING NASA INSTALLATION**

ACCESS NAME: INST-RPTNG-NAME

ENTITY: NASA INSTALLATION

**DESCRIPTIVE NAME:** REPORTING INSTALLATION NAME

**DATA ELEMENT DEFINITION:**

The Installation name of the reporting contact person.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Default maintained in the NPDMS Center Profile Table-050 (INST-DFLT-NAME). If changed, free form but may not be blank.

---

**SCREEN NAME: REPORTING NASA INSTALLATION NAME**

ACCESS NAME: INST-RPTNG-NAME

ENTITY: NASA INSTALLATION

**DESCRIPTIVE NAME:** REPORTING INSTALLATION NAME

**DATA ELEMENT DEFINITION:**

The Installation name of the reporting contact person.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA**

Default maintained in the NPDMS Center Profile Table-050 (INST-DFLT-NAME). If changed, free form but may not be blank.

---

**SCREEN NAME: REPRINT SALES SLIP REPORT**

ACCESS NAME: PROP-SALE-RCPT-IND

ENTITY: PROPERTY

**DESCRIPTIVE NAME:** GENERATE SALES RECEIPT PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

Indicator automatically set when awarding a local sales sealed bid lot to a specific bidder. Once the sales receipt document is generated, this indicator is reset to 'blank'. This indicator may also be set to re-generate the document through the change sealed bid award process.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA**

'Y' = Generate, 'blank' = don't generate (default)

---

**SCREEN NAME:** REQUESTOR AGENCY ID  
**ACCESS NAME:** RQSTR-AGENCY-ID  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR AGENCY IDENTIFIER

**DATA ELEMENT DEFINITION:**

The type of agency requesting property available for transfer, exchange, sale, donation, etc.:

N = NASA activity (including contractors and grantees);

E = Vendor;

F = Other Federal Agency (including contractors and grantees);

D = Donation;

S = Sold.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

User entered, valid codes are 'N', 'E', 'F', 'D', or 'S'.

---

**SCREEN NAME:** REQUESTOR NAME  
**ACCESS NAME:** RQSTR-NAME  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR NAME

**DATA ELEMENT DEFINITION:**

The name of the individual requesting an item of personal property available for transfer, exchange, sale, donation, etc.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** RETAIN (Y/N)  
**ACCESS NAME:** NOT MAINTAINED

ENTITY:

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for retention of specific user enter data for processing different case records written to a specific disposition transaction.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

The possible values are Y, N or Blank.

---

**SCREEN NAME:** ROOM (LCTN)

**ACCESS NAME:** PROP-LCTN-ROOM-ADRS

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY LOCATION ROOM ADDRESS

**DATA ELEMENT DEFINITION:**

The number of the room where the personal property is located.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** ROOM (RQSTR)

**ACCESS NAME:** RQSTR-ROOM-ADRS

**ENTITY:** REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR ROOM ADDRESS

**DATA ELEMENT DEFINITION:**

The room number of the individual requesting personal property.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** RPTNG INST FAX  
**ACCESS NAME:** INST-FAX-NMBR  
**ENTITY:**  
**DESCRIPTIVE NAME:** REPORTING INSTALLATION FAX TELEPHONE NUMBER  
**DATA ELEMENT DEFINITION:**  
The FAX telephone number of the individual to contact at a reporting installation.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10  
**EDIT CRITERIA**  
Default maintained on the NPDMS Center Profile Table-050 and displayed at the time of initial add. Modifiable but may not be blank.

---

**SCREEN NAME:** SALE ADJUSTMENTS  
**ACCESS NAME:** PROP-TXN-DESC  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY TRANSACTION DESCRIPTION  
**DATA ELEMENT DEFINITION:**  
Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.  
**FORMAT:** Alphanumeric  
**LENGTH:** 240  
**EDIT CRITERIA**  
Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

---

**SCREEN NAME:** SALE AMOUNT  
**ACCESS NAME:** PROP-SALE-PRCDS-AMT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY SALE PROCEEDS AMOUNT  
**DATA ELEMENT DEFINITION:**  
The amount received as a result of a sale of a single sales lot of property by GSA or NASA, including agent. Once the full PROPERTY BID AMOUNT is received in payment for the personal property, the bid amount becomes (is moved to) the "Proceeds". In most cases proceeds from the sale of personal property shall be deposited into the U.S. Treasury as miscellaneous receipts (see PROP-APRRTN-ACNT-NMBR).

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Generated (moved) from the NPDMS Sale Bidder Table for T14 (Sold by NASA or Agent). User entered for T15 (Sold by GSA).

---

**SCREEN NAME:** SALE CONTRACT NO

**ACCESS NAME:** PROP-SALE-CNTRCT-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY SALE CONTRACT NUMBER

**DATA ELEMENT DEFINITION:**

The contract number of the sale of the item sold by GSA or NASA, including agent.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

---

**SCREEN NAME:** SALE DATE

**ACCESS NAME:** PROP-SALE-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY SALE DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which the sale process is conducted by the selling activity (GSA or NASA, including agent) to sell personal property. This would be the bid opening day for bid sales or the day of the auction for auction sales.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** SALE LOT NO  
**ACCESS NAME:** PROP-LOT-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** LOT NUMBER OF PROPERTY

**DATA ELEMENT DEFINITION:**

The assigned number designating the lot in which a particular item was included for sale. To the extent practicable, and consistent with the types of property and usual commercial practice, property offered for sale shall be assembled in reasonably sized lots of like or similar items by make (i.e., FSC Group) or manufacturer with the following exceptions:

- 1)- Unused property shall be lotted separately from used (property) items;
- 2)- Scrap and other property having scrap value only shall generally not be included in the same lot with usable items; and
- 3)- each property item authorized for Exchange/Sale shall be lotted as a single item lot except when otherwise authorized under the provisions of FPMR 41 CFR, 101-46.202.

**FORMAT:** Alphanumeric

**LENGTH:** 4

**EDIT CRITERIA**

System generated for Local NASA Sales; user entered for GSA Sales.

---

**SCREEN NAME:** SALE METHOD  
**ACCESS NAME:** PROP-SALE-MTHD-ID  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY SALE METHOD IDENTIFIER

**DATA ELEMENT DEFINITION:**

When conducting Limited Sales, holding agencies (NASA) must provide advance notice of the sales offering to the appropriate GSA regional office. Only the competitive bid sales methods (Sealed Bids, Spot Bids, or Auction) will be used by holding agencies to sell personal property (Ref: FPMR 41 CFR, 101-45.304-3). Other types of sales methods include Retail Sales and Negotiated Sales.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA**

Must be entered. Valid values are:

- 1 = Sealed Bid, (Local Sales only)
- 2 = Spot Bid,
- 3 = Auction,
- 4 = Retail Sales,
- 5 = Negotiated Sales.

**SCREEN NAME:** SALE NO  
**ACCESS NAME:** PROP-SALE-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** SALE NUMBER OF PROPERTY

**DATA ELEMENT DEFINITION:**

Unique number assigned by the selling activity (GSA or NASA, including agent) to all sale lots of personal property associated with a specific sale to be conducted on a single day of the year.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

System generated for Local Sales, user entered, free form for GSA sales. If a GSA Sale, the first 6 characters of the sale number may not equal the user's INST-FEDAAC-CODE.

---

**SCREEN NAME:** SALE NO OF PROP  
**ACCESS NAME:** PROP-SALE-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** SALE NUMBER OF PROPERTY

**DATA ELEMENT DEFINITION:**

Unique number assigned by the selling activity (GSA or NASA, including agent) to all sale lots of personal property associated with a specific sale to be conducted on a single day of the year.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

System generated for Local Sales, user entered, free form for GSA sales. If a GSA Sale, the first 6 characters of the sale number may not equal the user's INST-FEDAAC-CODE.

---

**SCREEN NAME:** SALE QTY  
**ACCESS NAME:** PROP-DSPSTN-QTY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DISPOSITION QUANTITY

**DATA ELEMENT DEFINITION:**

The number of items requested for a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Any number from 1-99999, which does not reduce the PROP-CUR-AVLBL-QTY to less than zero.

---

**SCREEN NAME:** SALE RECEIPT DOC NO

**ACCESS NAME:** PROP-SALE-RCPT-DCMNT-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY SALE RECEIPT DOCUMENT NUMBER

**DATA ELEMENT DEFINITION:**

Document number of the four-part sale slip generated as an invoice, cash receipt, permanent account record, and/or property release document for each lot sold by NASA or its Agent.

**FORMAT:** Numeric

**LENGTH:** 8.0

**EDIT CRITERIA**

System generated for each lot sold. Position 1-4 is the current Julian date (YDDD format); positions 5-8 is the next available sequence number contained in the Sale Receipt Serial Number Record maintained in the NPDMS Table 135.

---

**SCREEN NAME:** SCHEDULED BY

**ACCESS NAME:** SYS-USER-ID: SYS- REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM USER IDENTIFIER

**DATA ELEMENT DEFINITION:**

The unique identification code in the User Access Table-001 required by the NPDMS for each user of the system. The code corresponds to the computer system teleprocessing monitor user Id. Access and processing capabilities will be assigned to each NPDMS user by this code. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 8

**EDIT CRITERIA**

Installation specific.

**SCREEN NAME:** **SCREENING METHOD INSTALL**  
**ACCESS NAME:** PROP-INST-SCRNG-MTHD-ID  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** INSTALLATION SCREENING METHOD IDENTIFIER FOR PROPERTY  
**DATA ELEMENT DEFINITION:**  
Identifies the method of screening to be used by the Installation PDO for property undergoing installation screening: C = NPDMS Catalog F = FAX L = Local N = NEMS only.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA**  
Possible values are 'C', 'F', 'L', 'N'.

---

**SCREEN NAME:** **SELECTION (INVENTORY)**  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**  
**DESCRIPTIVE NAME:**  
**DATA ELEMENT DEFINITION:**  
This field allows for the selection of a specific Inventory function within Inventory subsystem  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA**  
Possible values are 1-6.

---

**SCREEN NAME:** **SELECTION (MAIN MENU)**  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**  
**DESCRIPTIVE NAME:**  
**DATA ELEMENT DEFINITION:**  
This field allows for the selection of a specific NPDMS subsystem process.  
**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 1-6 or . (period).

---

**SCREEN NAME:** **SELECTION (REPORTS MENU)**

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for the selection of a specific Report function within the Reports Selection subsystem.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 1-5.

---

**SCREEN NAME:** **SELECTION (SALES PROCESS MENU)**

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for the selection of a specific Sales function within the Sales subsystem.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 1-10.

---

**SCREEN NAME:** **SELECTION (TRANSACTION MENU)**

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field allows for the selection of a specific Transaction function within Transaction Selection subsystem.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Possible values are 1-11, ? (question mark) , . (period).

---

**SCREEN NAME:** **SELL BY GSA (Y/N)**

**ACCESS NAME:** GSA-SALE-IND

**ENTITY:**

**DESCRIPTIVE NAME:** GSA SALE INDICATOR

**DATA ELEMENT DEFINITION:**

An indicator associated with a reimbursement code used by federal agencies to instruct GSA either to sell or not to sell property that has been reported to GSA and has survived utilization and donation screening once that screening is completed.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

User entered. Y = To be sold by GSA, N = Not to be sold by GSA. Maintained on the NPDMS Reimbursement Code Table-160.

---

**SCREEN NAME:** **SEMO NAME**

**ACCESS NAME:** INST-SEMO-NAME

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION SUPPLY EQUIPMENT MANAGEMENT

OFFICER'S NAME

**DATA ELEMENT DEFINITION:**

Contains the name of an installation's Supply Equipment Management Officer. This element will print on the Foreign Disposal Approval Form.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form and Installation specific. Maintained on Center Profile Table-050

---

**SCREEN NAME:** **SEQ#**  
**ACCESS NAME:** RPT-EXCTN-SEQ-NMBR  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT EXECUTION SEQUENCE NUMBER

**DATA ELEMENT DEFINITION:**  
The execution sequence number of each NPDMS report.

**FORMAT:** Packed

**LENGTH:** 4.0

**EDIT CRITERIA**

Maintained on the ND-Table-055 file. If scheduled reports will run in the following order:

Report Number	Report Execution Sequence Number
NDM100PA	01
NDR110PA	05
NDR120PA	10
NDR130PA	15
NDR002PA	20
NDR150PA	25
NDR001PA	30
NDR140PA	35
NDR006PA	40
NDR022PA	45
NDR021PA	50
NDM610PA	100
NDR003PA	100
NDR004PA	100
NDR006PA	100
NDR007PA	100
NDR008PA	100
NDR009PA	100
NDR010PA	100
NDR011PA	100
NDR013PA	100
NDR014PA	100
NDR015PA	100
NDR016PA	100

NDR017PA	100
NDR018PA	100
NDR019PA	100
NDR020PA	100
NDR023PA	100
NDR024PA	100
NDR025PA	100
NDR026PA	100
NDR027PA	100
Any site unique reports	100
NDM200PA	9800
NDM300PA	9999

---

**SCREEN NAME:** SEQ  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

The sequence (line number) on a screen listing one or more report number.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

System generated.

---

**SCREEN NAME:** SEQUENCE NUMBER

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

A specific sequence number from a screen listing of one or more report number.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

System generated.

---

**SCREEN NAME:** SERIAL NO

**ACCESS NAME:** PROP-MFG-SERIAL-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY MANUFACTURER SERIAL NUMBER

**DATA ELEMENT DEFINITION:**

A unique number assigned by the manufacturer to each item of equipment or supply.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Optional entry, free form. As provided from NEMS for controlled property. Provided if known by NSMS for supply property.

---

**SCREEN NAME:** SHELF LIFE CODE

**ACCESS NAME:** PROP-SHELF-LIFE-EXTNSN-CODE;SYS-REC-KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** SHELF LIFE EXTENSION CODE OF PROPERTY

**DATA ELEMENT DEFINITION:**

An individual item of supply having an assigned shelf-life time period that may be extended after completion of inspection/test/restorative action.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

0 = Non-deteriorative item;

1 = 3 months;

2 = 6 months;

3 = 9 months;

4 = 12 months;

5 = 18 months;

6 = 24 months;

7 = 36 months;

8 = 48 months;

9 = 60 months;

X = items with a shelf-life period greater than 60 months.

**SCREEN NAME:** **SHELF LIFE PERIOD**  
**ACCESS NAME:** PROP-SHELF-LIFE-DRTN  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** SHELF LIFE DURATION OF PROPERTY

**DATA ELEMENT DEFINITION:**

The time frame (in months) by which an item must be used. 'X' is a shelf-life period greater than 60 months; '0' is a non-deteriorative item; and the remaining are actual number of months.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Possible values are 'X', 'O' and '1' through '60'; must be unique.

---

**SCREEN NAME:** **SHELF LIFE TYPE**  
**ACCESS NAME:** PROP-SHELF-LIFE-CLSFACTN-ID  
**ENTITY:** PROPERTY  
**DESCRIPTIVE NAME:** SHELF LIFE PROPERTY CLASSIFICATION IDENTIFIER

**DATA ELEMENT DEFINITION:**

A code used for Supply and Materials Inventory property to indicate the perishability of personal property

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA**

0 - Non-Materials Inventory Excess, and those Materials Inventory not requiring a Shelf-Life-Expiration-Date or a Shelf-Life-Extended-Date.

1 - items which have a finite storage life after which they are no longer considered usable for their primary function and must be reported in no better than scrap.

2 - those items for which successive reinspection dates can be established, when the item has continued usability as determined by explanation based on established criteria.

---

**SCREEN NAME:** **SHIPPING (ADDITIONAL DATA CODE)**

**ACCESS NAME:** DRMO-SHPNG-CODE; SYS-REC-KEY

**ENTITY:** DRMO

**DESCRIPTIVE NAME:** DRMO SHIPPING CODE

**DATA ELEMENT DEFINITION:**

Additional DRMO shipping information to appear on DD-1348-1A.

**FORMAT:** Alphanumeric

**LENGTH:** 3

**EDIT CRITERIA**

Maintained in the NPDMS DRMO Additional Data Codes Table-095.

---

**SCREEN NAME:** **SHIPPING EXPL**

**ACCESS NAME:** DRMO-SHPNG-TEXT

**ENTITY:** DRMO

**DESCRIPTIVE NAME:** DRMO SHIPPING EXPLANATION TEXT

**DATA ELEMENT DEFINITION:**

Textual explanation of additional DRMO shipping information on the DD-1348-1A.

**FORMAT:** Alphanumeric

**LENGTH:** 150

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **SINGLE CASE TO COMPONENT**

**ACCESS NAME:** PROP-CASE-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CASE NUMBER

**DATA ELEMENT DEFINITION:**

The aggregate number automatically assigned by NPDMS to uniquely identify the case. This field consists of the INST-FEDAAC-CODE; the Julian date (YDDD); CMPNT-IND; and the SYS-CASE-SERIAL-NMBR. The current available serial number is contained in the Property Case Number Serial Number Record maintained in the NPDMS Table-100 for each subinstallation. This table is reset starting each day with 001.

**FORMAT:** Alphanumeric

**LENGTH:** 14

**EDIT CRITERIA**

Generated. Positions 1-6 are the INST-FEDAAC-CODE (GSA FEDSTRIP number); positions 7-10 are numeric; position 11 will be either 'C' if a Component System or 'S' if a single case record; positions 12-14 are alphanumeric.

**NOTE:** The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

---

<b>SCREEN NAME:</b>	<b>SPECIAL FORMS (CENTER)</b>
ACCESS NAME:	INST-SPCL-FORM-ID
ENTITY:	NASA INSTALLATION
<b>DESCRIPTIVE NAME:</b>	INSTALLATION SPECIAL FORM IDENTIFIER
<b>DATA ELEMENT DEFINITION:</b>	
The default form identifier for a specific NPDMS report or maintenance job.	
<b>FORMAT:</b>	Alphanumeric
<b>LENGTH:</b>	10
<b>EDIT CRITERIA</b>	
Installation specific. Maintained in the NPDMS Center Profile Table-050.	

---

<b>SCREEN NAME:</b>	<b>SPECIAL FORMS (REPORT)</b>
ACCESS NAME:	RPT-SPCL-FORM-ID
ENTITY:	REPORT
<b>DESCRIPTIVE NAME:</b>	REPORT SPECIAL FORM IDENTIFIER
<b>DATA ELEMENT DEFINITION:</b>	
This field will contain the form type designation for a specific NPDMS report or maintenance job.	
<b>FORMAT:</b>	Alphanumeric
<b>LENGTH:</b>	10
<b>EDIT CRITERIA</b>	
Installation specific. The default is maintained in the NPDMS Center Profile Table-050.	

---

<b>SCREEN NAME:</b>	<b>SRPLS</b>
ACCESS NAME:	SYS-SRPLS-DAYS-CNT

ENTITY: SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM COUNT OF SURLUS PROPERTY DONATION  
SCREENING DAYS

**DATA ELEMENT DEFINITION:**

System count of the default number of calendar days that surplus property undergoes the required donation screening.

**FORMAT:** P  
**LENGTH:** 3.0

**EDIT CRITERIA**

Default maintained on ND-Table 155 and modifiable. At the time of an initial NPDMS add, this count is added to the SRPLSPROP-DNTN-BGN-DATE to establish the SRPLSPROP-DNTN-END-DATE.

---

**SCREEN NAME:** START DATE (IND)  
**ACCESS NAME:** RPT-BGN-DATE-IND  
ENTITY:  
**DESCRIPTIVE NAME:** REPORT BEGIN DATE INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates if a report beginning date is a required entry for a specific NPDMS report.

**FORMAT:** Alphanumeric  
**LENGTH:** 1

**EDIT CRITERIA**

O = Required for on-request reports.  
R = Required on a regularly scheduled report.  
B = Required for both on-request and regularly scheduled reports.  
Blank space = not required.

---

**SCREEN NAME:** STATE (ABNDSTRYD)  
**ACCESS NAME:** PROP-ABNDSTRYD-STATE-CODE  
ENTITY: IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY SITE STATE  
CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation code of the site where property was abandoned or destroyed.

**FORMAT:** Alphanumeric  
**LENGTH:** 2

**EDIT CRITERIA**

Must be in the NPDMS State Table-150.

---

**SCREEN NAME:** STATE (BIDDER)  
**ACCESS NAME:** PROP-BIDDER-STATE-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY BIDDER STATE CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation code where the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale is located.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

User entered. Must match NPDMS State Code Table-150. If a particular bidder is awarded the sale, this field is moved to the RQSTR-STATE-COSE on the transaction record.

---

**SCREEN NAME:** STATE (DRMO DODAAC)  
**ACCESS NAME:** DRMO-DODAAC-STATE-CODE  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DODAAC STATE CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation where a particular DODAAC is located.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Must be in the NPDMS State Table-150.

---

**SCREEN NAME:** STATE (GSA)  
**ACCESS NAME:** GSA-STATE-CODE  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA STATE CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation where a particular GSA Office is located.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Maintained in the NPDMS GSA Region Table-005.

---

**SCREEN NAME:** STATE (INST)

**ACCESS NAME:** INST-STATE-CODE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION STATE CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation where a particular NASA Installation is located.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Must be on NPDMS State Code Table-150. Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** STATE (INST RPTNG CNTCT)

**ACCESS NAME:** INST-RPTNG-CNTCT-STATE-CODE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** REPORTING INSTALLATION CONTACT STATE CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation where the reporting installation's contact is located.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Default maintained in the NPDMS Center Profile Table-050 (INST-STATE-CODE). If changed, must match NPDMS State Code Table-150.

---

**SCREEN NAME:** STATE (PROPERTY LOCATION)

**ACCESS NAME:** PROP-LCTN-STATE-CODE

**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY LOCATION STATE CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation where a particular item of property is located.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Generated (pulled) from Center Profile Table (INST-STATE-CODE) and modifiable. Must correspond to the abbreviations found in State Code Table-150.

---

**SCREEN NAME:** STATE (RQSTR)  
**ACCESS NAME:** RQSTR-STATE-CODE  
**ENTITY:** REQUESTOR  
**DESCRIPTIVE NAME:** REQUESTOR STATE CODE

**DATA ELEMENT DEFINITION:**

The 2 character state abbreviation where a particular Requestor is located.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Must be in the NPDMS State Code Table-150.

---

**SCREEN NAME:** STATUS  
**ACCESS NAME:** RPT-STS-CODE  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT STATUS CODE

**DATA ELEMENT DEFINITION:**

This field contains the execution status for a specific NPDMS report or maintenance job.

P = Postpone

C = Cancel

Blank space = on schedule

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

P = Postpone; C = Cancel; Blank = On Schedule.

---

**SCREEN NAME:** **STD**  
**ACCESS NAME:** NEMS-STNDRD-ITEM-NAME-IND  
**ENTITY:** NEMS  
**DESCRIPTIVE NAME:** NEMS STANDARD ITEM NAME INDICATOR

**DATA ELEMENT DEFINITION:**

The indicator set by the item name standardization process initiated by the NEMS Central Cataloger. When it is present the PROP-ITEM-NAME in the NPDMS cannot be altered through the Add or Change Processes.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

Y = Yes; Blank = No. Default is blank for no.

---

**SCREEN NAME:** **STOCK STATUS CODE**  
**ACCESS NAME:** PROP-STOCK-STS-CODE  
**ENTITY:** STOCK  
**DESCRIPTIVE NAME:** STOCK STATUS PROPERTY CODE

**DATA ELEMENT DEFINITION:**

This field contains the account status of all property items, which are reported on the Property Held by the Property Disposal Officer Report.

1 = Store Stock (NSMS Account 1210): Material being held in inventory by an installation that is repetitively procured, stored and issued on the basis of recurring demand.

2 = Program Stock (NSMS Account 1230): Material acquired, by direct purchase or by issue from Stores Stock, for a specific program and stored until required by the program.

3 = Stand-By-Stock (NSMS Account 1220): Material held for emergencies.

4 = Capitalized Equipment (NEMS Account 1550, Cap Sense code = 'M' or 'P'): Equipment with unit cost of \$5,000 or more and a useful life of two years or more, which will not be consumed in an experiment.

5 = All other property not meeting criteria for codes 1, 2, 3, 4.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

1 = Store Stock; 2 = Program Stock; 3 = Stand-By-Stock; 4 = Capitalized Equipment; 5 = All other.

---

**SCREEN NAME:** **SUPPLEMENTARY ADDRESS**  
**ACCESS NAME:** DRMO-DODAAC-CODE; SYS-REC-KEY

**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE  
**DATA ELEMENT DEFINITION:**  
 The Department of Defense Area Activity Code which uniquely identifies the various Defense Reutilization and Marketing Service Activities.  
**FORMAT:** Alphanumeric  
**LENGTH:** 6  
**EDIT CRITERIA**  
 Maintained in the NPDMS DRMO DODAAC Code Table - 010.

---

**SCREEN NAME:** **SUPPLY CONDITION CODE**  
**ACCESS NAME:** SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM RECORD KEY  
**DATA ELEMENT DEFINITION:**  
 The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.  
**FORMAT:** Alphanumeric  
**LENGTH:** 10  
**EDIT CRITERIA**  
 SYS-USER-ID for the User Access Table-001;  
 GSA-RGN-CODE for the GSA Region Table-005;  
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
 PROP-UOM-CODE for the Unit of Measure Table-025;  
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;

'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** SURPLUS REL DT  
**ACCESS NAME:** GSA-SRD-DATE  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA SURPLUS RELEASE DATE

**DATA ELEMENT DEFINITION:**

For reportable ADPE >= 1 million dollars and not outdated, the calendar date provided by the GSA indicating when the NASA excess personal property will reach Surplus Status. During the first 21 days an item is in surplus, it becomes available for donation. After that it is identified to GSA as available for sale. When electronically reporting NASA excess to GSA, this date is reported in the A type record at the time the GSA dataset is generated by NPDMS.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered when GSA supplied via the Enter SRD transaction process for reportable ADPE >= 1 million dollars and not outdated; else reported in the A type record at the time the GSA dataset is generated. Display format: MM/DD/YY or MM/DD/YYYY. Stored in the Internal Date format. If user entered, the new SRD will be moved to this field and to the PROP-OFA-END-DATE on the case/item record(s).

---

**SCREEN NAME:** SURPLUS RELEASE DATE  
**ACCESS NAME:** GSA-SRD-DATE  
**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA SURPLUS RELEASE DATE

**DATA ELEMENT DEFINITION:**

For reportable ADPE >= 1 million dollars and not outdated, the calendar date provided by the GSA indicating when the NASA excess personal property will reach Surplus Status. During the first 21 days an item is in surplus, it becomes available for donation. After that it is identified to GSA as available for sale. When electronically reporting NASA excess to GSA, this date is reported in the A type record at the time the GSA dataset is generated by NPDMS.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered when GSA supplied via the Enter SRD transaction process for reportable ADPE >= 1 million dollars and not outdated; else reported in the A type record at the time the GSA dataset is generated. Display format: MM/DD/YY or MM/DD/YYYY. Stored in the Internal Date format. If user entered, the new SRD will be moved to this field and to the PROP-OFA-END-DATE on the case/item record(s).

---

**SCREEN NAME:** SURVEY BOARD CHAIRPERSON NAME

**ACCESS NAME:** INST-SRVY-BRD-CHRPRSN-NAME

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION SURVEY BOARD CHAIRPERSON NAME

**DATA ELEMENT DEFINITION:**

Contains the name of an installation's Property Survey Board Chairperson. This element will print on either the NASA Form 811, 812, or Foreign Disposal Approval Form.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form and Installation specific. Maintained on Center Profile Table-050.

---

**SCREEN NAME:** SURVEY BOARD MEMBER NAME 1

**ACCESS NAME:** INST-SRVY-BRD-MBR1-NAME

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION SURVEY BOARD MEMBER NAME 1

**DATA ELEMENT DEFINITION:**

Contains the name of an installation's Property Survey Board Member. This element will print on either the NASA Form 811, 812, or Foreign Disposal Approval Form.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form and Installation specific. Maintained on Center Profile Table-050.

---

**SCREEN NAME:** **SURVEY BOARD MEMBER NAME 2**

**ACCESS NAME:** INST-SRVY-BRD-MBR2-NAME

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION SURVEY BOARD MEMBER NAME 2

**DATA ELEMENT DEFINITION:**

Contains the name of an installation's Property Survey Board Member. This element will print on either the NASA Form 811, 812, or Foreign Disposal Approval Form.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form and Installation specific. Maintained on Center Profile Table-050.

---

**SCREEN NAME:** **SURVEY BOARD MEMBER NAME 3**

**ACCESS NAME:** INST-SRVY-BRD-MBR3-NAME

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** INSTALLATION SURVEY BOARD MEMBER NAME 3

**DATA ELEMENT DEFINITION:**

Contains the name of an installation's Property Survey Board Member. This element will print on either the NASA Form 811, 812, or Foreign Property Disposal Form.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form and Installation specific. Maintained on Center Profile Table-050.

---

**SCREEN NAME:** **SURVEY COMMENTS**

**ACCESS NAME:** PROP-SRVY-TEXT

**ENTITY:**

**DESCRIPTIVE NAME:** PROPERTY SURVEY TEXT

**DATA ELEMENT DEFINITION:**

The PDO's comments (in text form) about the survey results of a scrap/salvage or abandonment/destruction transaction.

**FORMAT:** Alphanumeric

**LENGTH:** 72 (1:4)

**EDIT CRITERIA**

User entered free form with no edit check. Comments would print in Sec 5 on the NASA 811 or in Sec 4 and 5 of the NASA 812. Stored on the NPDMS Text Descriptions file in a MU file with up to 4 occurrences.

---

**SCREEN NAME:**

**SURVEY REPORT NO**

ACCESS NAME:

PROP-SRVY-RPT-NMBR

ENTITY:

IDLE NASA PROPERTY

**DESCRIPTIVE NAME:**

PROPERTY SURVEY REPORT NUMBER

**DATA ELEMENT DEFINITION:**

The number of the survey report entered on a T04 transaction documenting the disposal of property for which the PDO has accepted responsibility and was lost, damaged, or destroyed.

**FORMAT:** Alphanumeric

**LENGTH:** 8

**EDIT CRITERIA**

Free form but must be entered on a final (T04) disposition transaction.

---

**SCREEN NAME:**

**TABLE ID**

ACCESS NAME:

SYS-TBL-ID

ENTITY:

SYSTEM

**DESCRIPTIVE NAME:**

SYSTEM TABLE IDENTIFIER

**DATA ELEMENT DEFINITION:**

The three-digit value that uniquely identifies the tables and records maintained in the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 3

**EDIT CRITERIA**

001 = User Access Table;

005 = GSA Region Table;

010 = DRMO DODAAC Table;

015 = Exception Processing Table;

020 = Federal Supply Classification Code Table;  
 025 = Unit of Measure Table;  
 030 = Supply Condition Code Table;  
 035 = Disposal Condition Code Table;  
 040 = Performance Measures Table;  
 045 = Demilitarization Code Table;  
 050 = Center Profile Table;  
 055 = Report/Maintenance Table;  
 060 = Fixed Shelf Life Code Table;  
 062 = Shelf Life Extension Code Table;  
 065 = Hazardous Materials Code Table;  
 070 = Controlled Inventory Item Code Table;  
 075 = ADPE Identification Code Table;  
 080 = Precious Metals Code Table;  
 085 = Materiel Management Aggregation Code Table;  
 090 = DRMO Disposal Authority Code Table;  
 095 = DRMO Additional Data Code Table;  
 100 = Property Case Number Serial Number Record;  
 105 = Installation Code Table;  
 110 = Entry Reference Number Serial Number Record;  
 112 = DRMO 1348 Serial Number Record;  
 113 = Sale Number Serial Number Record;  
 115 = NEMS Entry Reference Number Serial Number Record;  
 120 = Monthly 623 Report Balance Record;  
 125 = Annual 623 Report Balance Record;  
 130 = 1800 Report Balance Record;  
 135 = Sale Slip Serial Number Record;  
 140 = JCL Table;  
 145 = Printer Destination Table;  
 150 = State Code Table;  
 155 = Screening Days Table;  
 160 = Reimbursement Code Table;  
 165 = Hazardous Materials Indicator Codes Table;  
 'DEL' = a deleted table record.

---

<b>SCREEN NAME:</b>	<b>TAG NO</b>
ACCESS NAME:	CNTRCTR-PROP-TAG-NMBR
ENTITY:	CONTRACTOR
<b>DESCRIPTIVE NAME:</b>	CONTRACTOR PROPERTY TAG NUMBER

**DATA ELEMENT DEFINITION:**

A unique identification number assigned by the contractor and affixed to each item of NASA-owned contractor-held, controlled equipment.

**FORMAT:** Alphanumeric

**LENGTH:** 13

**EDIT CRITERIA**

May not be entered if CNTRCTR-PROP-TAG-NMBR not equal 'Y' else, any number of characters, but no imbedded spaces.

---

**SCREEN NAME:** TECH DESC

**ACCESS NAME:** NSMS-TECH-DESC

**ENTITY:** NSMS

**DESCRIPTIVE NAME:** NSMS TECHNICAL DESDCRIPTION

**DATA ELEMENT DEFINITION:**

The technical descriptive data on a NSMS stock item's characteristics such as color, length, weight, voltage, etc. May also be used to further describe other types of Idle NASA Property.

**FORMAT:** Alphanumeric

**LENGTH:** 66 (1:50)

**EDIT CRITERIA**

Provided by NSMS (TECHNICAL-DESC) during electronic interface and stored on the NPDMS Text Descriptions File in an MU field with up to 50 occurrences.

---

**SCREEN NAME:** TECH HEADERS

**ACCESS NAME:** NSMS-TECH-HDRS-TEXT

**ENTITY:** NSMS

**DESCRIPTIVE NAME:** NSMS TECHNICAL DESDCRIPTION HEADERS TEXT

**DATA ELEMENT DEFINITION:**

The Header (name) for each piece of technical descriptive data on NSMS property. May also be used to further describe other types of Idle NASA Property.

**FORMAT:** Alphanumeric

**LENGTH:** 66 (1:4)

**EDIT CRITERIA**

Provided by NSMS (HEADERS) during electronic interface and stored on the NPDMS Text Descriptions File in an MU field with up to 4 occurrences.

---

**SCREEN NAME:** TERMINATION DT

**ACCESS NAME:** PROP-TRMNTN-DATE

**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY TERMINATION DATE

**DATA ELEMENT DEFINITION:**

When the quantity of an item of personal property reaches zero, this field will be updated with the current date to indicate that the case is closed.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

Generated. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:** TITLE  
**ACCESS NAME:** PROP-CNDTN-CODE-DESC  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY CONDITION CODE DESCRIPTION

**DATA ELEMENT DEFINITION:**

This field contains the brief description of a specific supply or disposal condition code.

**FORMAT:** Alphanumeric

**LENGTH:** 45

**EDIT CRITERIA**

Maintained in the NPDMS Supply Condition Code Table-030 or Disposal Condition Code Table-035.

---

**SCREEN NAME:** TOT ACQ COST  
**ACCESS NAME:** CMPNT-ACQSTN-COST-AMT  
**ENTITY:** COMPONENT SYSTEM  
**DESCRIPTIVE NAME:** COMPONENT SYSTEM ACQUISITION COST AMOUNT

**DATA ELEMENT DEFINITION:**

The total acquisition cost of a particular component system. This value is the sum of each component system item's PROP-ADJSTD-ACQSTN-COST-AMT times the item's PROP-CUR-AVLBL-QTY.

**NOTE:** Each property item in a component system will have a PROP-ADJSTD-ACQSTN-COST-AMT.

**FORMAT:** Packed

**LENGTH:** 11.2

**EDIT CRITERIA**

Calculated.

---

**SCREEN NAME: TOT COMPONENTS**

ACCESS NAME: CMPNT-ITEM-SEQ-NMBR

ENTITY: COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM ITEM SEQUENCE NUMBER

**DATA ELEMENT DEFINITION:**

The field containing the highest Component System PROP-ITEM-ID for a specific PROP-CASE-NMBR.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

Generated, 01-99.

---

**SCREEN NAME: TOTAL ACQ COST**

ACCESS NAME: CMPNT-ACQSTN-COST-AMT

ENTITY: COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM ACQUISITION COST AMOUNT

**DATA ELEMENT DEFINITION:**

The total acquisition cost of a particular component system. This value is the sum of each component system item's PROP-ADJSTD-ACQSTN-COST-AMT times the item's PROP-CUR-AVLBL-QTY.

**NOTE:** Each property item in a component system will have a PROP-ADJSTD-ACQSTN-COST-AMT.

**FORMAT:** Packed

**LENGTH:** 11.2

**EDIT CRITERIA**

Calculated.

---

**SCREEN NAME: TOTAL ACQ COST (DSPSTN ACQSTN)**

ACCESS NAME: PROP-DSPSTN-ACQSTN-COST-AMT

**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DISPOSITION ACQUISITION COST AMOUNT

**DATA ELEMENT DEFINITION:**

The dollar amount of items requested for reutilization, transfer, survey, or scrap on a freeze (F00), disposition (T03-T20), or reversal (RT03-RT20) transaction. Derived by multiplying the PROP-ADJSTD-ACQSTN-COST-AMT by the PROP-DSPSTN-QTY.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Calculated.

---

**SCREEN NAME:** TOTAL COMPONENTS

**ACCESS NAME:** CMPNT-ITEM-SEQ-NMBR

**ENTITY:** COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM ITEM SEQUENCE NUMBER

**DATA ELEMENT DEFINITION:**

The field containing the highest Component System PROP-ITEM-ID for a specific PROP-CASE-NMBR.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

Generated, 01-99.

---

**SCREEN NAME:** TOTAL NUMBER OF COMPONENTS

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

This field contains the total number of active items for a component system.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

Calculated, 01-99.

---

**SCREEN NAME:** TOTAL NUMBER OF COMPONENTS

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

The total number of item records associated with a specific property case number.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

System generated.

---

**SCREEN NAME:** TOTAL NUMBER OF COMPONENTS

**ACCESS NAME:** NOT MAINTAINED

**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

The total number of item records associated with a specific property case number.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA**

System generated.

---

**SCREEN NAME:** TRADE-IN AMT RECEIVED

**ACCESS NAME:** EXCHNGSL-ALWNC-RCVD-AMT

**ENTITY:** EXCHANGE/SALE PROPERTY

**DESCRIPTIVE NAME:** EXCHANGE PROPERTY ALLOWANCE AMOUNT RECEIVED

**DATA ELEMENT DEFINITION:**

The amount received as a reduction to the normal purchase cost of new property, as the result of providing an exchange consisting of used property to the vendor.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Any dollar amount greater than zero.

---

**SCREEN NAME:** TRANS DATE  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

The Julian date portion of PROP-ERN-NMBR, Positions 3-6. This field is used on ND4000MD.

**FORMAT:** Alphanumeric

**LENGTH:** 6

**EDIT CRITERIA**

Generated, display format MM/DD/YY or MM/DD/YYYY. Not modifiable.

---

**SCREEN NAME:** TRANS ID  
**ACCESS NAME:** PROP-TXN-ID  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY TRANSACTION IDENTIFIER

**DATA ELEMENT DEFINITION:**

A four character code identifying the category and type of transaction being processed by the system. The first position is reserved for the system in identifying change/reversal transactions. This position will be 'R', or blank only. The second character is the transaction type (see SYS-TXN-TYPE-ID).

**FORMAT:** Alphanumeric

**LENGTH:** 4

**EDIT CRITERIA**

Generated.

A02 = Adjustment to cost (clerical or managerial);

BE02 = Image of the case record prior to the most recent change;

E01 = Add;

E02 = Change;

E03 = Delete;

E04 = Report to GSA;

F00 = Freeze Transaction;

RT02 = Receipt Reversal;

RT03 = Expended to Scrap Reversal;

RT04 = Survey Lost Property Reversal;

RT05 = Utilized By Generating NASA Center Reversal;

RT06 = Utilized By Other NASA Centers Reversal;

RT07 = Transferred For Use Of OFA With Prior GSA Approval Reversal;

RT08 = Transferred For Use Of OFA without Prior GSA Approval Reversal;

RT09 = Transferred to DRMO for Further Disposal Processing Reversal;

RT10 = Transfer of Foreign Excess Property for Donation Reversal;

RT11 = Donation to Public Bodies Without Prior GSA Approval Reversal;

RT12 = Transferred To GSA For Further Disposal Processing Reversal;  
 RT13 = Donation Approved By GSA Reversal;  
 RT14 = Sold by NASA or Agent Reversal;  
 RT15 = Sold by GSA Reversal;  
 RT16 = Transferred To Other Without Prior GSA Approval Reversal;  
 RT18 = Abandoned or Destroyed Property Reversal;  
 RT19 = Exchange/Sale Of Property Reversal;  
 RT20 = Donation to Other Without Prior GSA Approval Reversal;  
 T02 = Receipt;  
 T03 = Expended to Scrap Property;  
 T04 = Survey Lost Property;  
 T05 = Utilized By Generating NASA Center;  
 T06 = Utilized By Other NASA Centers;  
 T07 = Transferred For Use Of OFA With Prior GSA Approval;  
 T08 = Transferred For Use Of OFA without Prior GSA Approval;  
 T09 = Transferred to DRMO for Further Disposal Processing;  
 T10 = Transfer of Foreign Excess Property for Donation;  
 T11 = Donation to Public Bodies Without Prior GSA Approval;  
 T12 = Transferred to GSA For Further Disposal Processing;  
 T13 = Donation Approved By GSA;  
 T14 = Sold by NASA or Agent;  
 T15 = Sold by GSA;  
 T16 = Transferred to Other Without Prior GSA Approval;  
 T18 = Abandoned or Destroyed Property;  
 T19 = Exchange/Sale of Property;  
 T20 = Donation to Other Without Prior GSA Approval;  
 X00 = Final Disposition of NEMS Equipment by NPDMS (TC00 comparable NEMS transaction);  
 X15 = Return of Record from Historical File by NPDMS (TC15 comparable NEMS transaction);  
 X60 = Record Data Change by NPDMS (TC60 comparable NEMS transaction);  
 X65 = Transfer to another NASA Installation by NPDMS (TC65 comparable NEMS transaction);  
 X90 = Disposal of Equipment by NPDMS (TC90 comparable NEMS transaction)  
 I90 = Disposal of Equipment with Inventory Discrepancy by NPDMS (TC90 comparable NEMS transaction).

**NOTE:** Only the last 3 positions of the PROP-TXN-ID are stored on the NEMS files for NP/NEMS 'X' transactions.

---

<b>SCREEN NAME:</b>	<b>TRANSACTION DESCRIPTION</b>
ACCESS NAME:	PROP-TXN-DESC
ENTITY:	IDLE NASA PROPERTY
<b>DESCRIPTIVE NAME:</b>	PROPERTY TRANSACTION DESCRIPTION

**DATA ELEMENT DEFINITION:**

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

---

**SCREEN NAME:** TRANSFEREE IS CONTRACTOR/GRANTEE (C, G, )

**ACCESS NAME:** PROP-TRNSFR-ID

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSFEREE IDENTIFIER

**DATA ELEMENT DEFINITION:**

Identifies if the transferee (organization acquiring property) is using a contract or grant to acquire the property. If the ID is provided, the property would become either contractor held property or grantee property.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA**

User entered. Possible values are: C = Contractor G = Grant, or blank space.

---

**SCREEN NAME:** TRX DESC

**ACCESS NAME:** PROP-TXN-DESC

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSACTION DESCRIPTION

**DATA ELEMENT DEFINITION:**

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DSPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

---

**SCREEN NAME:**                   **TURN IN DOC NMBR**  
**ACCESS NAME:**               PROP-TURN-IN-DCMNT-NMBR  
**ENTITY:**                       IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:**       TURN IN PROPERTY DOCUMENT NUMBER

**DATA ELEMENT DEFINITION:**

A locally assigned number annotated on the source document that is used to notify the PDO of idle NASA property. This number provides a cross-reference between the assigned Property Case Number and the source document.

**NOTE:** The NSMS Batch Interface will supply this data as part of the interface.

**FORMAT:**                       Alphanumeric

**LENGTH:**                     17

**EDIT CRITERIA**

User entered. Installation specific. Must be unique and distinguishable from those received via NSMS.

---

**SCREEN NAME:**                   **TURN-IN DOC NO**  
**ACCESS NAME:**               PROP-TURN-IN-DCMNT-NMBR  
**ENTITY:**                       IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:**       TURN IN PROPERTY DOCUMENT NUMBER

**DATA ELEMENT DEFINITION:**

A locally assigned number annotated on the source document that is used to notify the PDO of idle NASA property. This number provides a cross-reference between the assigned Property Case Number and the source document.

**NOTE:** The NSMS Batch Interface will supply this data as part of the interface.

**FORMAT:**                       Alphanumeric

**LENGTH:**                     17

**EDIT CRITERIA**

User entered. Installation specific. Must be unique and distinguishable from those received via NSMS.

---

**SCREEN NAME:**                   **TXN DESC**  
**ACCESS NAME:**               PROP-TXN-DESC  
**ENTITY:**                       IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSACTION DESCRIPTION

**DATA ELEMENT DEFINITION:**

Provides for a narrative description of source document information about a transaction of idle NASA property or the authority narrative to transfer or donate property without GSA approval.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form, but must be entered at the time of a Add (E01), Change (E02), or Freeze (F00) transaction if the PROP-FRGN-DPSL-APRVL-IND is set to 'Y'. In addition, this field must be entered at the time of a T08, or T16, or T20 final disposition transaction.

---

**SCREEN NAME:** TYPE

**ACCESS NAME:** RQSTR-AGNCY-ID

**ENTITY:** REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR AGENCY IDENTIFIER

**DATA ELEMENT DEFINITION:**

The type of agency requesting property available for transfer, exchange, sale, donation, etc.:

N = NASA activity (including contractors and grantees);

E = Vendor;

F = Other Federal Agency (including contractors and grantees);

D = Donation;

S = Sold.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

User entered, valid codes are 'N', 'E', 'F', 'D', or 'S'.

---

**SCREEN NAME:** TYPE (SHELF LIFE TYPE I)

**ACCESS NAME:** SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

# **EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' & INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' & INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

<b>SCREEN NAME:</b>	<b>TYPE (SHELF LIFE TYPE II)</b>
ACCESS NAME:	SYS-REC-KEY
ENTITY:	SYSTEM
<b>DESCRIPTIVE NAME:</b>	SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
INST-FEDAAC-CODE for the Performance Measures Table-040;  
PROP-DML-CODE for the Demilitarization Code Table-045;  
INST-NMBR for the Center Profile Table-050;  
INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** UNCLAIMED PROP  
**ACCESS NAME:** UNCLMD-IND  
**ENTITY:** ABANDONED OR OTHER UNCLAIMED PROPERTY  
**DESCRIPTIVE NAME:** UNCLAIMED PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

Indicates if personal property is Abandoned or Other Unclaimed Property that was found on premises owned or leased by the Government and turned over to the PDO for disposal processing. Abandoned or other unclaimed property undergoes the same internal NASA-wide screening requirements as other idle/excess personal property generations. Reportable items are reported to the appropriate GSA regional office for other Federal agency screening. Abandoned or other unclaimed property is not donable, however, after completion of NASA and Federal Screening, it may be sold by competitive bid by GSA, NASA or a DRMO.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA**

User entered. Valid values are: 'Y' = YES or 'blank' = NO (default). If 'Y' then UNCLMD-FOUND-DATE must be entered.

---

**SCREEN NAME:** UNFROZEN  
**ACCESS NAME:** NOT MAINTAINED  
**ENTITY:**

**DESCRIPTIVE NAME:**

**DATA ELEMENT DEFINITION:**

The remaining current available quantity not frozen.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA**

Calculated, UNFROZEN-QTY= PROP-CUR-AVLBL-QTY minus each freeze PROP-DSPSTN-QTY. If less than 0, UNFROZEN-QTY = 0.

---

**SCREEN NAME:** UNIT ACQ COST  
**ACCESS NAME:** PROP-ADJSTD-ACQSTN-COST-AMT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY

**DATA ELEMENT DEFINITION:**

The current unit adjusted acquisition cost amount of the personal property.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

User entered. Cannot be a negative amount.

**SCREEN NAME:** **UNIT OF MEASURE**

**ACCESS NAME:** PROP-UOM-CODE; SYS-REC KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY UNIT OF MEASURE CODE

**DATA ELEMENT DEFINITION:**

The code that identifies how items are stocked or issued. Must be a valid entry on NPDMS Table 025.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Must be in the NPDMS Unit of Measure Table-025.

AM = Ampoule	DZ = Dozen	PM = Plate
AT = Assortment	EA = Each	PR = Pair
AY = Assembly	FT = Foot	PT = Pint
BA = Ball	FV = Five	PZ = Packet
BD = Bundle	FY = Fifty	QT = Quart
BE = Bale	GL = Gallon	RA = Ration
BF = Broad Foot	GP = Group	RL = Reel
BG = Bag	GR = Gross	RM = Ream
BK = Book	HD = One Hundred	RO = Roll
BL = Barrel	HK = Hank	SD = Skid
BO = Bolt	IN = Inch	SE = Set
BR = Bar	J R = Jar	SF = Square Foot
BT = Bottle	KT = Kit	SH = Sheet
BX = Box	LB = Pound	SK = Skeen
CA = Cartridge	LG = Length	SL = Spool
CB = Carboy	LI = Liter	SO = Shot
CD = Cubic Yard	LT = Lot	SP = Strip
CE = Cone	MC = Thousand Cubic Feet	SX = Stick
CF = Cubic Foot	ME = Meal	SY = Square Yard
CK = Cake	MR = Meter	TD = Twenty Four
CL = Coil	MX = Thousand	TE = Ten
CN = Can	OT = Outfit	TF = Twenty five
CO = Container	OZ = Ounce	TN = Ton
CY = Cylinder	PD = Pad	TO = Troy Ounce
CZ = Cubic Meter	PG = Package	TS = Thirty six
DR = Drum		TU = Tube

VI = Vial

YD = Yard

**SCREEN NAME:** **UNIT OF MEASURE (TEXT)**  
**ACCESS NAME:** PROP-UOM-TEXT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY UNIT OF MEASURE TEXT

**DATA ELEMENT DEFINITION:**

The name describing the code that identifies how many units of measures are stocked or issued. This name is extracted from the NPDMS Unit of Measure Table-025.

**FORMAT:** Alphanumeric

**LENGTH:** 20

**EDIT CRITERIA**

Extracted from the Unit of Measure Table-025. See PROP-UOM-CODE.

**SCREEN NAME:** **UOM**  
**ACCESS NAME:** PROP-UOM-CODE; SYS-REC KEY  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY UNIT OF MEASURE CODE

**DATA ELEMENT DEFINITION:**

The code that identifies how items are stocked or issued. Must be a valid entry on NPDMS Table-025.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA**

Must be in the NPDMS Unit of Measure Table-025.

AM = Ampoule	BT = Bottle	CZ = Cubic Meter
AT = Assortment	BX = Box	DR = Drum
AY = Assembly	CA = Cartridge	DZ = Dozen
BA = Ball	CB = Carboy	EA = Each
BD = Bundle	CD = Cubic Yard	FT = Foot
BE = Bale	CE = Cone	FV = Five
BF = Broad Foot	CF = Cubic Foot	FY = Fifty
BG = Bag	CK = Cake	GL = Gallon
BK = Book	CL = Coil	GP = Group
BL = Barrel	CN = Can	GR = Gross
BO = Bolt	CO = Container	HD = One Hundred
BR = Bar	CY = Cylinder	HK = Hank

IN = Inch	PG = Package	SL = Spool
J R = Jar	PM = Plate	SO = Shot
KT = Kit	PR = Pair	SP = Strip
LB = Pound	PT = Pint	SX = Stick
LG = Length	PZ = Packet	SY = Square Yard
LI = Liter	QT = Quart	TD = Twenty Four
LT = Lot	RA = Ration	TE = Ten
MC = Thousand Cubic	RL = Reel	TF = Twenty five
Feet	RM = Ream	TN = Ton
ME = Meal	RO = Roll	TO = Troy Ounce
MR = Meter	SD = Skid	TS = Thirty six
MX = Thousand	SE = Set	TU = Tube
OT = Outfit	SF = Square Foot	VI = Vial
OZ = Ounce	SH = Sheet	YD = Yard
PD = Pad	SK = Skeen	

---

**SCREEN NAME:** UOM ABBREVIATION  
**ACCESS NAME:** SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
 GSA-RGN-CODE for the GSA Region Table-005;  
 DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
 CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
 PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
 PROP-UOM-CODE for the Unit of Measure Table-025;  
 PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;  
 PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;

PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
PROP-MMAC-CODE for the MMAC Table-085;  
DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
INST-NMBR for Installation Code Table-105;  
'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
PRINTER DESTINATION CODE for the Printer Destination Table-145;  
STATE ABBREVIATION for the State Table-150;  
INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME:** UPSET PRICE  
**ACCESS NAME:** PROP-UPSET-PRICE-AMT  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY UPSET PRICE AMOUNT

**DATA ELEMENT DEFINITION:**

Upset prices are those prices that are prudent estimates of the worth of the property and shall be established in advance of sales for use in evaluating the bids received. Normally, bids under the upset prices will not result in awards. Upset prices are confidential and must not be made known to prospective bidders prior to, or after the sale.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA**

Supplied by the PDO and entered.

---

**SCREEN NAME:** USER CHANGE AUTHORITY  
**ACCESS NAME:** SYS-USER-CHNG-ATHRTY-CODE  
**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM USER CHANGE AUTHORITY CODE

**DATA ELEMENT DEFINITION:**

A code indicating the level of authority a user has for making changes; 1 = clerical 2 = managerial.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA**

Possible value are 0, 1, and 2. Maintained on NPDMS User Access Table-001.

---

**SCREEN NAME:** USER ID

**ACCESS NAME:** SYS-AUDIT-ID

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM AUDIT IDENTIFIER

**DATA ELEMENT DEFINITION:**

For audit purposes, identifies the user who last updated a case or table record in the system.

**FORMAT:** Alphanumeric

**LENGTH:** 8.0

**EDIT CRITERIA**

Generated. \*USER

---

**SCREEN NAME:** USER ID

**ACCESS NAME:** SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM RECORD KEY

**DATA ELEMENT DEFINITION:**

The values used with the SYS-TBL-ID providing access to the NPDMS Table File Records.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA**

SYS-USER-ID for the User Access Table-001;  
GSA-RGN-CODE for the GSA Region Table-005;  
DRMO-DODAAC-CODE for the DRMO Routing Identifier Code Table-010;  
CSTDN-ACNT-NMBR for the Exception Processing Table-015;  
PROP-FSC-CODE for the Federal Supply Classification Code Table-020;  
PROP-UOM-CODE for the Unit of Measure Table-025;  
PROP-SPLY-CNDTN-CODE for the Supply Condition Code Table-030;

PROP-DSPSL-CNDTN-CODE for the Disposal Condition Code Table-035;  
 INST-FEDAAC-CODE for the Performance Measures Table-040;  
 PROP-DML-CODE for the Demilitarization Code Table-045;  
 INST-NMBR for the Center Profile Table-050;  
 INST-NMBR, RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the Report/Maintenance Selection Table-055;  
 NSMS-FIXED-SHELF-LIFE-CODE for Fixed Shelf Life Code Table-060;  
 NSMS-SHELF-LIFE-EXTNSN-CODE for Shelf Life Extension Code Table-062;  
 PROP-HAZMAT-CODE for Hazardous Materials Code Table-065;  
 DRMO-CNTRLD-INV-ITEM-CODE for the Controlled Inventory Item Code Table-070;  
 PROP-ADP-CTGRY-ID for the ADPE ID Code Table-075;  
 PROP-PRCS-MTLS-CODE for the Precious Metals Code Table-080;  
 PROP-MMAC-CODE for the MMAC Table-085;  
 DRMO-DSPSL-ATHRTY-CODE for the Disposal Authority Code Table-090;  
 DRMO ADDITIONAL DATA CODE for the DRMO Additional Data Code Table-095;  
 'ECN' & INST-NMBR for the Excess Case Number Serial Number Record-100;  
 INST-NMBR for Installation Code Table-105;  
 'ERN' & INST-NMBR for the Entry Reference Number Serial Number Record-110;  
 'DOD' and INST-NMBR for the DRMO 1348 Serial Number Record-112;  
 'SAL' and INST-NMBR for the Sale Number Serial Number Record-113;  
 'NEM' & INST-NMBR for the NP/NEMS Entry Reference Number Serial Number Record-115;  
 INST-NMBR & RPT-END-DATE for the Monthly 623 Report Balance Record-120;  
 INST-NMBR & RPT-END-DATE for the Annual 623 Report Balance Record-125;  
 INST-NMBR & RPT-END-DATE for the 1800 Report Balance Record-130;  
 'RCT' & INST-NMBR for the Sale Slip Serial Number Record-135;  
 RPT-MAINT-JOB-TYPE & RPT-MAINT-JOB-NMBR for the JCL Table-140;  
 PRINTER DESTINATION CODE for the Printer Destination Table-145;  
 STATE ABBREVIATION for the State Table-150;  
 INST-NMBR and PROPERTY TYPE for Screening Days Table-155;  
 INST-DFLT-REIM-CODE for Reimbursement Code Table-160;  
 PROP-HAZMAT-IND for Hazardous Material Indicator Code Table-165.

---

**SCREEN NAME: USER JOB CARD**

ACCESS NAME: SYS-USER-JOB-CARD-TEXT

ENTITY: SYSTEM

**DESCRIPTIVE NAME:** SYSTEM USER JOB CARD TEXT

**DATA ELEMENT DEFINITION:**

The job card used by each NPDMS user for the execution of all NPDMS report and maintenance jobs.

**FORMAT:** Alphanumeric

**LENGTH:** 72

**EDIT CRITERIA**

Installation specific. Maintained in the NPDMS User Access Table-001.

**SCREEN NAME:** **USER NAME**  
**ACCESS NAME:** SYS-USER-NAME  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM USER NAME  
**DATA ELEMENT DEFINITION:**  
The name of the person belonging to the system USER ID.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Installation specific. Maintained in the NPDMS User Access Table-001.

---

**SCREEN NAME:** **WAREHOUSE LOC**  
**ACCESS NAME:** WRHS-LCTN-ADRS  
**ENTITY:** WAREHOUSE  
**DESCRIPTIVE NAME:** WAREHOUSE LOCATION ADDRESS  
**DATA ELEMENT DEFINITION:**  
Contains the physical location of where the personal property is being staged in the warehouse.  
**FORMAT:** Alphanumeric  
**LENGTH:** 12  
**EDIT CRITERIA**  
Free form.

---

**SCREEN NAME:** **WAREHOUSE LOCATION**  
**ACCESS NAME:** WRHS-LCTN-ADRS  
**ENTITY:** WAREHOUSE  
**DESCRIPTIVE NAME:** WAREHOUSE LOCATION ADDRESS  
**DATA ELEMENT DEFINITION:**  
Contains the physical location of where the personal property is being staged in the warehouse.  
**FORMAT:** Alphanumeric  
**LENGTH:** 12

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** WAREHOUSED DATE

**ACCESS NAME:** WRHS-DATE

**ENTITY:** WAREHOUSE

**DESCRIPTIVE NAME:** WAREHOUSE DATE

**DATA ELEMENT DEFINITION:**

The calendar date that an installation idle property item was staged for re-utilization, transfer, donation or sale.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM/DD/YY or MM/DD/YYYY. Stored in Internal Date format.

---

**SCREEN NAME:** WITHDRAWAL APPROVAL DATE

**ACCESS NAME:** GSA-WTHDRWL-APRVL-DATE

**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA WITHDRAWAL APPROVAL DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which GSA approved the withdrawal of previously reported personal property.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA**

User entered. Display format: MM = 1-12, DD = 1-31 consistent with the month, YY or YYYY = current year. Stored in Internal Date format.

---

**SCREEN NAME:** WITHDRAWAL/CORRECTION NARR

**ACCESS NAME:** GSA-WTHDRWL-CRCTN-TEXT

**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA WITHDRAWAL/CORRECTION TEXT

**DATA ELEMENT DEFINITION:**

Contains the text to be printed on the SF-120 for withdrawals confirming verbal withdrawal approval by GSA, or an explanation of changes made to previously reported data for corrections.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** WITHDRAWAL/CORRECTION NARRATIVE

**ACCESS NAME:** GSA-WTHDRWL-CRCTN-TEXT

**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA WITHDRAWAL/CORRECTION TEXT

**DATA ELEMENT DEFINITION:**

Contains the text to be printed on the SF-120 for withdrawals confirming verbal withdrawal approval by GSA, or an explanation of changes made to previously reported data for corrections.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** WITNESS NAMES (DSTRCTN WTNS1)

**ACCESS NAME:** PROP-DSTRCTN-WTNS1-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY DESTRUCTION WITNESS NAME 1

**DATA ELEMENT DEFINITION:**

The first of two fields containing the name of the first individual who witnessed the property being destroyed.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA**

Free form.

---

**SCREEN NAME:** **WITNESS NAMES (DSTRCTN WTNS2)**  
**ACCESS NAME:** PROP-DSTRCTN-WTNS2-NAME  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY DESTRUCTION WITNESS NAME 2  
**DATA ELEMENT DEFINITION:**  
The second of two fields containing the name of the second individual who witnessed the property being destroyed.  
**FORMAT:** Alphanumeric  
**LENGTH:** 30  
**EDIT CRITERIA**  
Free form.

---

**SCREEN NAME:** **ZIP (ABNDSTRYD)**  
**ACCESS NAME:** PROP-ABNDSTRYD-SITE-ZIP-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** ABANDONED OR DESTROYED PROPERTY SITE ZIP CODE  
**DATA ELEMENT DEFINITION:**  
The U.S. Postal Zip Code associated with the street and city address of the site where property was abandoned or destroyed.  
**FORMAT:** Alphanumeric  
**LENGTH:** 9.0  
**EDIT CRITERIA**  
Any 5 or 9 digit Zip Code.

---

**SCREEN NAME:** **ZIP (BIDDER)**  
**ACCESS NAME:** PROP-BIDDER-ZIP-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY BIDDER ZIP CODE  
**DATA ELEMENT DEFINITION:**  
The U.S. Postal Zip Code code associated with the street and city address of the individual or organization/company submitting a competitive bid for consideration to acquire a specific property lot offered for sale.  
**FORMAT:** Alphanumeric  
**LENGTH:** 9.0

**EDIT CRITERIA**

User entered. Any 5 or 9 digit zip code. If a particular bidder is awarded the sale, this field is moved to the RQSTR-ZIP-CODE on the transaction record.

---

**SCREEN NAME:** ZIP (DRMO DODAAC)  
**ACCESS NAME:** DRMO-DODAAC-ZIP-CODE  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO DODAAC ZIP CODE

**DATA ELEMENT DEFINITION:**

The U.S. Postal Zip Code associated with the street and city address of a particular DODAAC.

**FORMAT:** Alphanumeric

**LENGTH:** 9.0

**EDIT CRITERIA**

Must be 5 or 9 numeric digits.

---

**SCREEN NAME:** ZIP (GSA)  
**ACCESS NAME:** GSA-ZIP-CODE  
**ENTITY:** GSA  
**DESCRIPTIVE NAME:** GSA ZIP CODE

**DATA ELEMENT DEFINITION:**

The U.S. Postal Zip Code associated with the street and city address of a particular GSA office.

**FORMAT:** Alphanumeric

**LENGTH:** 9

**EDIT CRITERIA**

Maintained in the NPDMS GSA Region Table-005.

---

**SCREEN NAME:** ZIP (INST)  
**ACCESS NAME:** INST-ZIP-CODE  
**ENTITY:** NASA INSTALLATION  
**DESCRIPTIVE NAME:** INSTALLATION ZIP CODE

**DATA ELEMENT DEFINITION:**

The U.S. Postal Zip Code associated with the street and city address of a particular NASA Installation.

**FORMAT:** Alphanumeric

**LENGTH:** 9

**EDIT CRITERIA**

Maintained in the NPDMS Center Profile Table-050.

---

**SCREEN NAME:** ZIP (INST RPTNG CNTCT)

**ACCESS NAME:** INST-RPTNG-CNTCT-ZIP-CODE

**ENTITY:** NASA INSTALLATION

**DESCRIPTIVE NAME:** REPORTING INSTALLATION CONTACT ZIP CODE

**DATA ELEMENT DEFINITION:**

The U.S. Postal Zip Code associated with the street and city address where the reporting installation's contact is located.

**FORMAT:** Alphanumeric

**LENGTH:** 9

**EDIT CRITERIA**

Default maintained in the NPDMS Center Profile Table-050 (INST-ZIP-CODE). If changed, any 5 or 9 digit zip code.

---

**SCREEN NAME:** ZIP (LCTN)

**ACCESS NAME:** PROP-LCTN-ZIP-CODE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY LOCATION ZIP CODE

**DATA ELEMENT DEFINITION:**

The U.S. Postal Zip Code associated with the street and city address of a particular item of property.

**FORMAT:** Alphanumeric

**LENGTH:** 9

**EDIT CRITERIA**

Any 5 or 9 digit zip code. Generated (pulled) from Center Profile Table-050 (INST-ZIP-CODE) and modifiable.

---

**SCREEN NAME:** ZIP (RQSTR)

**ACCESS NAME:** RQSTR-ZIP-CODE

**ENTITY:** REQUESTOR

**DESCRIPTIVE NAME:** REQUESTOR ZIP CODE

**DATA ELEMENT DEFINITION:**

The U.S. Postal Zip Code associated with the street and city address of a particular Requestor.

**FORMAT:** Alphanumeric

**LENGTH:** 9.0

**EDIT CRITERIA**

Any 5 or 9 digit Zip Code.

---

**APPENDIX A**  
**ACCESS NAME TO SCREEN NAME**  
**CROSS REFERENCE**

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
ADPEPROP-RPTBL-IND	
AGENCY-AVRG-PRCSNG-DAYS-CNT	Average Processing Day
AGENCY-EXTRNL-DSTRBTN-RATE	External (Agncy Extrnl)
AGENCY-ID	Agency Ind
AGENCY-INTRNL-DSTRBTN-RATE	Internal (Agncy Intrnl)
AGENCY-SITE-CODE	Agency/Bureau Code
CMPNT-1348-IND	
CMPNT-ACQSTN-COST-AMT	Tot Acq Cost
CMPNT-ACQSTN-COST-AMT	Total Acq Cost
CMPNT-ARTFCT-IND	Artifact (Component System)
CMPNT-CASE-ENTRY-DATE	
CMPNT-CNDTN-CODE-GRP	CC (Component System)
CMPNT-CNDTN-CODE-GRP	Cond (Component System)
CMPNT-DML-CODE	DML Code (Component System)
CMPNT-DSPSL-CNDTN-CODE; SYS-REC-KEY	
CMPNT-FSC-CODE	FSC Code (Component System)
CMPNT-HAZMAT-IND	Haz Mat Ind
CMPNT-IND	
CMPNT-ITEM-SEQ-NMBR	Tot Components
CMPNT-ITEM-SEQ-NMBR	Total Components
CMPNT-ITEM-SEQ-NMBR	
CMPNT-NAME	Comp System
CMPNT-NAME	Component System Name
CMPNT-NAME	Component Information
CMPNT-NAME	Component System - Name
CMPNT-NEMS-IND	
CMPNT-PRCS-MTLS-IND	Precious Metals Ind
CMPNT-SPLY-CNDTN-CODE	
CNTRCTR-HELD-PROP-IND	Contr Prop
CNTRCTR-IND	
CNTRCTR-PROP-TAG-NMBR	Tag No
CSTDN-ACNT-NMBR; SYS-REC KEY	Cust Acct No
CSTDN-ORGNZTN-NAME	Reporting Activity Name
CSTDN-PRVS-ACNT-NMBR	
DRMO-CNTRLD-INV-CODE; SYS-REC-KEY	Physical Security

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
DRMO-CNTRLD-INV-DESC	Explanation (DRMO Cntrld Inv)
DRMO-DODAAC-CITY-ADRS	City (DRMO DoDAAC)
DRMO-DODAAC-CNTCT-NAME	DRMO DoDAAC Contact Name
DRMO-DODAAC-CODE; SYS-REC-KEY	DoDAAC
DRMO-DODAAC-CODE; SYS-REC-KEY	DRMO DoDAAC
DRMO-DODAAC-CODE; SYS-REC-KEY	Supplementary Address
DRMO-DODAAC-LINE1-ADRS	Address (DoDAAC First Line)
DRMO-DODAAC-LINE2-ADRS	Address (DoDAAC Second Line)
DRMO-DODAAC-NAME	DRMO DoDAAC Name
DRMO-DODAAC-PHN-NMBR	DRMO DoDAAC Phone
DRMO-DODAAC-RIC-CODE	DRMO DODAAC RIC
DRMO-DODAAC-STATE-CODE	State (DRMO DoDAAC)
DRMO-DODAAC-ZIP-CODE	Zip (DRMO DoDAAC)
DRMO-DSPSL-ATHRTY-CODE; SYS-REC-KEY	Disposal Authority Code
DRMO-DSPSL-ATHRTY-DESC	Explanation (DRMO DSPSL)
DRMO-RCLMTN-CODE	Reclam Code (DRMO)
DRMO-RCVNG-CODE; SYS-REC-KEY	DRMO Receiving (Additional Data Code)
DRMO-RCVNG-TEXT	Receiving Info
DRMO-RCVNG-TEXT	Explanation (DRMO Receiving)
DRMO-RPT-IND	DRMO
DRMO-SHPNG-CODE; SYS-REC-KEY	Shipping (Additional Data Code)
DRMO-SHPNG-TEXT	Shipping Expl
DRMO-SHPNG-TEXT	Explanation (DRMO Shipping)
DRMO-SPCL-ACNTBLTY-TEXT	
EXCHNGSL-ALWNC-RCVD-AMT	Trade-In Amt Received
EXCHNGSL-FSC-ALWD-IND	FSC Exchange/Sale Allowed
EXCHNGSL-IND	Exc/Sale
EXCHNGSL-REIM-AMT	Reimbursement Amount
EXCSPROP-RPT-IND	
GSA-CITY-ADRS	City (GSA)
GSA-CNTRL-NMBR	GSA Control No
GSA-CNTRL-NMBR	GSA Control Number
GSA-LINE1-ADRS	Address (GSA First Line)
GSA-LINE2-ADRS	Address (GSA Second Line)
GSA-PROP-RPT-QTY	

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
GSA-RGN-CODE; SYS-REC-KEY	GSA Region
GSA-RGNL-OFC-NAME	GSA Name
GSA-RPT-DATE	GSA Report Date
GSA-RPT-DATE	GSA Rpt Date
GSA-RPT-DATE	GSA Dte
GSA-RPT-IND	Reporting Install GSA
GSA-RPT-PROP-UNIT-COST-AMT	
GSA-SALE-IND	Sell by GSA (Y/N)
GSA-SF120-CRCTN-GNRTN-IND	
GSA-SF120-RPT-ID	
GSA-SF120-WTHDRWL-CRCTN-CODE	Print SF-120 Correction
GSA-SF120-WTHDRWL-CRCTN-CODE	Print SF-120 Withdrawal
GSA-SRD-DATE	Surplus Rel Dt
GSA-SRD-DATE	Surplus Release Date
GSA-STATE-CODE	State (GSA)
GSA-WTHDRWL-APRVL-DATE	GSA Withdrawal Approval Date
GSA-WTHDRWL-APRVL-DATE	Withdrawal Approval Date
GSA-WTHDRWL-CRCTN-TEXT	Narrative to GSA
GSA-WTHDRWL-CRCTN-TEXT	Withdrawal/Correction Narrative
GSA-WTHDRWL-CRCTN-TEXT	Withdrawal/Correction Narr
GSA-ZIP-CODE	Zip (GSA)
HQ-APRVNG-OFCL-NAME	NASA HQ Approving Official Name
INST-ACRNM-ID	Installation Acronym
INST-CITY-ADRS	City (Inst))
INST-CNTCT-BLDG-ADRS	Bldg (Inst Cntct)
INST-CNTCT-NAME	Center Contact
INST-CNTRCT-GRANT-NMBR	Contr/Grant No
INST-CNTRCT-GRANT-NMBR	Contr/Grantee No
INST-DFLT-NAME	Center Name
INST-DFLT-PCKP-GNRTN-IND	Pickup Doc Generation Default
INST-DFLT-REIM-CODE; SYS-REC-KEY	Default Reimbursement Code
INST-DFLT-RPT-OUTPUT-CODE	Output Class (Inst Dflt)
INST-DLNQNT-DAYS-NMBR	Days
INST-DLNQNT-DAYS-NMBR	No of Freeze Scning Days
INST-DRMO-DODAAC-CODE	DRMO DoDAAC (Inst)
INST-DRMO-RPT-IND	Reporting Install DRMO

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
INST-EXTRNL-DSTRBTN-RATE	External (Inst Extrnl)
INST-FAX-NMBR	Rptng Inst Fax
INST-FAX-NMBR	Fax (Inst)
INST-FEDAAC-CODE	FEDSTRIP AAC
INST-FEDAAC-CODE	INST FEADAAC CODE
INST-GSA-RGN-ID; SYS-REC-KEY	GSA Region (Inst)
INST-GSA-RPT-IND	Reporting Install GSA
INST-INTRNL-DSTRBTN-RATE	Installation Redistribution Rate
INST-INTRNL-DSTRBTN-RATE	Internal (Inst Intrnl)
INST-JOB-CARD-TEXT	Job Card
INST-LINE1-ADRS	Address (Inst First Line )
INST-LINE2-ADRS	Address (Inst Second Line)
INST-MAIL-STOP-ADRS	Mail Stop
INST-NAME	Installation Name
INST-NMBR; SYS-REC-KEY	INST NMBR
INST-NMBR; SYS-REC-KEY	Installation Number
INST-PHN-NMBR	Phone (Inst)
INST-PRNTR-ADRS	PRINTER ADDRESS
INST-PRNTR-ADRS	Printer Destination
INST-RPT-BNDNG-CODE	Binding
INST-RPT-QTY	No of Copies
INST-RPT-RQSTR-NAME	Distribution (Center)
INST-RPTNG-CNTCT-CITY-ADRS	City (Inst Rptng Cntct)
INST-RPTNG-CNTCT-LINE1-ADRS	Address (Inst Rptng Cntct First Line)
INST-RPTNG-CNTCT-LINE2-ADRS	Address (Inst Rptng Cntct Second Line)
INST-RPTNG-CNTCT-NAME	Contact Person (Inst Rptng Cntct)
INST-RPTNG-CNTCT-PHN-NMBR	Phone (Inst Rptng Cntct)
INST-RPTNG-CNTCT-STATE-CODE	State (Inst Rptng Cntct)
INST-RPTNG-CNTCT-ZIP-CODE	Zip (Inst Rptng Cntct)
INST-RPTNG-NAME	Reporting NASA Installation
INST-RPTNG-NAME	Reporting NASA Installation Name
INST-SEMO-NAME	SEMO Name
INST-SPCL-FORM-ID	Special Forms (Center)
INST-SRVY-BRD-CHRPRSN-NAME	Survey Board Chairperson Name
INST-SRVY-BRD-MBR1-NAME	Survey Board Member Name 1
INST-SRVY-BRD-MBR2-NAME	Survey Board Member Name 2

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
INST-SRVY-BRD-MBR3-NAME	Survey Board Member Name 3
INST-STATE-CODE	State (Inst)
INST-ZIP-CODE	Zip (Inst)
INTR-NAME	Initiators Name
INTR-ORGNZTN-CODE	Initiators Org Code
INTR-PHN-NMBR	Initiators Phone
NEMS-AVLBLTY-STS-CODE	
NEMS-ECN-NMBR	ECN
NEMS-EQUIP-SUBINST-NMBR	
NEMS-ERN-NMBR	
NEMS-IND	
NEMS-STNDRD-ITEM-NAME-IND	Item Name
NEMS-STNDRD-ITEM-NAME-IND	Std
NEMS-USER-NMBR	NEMS User No
NOT MAINTAINED	DRMO UNIT PACKAGE QUANTITY
NOT MAINTAINED	GSA ITEM DESCRIPTION
NOT MAINTAINED	GSA ITEM NAME
NOT MAINTAINED	MATERIALS SCREENING CODE
NOT MAINTAINED	FIXED SHELF LIFE CODE
NOT MAINTAINED	Total Number of Components
NOT MAINTAINED	Navigation
NOT MAINTAINED	Choice
NOT MAINTAINED	Unfrozen
NOT MAINTAINED	Retain (Y/N)
NOT MAINTAINED	Print Doc (Y/N)
NOT MAINTAINED	Seq
NOT MAINTAINED	Sequence Number
NOT MAINTAINED	Print 1348
NOT MAINTAINED	Total Number of Components
NOT MAINTAINED	Additional Component Items (Y/N)
NOT MAINTAINED	Change another item (Y/N)
NOT MAINTAINED	Number of Components
NOT MAINTAINED	Convert item (Y/N)
NOT MAINTAINED	Next Traded to Vendor Trans (Y/N)
NOT MAINTAINED	Rec No
NOT MAINTAINED	Local

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
NOT MAINTAINED	GSA
NOT MAINTAINED	Line
NOT MAINTAINED	Function
NOT MAINTAINED	Choice
NOT MAINTAINED	Next Lot
NOT MAINTAINED	Prev 1348
NOT MAINTAINED	Next Prop Case No
NOT MAINTAINED	Next Item Id
NOT MAINTAINED	Selection (Inventory)
NOT MAINTAINED	Selection (Main Menu)
NOT MAINTAINED	Selection (Sales Process Menu)
NOT MAINTAINED	Selection (Reports Menu)
NOT MAINTAINED	Selection (Transaction Menu)
NOT MAINTAINED	Total Number of Components
NOT MAINTAINED	More Inputs
NOT MAINTAINED	Trans Date
NSMS-INDEX-DESC	
NSMS-PROP-RCVD-ID	
NSMS-TECH-DESC	TECH DESC
NSMS-TECH-HDRS-TEXT	TECH HEADERS
NSMS-TURN-IN-PROP-DCMNT-NMBR	
PDO-CSTDN-ACNT-NMBR	PDO Cust Acct No
PDO-NAME	PDO Name
PDO-USER-NMBR	PDO User No
PRIMINST-NMBR	PRIME INSTALLATION NUMBER
PROP-ABNDSTRYD-CITY-ADRS	City (Abndstryd)
PROP-ABNDSTRYD-DATE	Date Prop Abandoned or Destroyed
PROP-ABNDSTRYD-DCMNT-NMBR	Aband/Destruct Doc No
PROP-ABNDSTRYD-IND	Abandoned or Destroyed
PROP-ABNDSTRYD-LINE1-ADRS	Address (Abndstryd First Line)
PROP-ABNDSTRYD-LINE2-ADRS	Address (Abndstryd Second Line)
PROP-ABNDSTRYD-PHN-NMBR	Phone (Abndstryd)
PROP-ABNDSTRYD-SITE-ZIP-CODE	Zip (Abndstryd)
PROP-ABNDSTRYD-SITE-NAME	Agency Name (Abandoned or Destroyed Property)
PROP-ABNDSTRYD-STATE-CODE	State (Abndstryd)

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
PROP-ADJSTD-ACQSTN-COST-AMT	Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	Curr Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	Current Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	New Unit Cost
PROP-ADJSTD-ACQSTN-COST-AMT	Cur Acq Cost
PROP-ADJSTD-ACQSTN-COST-AMT	Unit Acq Cost
PROP-ADJSTD-CNDTN-CODE	
PROP-ADJSTD-COST-AMT	
PROP-ADJSTD-ITEM-NAME	
PROP-ADJSTD-QTY	
PROP-ADP-CTGRY-DESC	Explanation (Adp Ctgy)
PROP-ADP-CTGRY-ID	ADPE Identification
PROP-APRPRTN-ACNT-NMBR	Appropriation Data
PROP-APRPRTN-ACNT-NMBR	Appropriation Acct No.
PROP-ARTFCT-IND	Artifact
PROP-BID-AMT	Bid Amounts
PROP-BID-AWARD-DATE	Date Bid Awarded
PROP-BID-MDFCTN-AMT	Bid Modification Amount
PROP-BID-WTHDRWL-IND	
PROP-BIDDER-CITY-ADRS	City (Bidder)
PROP-BIDDER-CMPNY-NAME	Company Name (Bidder)
PROP-BIDDER-FIRST-NAME	First Name (Bidder)
PROP-BIDDER-LAST-NAME	Last Name (Bidder)
PROP-BIDDER-LAST-NAME	MI (Bidder)
PROP-BIDDER-LINE1-ADRS	Address (Bidder First Line)
PROP-BIDDER-LINE2-ADRS	Address (Bidder Second Line)
PROP-BIDDER-NMBR; SYS-REC-KEY	Bidder No
PROP-BIDDER-NMBR; SYS-REC-KEY	Bidder Number
PROP-BIDDER-PHN-NMBR	Phone (Bidder)
PROP-BIDDER-STATE-CODE	State (Bidder)
PROP-BIDDER-ZIP-CODE	Zip (Bidder)
PROP-CASE-ENTRY-DATE	
PROP-CASE-NMBR	PROP CASE NMBR
PROP-CASE-NMBR	Property Case Numbers
PROP-CASE-NMBR	Single Case to Component
PROP-CASE-NMBR	Prop Case No

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
PROP-CNDTN-ADJSTMNT-DESC	Adj Description
PROP-CNDTN-ADJSTMNT-DESC	Modification Amount Explanation
PROP-CNDTN-ADJSTMNT-DESC	Adjustments Description
PROP-CNDTN-ADJSTMNT-DESC	Adj Desc
PROP-CNDTN-CODE-DESC	Title
PROP-CNDTN-CODE-DFNTN1-TEXT	Definition (Cndtn Code Dfntn1)
PROP-CNDTN-CODE-DFNTN2-TEXT	Definition (Cndtn Code Dfntn2)
PROP-CNDTN-CODE-GRP	CC
PROP-CNDTN-CODE-GRP	Cond
PROP-CNTCT-NAME	Contact Person
PROP-CNTCT-PHN-NMBR	Phone (Cntct Phn)
PROP-CNTRCT-RMVL-DATE	Contract Prop Removal Date
PROP-CPTL-SNSTVTY-CODE	Cap Sens Code
PROP-CUR-AVLBL-QTY	Curr Qty
PROP-CUR-AVLBL-QTY	Current Available Qty
PROP-CUR-AVLBL-QTY	Current Qty
PROP-CUR-AVLBL-QTY	Qty (Cur Avlbl)
PROP-CUR-AVLBL-QTY	Cur Qty
PROP-CUR-AVLBL-QTY	Adj - Received Qty
PROP-CUR-AVLBL-QTY	New Qty
PROP-DESC	Item Desc
PROP-DESC	PROP DESC
PROP-DML-CODE; SYS-REC-KEY	DML Code
PROP-DML-CODE1-DESC	DML Definition (DML Code Dfntn1)
PROP-DML-CODE2-DESC	DML Definition (DML Code Dfntn2)
PROP-DML-RANK	DML Priority
PROP-DSPSL-APRVL-DATE	Prop Disposal Approval Date
PROP-DSPSL-CNDTN-CODE; SYS-REC-KEY	Disposal CC
PROP-DSPSL-RSN-TEXT	Disposal Reason
PROP-DSPSTN-ACQSTN-COST-AMT	Total Acq Cost (Dspstn Acqstn)
PROP-DSPSTN-ACQSTN-COST-AMT	Disp Cost
PROP-DSPSTN-QTY	Disp Qty
PROP-DSPSTN-QTY	Disposition Qty
PROP-DSPSTN-QTY	Qty (Dspstn)
PROP-DSPSTN-QTY	Qty Sold
PROP-DSPSTN-QTY	Sale Qty

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
PROP-DSPSTN-QTY	Frozen
PROP-DSPSTN-TXN-DATE	Disposition Date
PROP-DSTRCTN-WTNS1-NAME	Witness Names (Dstrctn Wtns1)
PROP-DSTRCTN-WTNS2-NAME	Witness Names (Dstrctn Wtns2)
PROP-DTRMND-LOST-DATE	Date Prop Determined Lost
PROP-ERN-NMBR	ERN
PROP-FMV-AMT	Fair Mkt
PROP-FREEZE-DATE	Freeze Date
PROP-FREEZE-DLNQNT-DATE	Delinquent Date
PROP-FREEZE-ERN-NMBR	
PROP-FREEZE-IND	
PROP-FRGN-IND	Foreign Prop Ind
PROP-FRGN-IND	Foreign Prop
PROP-FSC-CLASS-CODE; REC-KEY	
PROP-FSC-CODE; SYS-REC-KEY	FSC Code
PROP-FSC-GROUP-CODE; REC-KEY	
PROP-FSC-GRP-NAME	FSC Group Name
PROP-FSC-MIN-CNDTN-CODE	FSC Minimum Condition
PROP-FSC-MIN-COST-AMT	FSC Minimum Cost
PROP-GRANT-IND	Grantee Prop
PROP-HAZMAT-CLSFCTN-ID	Mark For
PROP-HAZMAT-CODE; SYS-REC-KEY	Haz Mat Code
PROP-HAZMAT-CODE; SYS-REC-KEY	Haz Mat
PROP-HAZMAT-DESC	Explanation (Hazmat)
PROP-HAZMAT-IND; SYS-REC-KEY	Haz Mat Ind
PROP-HAZMAT-IND-TEXT	Definition (Hazmat Ind)
PROP-INST-BGN-DATE	Installation Screening Begin Dates
PROP-INST-BGN-DATE	Install Begin Dt
PROP-INST-END-DATE	Installation Screening End Dates
PROP-INST-END-DATE	Install End Dt
PROP-INST-SCRNG-MTHD-ID	Installation Screening Method
PROP-INST-SCRNG-MTHD-ID	Screening Method Install
PROP-INST-SCRNG-MTHD-ID	Install
PROP-INTL-LIST-DATE	
PROP-INV-BGN-DATE	
PROP-INV-END-DATE	Inventory Date (Inv End Date)

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
PROP-ITEM-ID	Item ID
PROP-ITEM-NAME	Item Name/Desc
PROP-ITEM-NAME	Item Name
PROP-LCTN-BIN-ID	Bin ID
PROP-LCTN-BLDG-ADRS	Bldg (Lctn)
PROP-LCTN-BLDG-ADRS	Building
PROP-LCTN-BLDG-ADRS	Location Bldg
PROP-LCTN-CITY-ADRS	City (Lctn)
PROP-LCTN-CNTRY-ADRS	Country (Lctn)
PROP-LCTN-FAX-NMBR	Prop Loc Fax
PROP-LCTN-FAX-NMBR	Fax (Lctn)
PROP-LCTN-INST-NAME	Install Name
PROP-LCTN-LINE1-ADRS	Address (Lctn First Line)
PROP-LCTN-LINE2-ADRS	Address (Lctn Second Line)
PROP-LCTN-ROOM-ADRS	Room (Lctn)
PROP-LCTN-STATE-CODE	State (Property Location)
PROP-LCTN-ZIP-CODE	Zip (Lctn)
PROP-LOCAL-RFRNC-NMBR	Local Ref No
PROP-LOT-NMBR	Lot No of Prop
PROP-LOT-NMBR	Sale Lot No
PROP-LOT-NMBR	New Lot No
PROP-LOT-WTHDRWL-IND	
PROP-MFG-CODE	Mfg s Code
PROP-MFG-MODEL-NMBR	Model No
PROP-MFG-NAME	Mfg s Name
PROP-MFG-PART-NMBR	Part No (Mfg)
PROP-MFG-SERIAL-NMBR	Serial No
PROP-MFG-YEAR	Mfg Year
PROP-MMAC-CODE; SYS-REC-KEY	MMA Code
PROP-MMAC-CODE; SYS-REC-KEY	Materiel Management Aggregation Code
PROP-MMAC-DESC	MMAC Nomenclature
PROP-MMAC-MNGR-CODE	MMAC Manager
PROP-MTRLS-INV-IND	Mat Inv
PROP-NASA-ACQRD-DATE	
PROP-NASA-BGN-DATE	NASA-Wide Screening Begin Dates
PROP-NASA-BGN-DATE	NASA-Wide Begin Dt

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
PROP-NASA-END-DATE	End Dt (NASA Wide Screening)
PROP-NASA-END-DATE	NASA Wide End Date
PROP-NASA-END-DATE	NASA-Wide End Dt
PROP-NASA-END-DATE	NASA-Wide Screening End Dates
PROP-NASA-SCRNG-MTHD-ID	NASA -Wide
PROP-NASA-SCRNG-MTHD-ID	NASA -Wide Screening Method
PROP-NEW-ACPTNC-DATE	New Prop Acceptance Date
PROP-NIIN-NMBR	
PROP-NSN-NMBR	NSN
PROP-NTFCTN-LTR-SENT-DATE	
PROP-OFA-BGN-DATE	Other Fed Begin Dt
PROP-OFA-BGN-DATE	Other Federal Screening Begin Dates
PROP-OFA-END-DATE	OFA Scrng End Date
PROP-OFA-END-DATE	Other Fed End Dt
PROP-OFA-END-DATE	Other Federal Screening End Dates
PROP-OPTNL-ITEM-NAME	Additional Optional Item Name
PROP-PCKP-DCMNT-GNRTN-DATE	
PROP-PCKP-DCMNT-GNRTN-IND	Printer Pickup Doc
PROP-PCKP-DCMNT-GNRTN-IND	Print Pickup Doc
PROP-PRCRMNT-DCMNT-NMBR	Procurement Doc No
PROP-PRCS-MTLS-CODE; SYS-REC-KEY	Prec Metal
PROP-PRCS-MTLS-CODE; SYS-REC-KEY	Precious Metals Code
PROP-PRCS-MTLS-DESC	Precious Metals Content Description (Line 1)
PROP-PRCS-MTLS-DESC	Precious Metals Content Description (Line 2)
PROP-PRCSNG-PRTY-IND	Priority Ind
PROP-PRVS-ACQSTN-COST-AMT	
PROP-PRVS-CASE-NMBR	Prev Case No
PROP-PRVS-CNDTN-CODE	
PROP-PRVS-CUR-AVLBL-QTY	
PROP-PRVS-ITEM-NAME	
PROP-PYMNT-DATE	Actual Prop Payment Date
PROP-PYMNT-DUE-DATE	Payment Due Date
PROP-QTY	Orig Qty
PROP-RCPNT-CLSFACTN-IND	

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
PROP-REC-CHNG-TYPE-CODE	
PROP-REFER-SUSPD-RPTNG-IND	Priority Freeze Refer Prop Ind
PROP-REFER-SUSPD-RPTNG-IND	Refer Susp
PROP-REIM-CODE	Reimbursement Code
PROP-REIM-CODE-DESC	Reimbursement Code Desc
PROP-REIM-IND	Reimbursable (Y/N)
PROP-RMVL-DATE	Actual Prop Removal Date
PROP-RMVL-DATE	Actual Removal Date
PROP-RMVL-DATE	Prop Rmvl Dt
PROP-RMVL-DATE	Date Sent to GSA Quantity
PROP-RPTBL-FSC-IND	FSC Reportable Ind
PROP-RQST-DCMNT-NMBR	Doc No
PROP-RVRSL-ERN-NMBR	
PROP-SALE-CNTRCT-NMBR	Sale Contract No
PROP-SALE-DATE	Sale Date
PROP-SALE-MTHD-ID	Sale Method
PROP-SALE-NMBR	Sale No
PROP-SALE-NMBR	Sale No of Prop
PROP-SALE-NMBR	New Sale No
PROP-SALE-PRCDS-AMT	Sale Amount
PROP-SALE-PRCDS-AMT	Proceeds
PROP-SALE-RCPT-DCMNT-NMBR	Sale Receipt Doc No
PROP-SALE-RCPT-IND	Reprint Sales Slip Report
PROP-SCRNG-TYPE-ID	
PROP-SHELF-LIFE-CLSFCTN-ID	Shelf Life Type
PROP-SHELF-LIFE-DRTN	Shelf Life Period
PROP-SHELF-LIFE-EXPRTN-DATE	Exp Date (Exprtn)
PROP-SHELF-LIFE-EXTNSN-DATE	Exp Date (Exptnsn)
PROP-SHELF-LIFE-EXTNSN-DATE	Ext Date (Exptnsn)
PROP-SHELF-LIFE-EXTNSN-CODE;SYS-REC-KEY	Shelf Life Code
PROP-SHPMNT-DATE	Dt Shippd
PROP-SPLY-CNDTN-CODE; SYS-REC KEY	
PROP-SRVY-RPT-NMBR	Survey Report No
PROP-SRVY-TEXT	Survey Comments
PROP-STOCK-STS-CODE	Stock Status code
PROP-THAW-DATE	

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
PROP-TOT-ADJSTD-COST-AMT	
PROP-TRMNTN-DATE	Termination Dt
PROP-TRNSFR-DCMNT-APRVD-DATE	Approved (Tfr Dcmt)
PROP-TRNSFR-ID	Transferee is Contractor/Grantee (C,G,)
PROP-TURN-IN-DCMNT-NMBR	Turn In Doc Nmbr
PROP-TURN-IN-DCMNT-NMBR	Turn-In Doc No
PROP-TXN-APRVD-NAME	Approved by
PROP-TXN-ATHRTY-TEXT	
PROP-TXN-DATE	
PROP-TXN-DESC	Property Transaction Description
PROP-TXN-DESC	Sale Adjustments
PROP-TXN-DESC	Trx Desc
PROP-TXN-DESC	Txn Desc
PROP-TXN-DESC	PDO Justification
PROP-TXN-DESC	Transaction Description
PROP-TXN-ID	Trans Id
PROP-UNIT-ACQSTN-COST-AMT	Orig Acq Cost
PROP-UOM-CODE; SYS-REC KEY	UOM
PROP-UOM-CODE; SYS-REC KEY	Unit of Measure
PROP-UOM-TEXT	Unit of Measure (text)
PROP-UPSET-PRICE-AMT	Upset Price
RPT-1348-DCMNT-ID	Document Identifier Code
RPT-1348-DCMNT-NMBR	1348 Doc
RPT-1348-DCMNT-NMBR	DD-1348-1A
RPT-1348-GNRTN-DATE	Drmo Dt
RPT-1348-GNRTN-IND	Print DD-1348-1A ( Y )
RPT-1348-TEXT	
RPT-1810-BAL-AMT	
RPT-1820-BAL-AMT	
RPT-623-BAL-AMT	
RPT-811-GNRTN-DATE	
RPT-811-IND	Print NASA 811 ( Y )
RPT-812-GNRTN-DATE	
RPT-812-IND	Print NASA 812 ( Y )
RPT-BGN-DATE	Begin Date (Reports)
RPT-BGN-DATE-IND	Start Date (Ind)

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
RPT-BNDNG-CODE	Binding Instructions
RPT-DATA1-TEXT	Criteria 1
RPT-DATA2-TEXT	Criteria 2
RPT-DATA3-TEXT	Criteria 3
RPT-DATA4-TEXT	Criteria 4
RPT-DATA5-TEXT	Criteria 5
RPT-EFFECTV-DATE	Effective Date
RPT-END-DATE	Ending Date (Reports)
RPT-END-DATE-IND	End Date (Ind)
RPT-EXCTN-SEQ-NMBR	Seq#
RPT-EXCTN-SEQ-NMBR	Report Execution Sequence No
RPT-FREQ	Frequency
RPT-FRGN-DSPSL-APRVL-IND	Print Foreign Disposal Approval Form (Y)
RPT-IMMED-SUBMSN-IND	Allow Immediate Submission
RPT-INST-NAME	
RPT-MAIL-STOP-ADRS	Mail Stop
RPT-MAINT-JOB-IND-SB	Job Type Determination
RPT-MAINT-JOB-NMBR-SB	Report Number
RPT-MAINT-JOB-NMBR-SB	Maintenance Job Number
RPT-MAINT-JOB-NMBR-SB	Report/Maintenance Job No
RPT-MAINT-NAME	Report Name
RPT-MAINT-NAME	Report /Maintenance Name
RPT-MAINT-NAME	Description (Rpt Maint Name)
RPT-MAINT-PGM-ID; SYS-REC-KEY	
RPT-NMBR-DAYS-IND	No. of Days (Ind)
RPT-OUTPUT-CODE	Output Code
RPT-OUTPUT-CODE	Output Class
RPT-OUTPUT-CODE	Report Output Class
RPT-PRMTRS-TEXT	NEMS Accepted External Count
RPT-PRMTRS-TEXT	NEMS Accepted Internal Count
RPT-PRMTRS-TEXT	Number of Days
RPT-PRMTRS-TEXT	NEMS Screening Count
RPT-QTY	No of Copies
RPT-QTY	Number of Copies
RPT-RQSTR-NAME	Distribution (Report)

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
RPT-SPCL-FORM-ID	Special Forms (Report)
RPT-STS-CODE	New Status
RPT-STS-CODE	Status
RPT-USER-ID	
RQSTR-AGNCY-ID	Requestor Agency Id
RQSTR-AGNCY-ID	Freeze Type
RQSTR-AGNCY-ID	Type
RQSTR-BLDG-ADRS	Bldg (Rqstr)
RQSTR-CITY-ADRS	City (Rqstr)
RQSTR-CNTRY-ADRS	Country (Rqstr)
RQSTR-CSTDN-ACNT-NMBR	Cust Acct No
RQSTR-INST-NMBR	Installation No (T05, T06 transactions)
RQSTR-LINE1-ADRS	Address (Rqstr First Line)
RQSTR-LINE2-ADRS	Address (Rqstr Second Line)
RQSTR-NAME	Requestor Name
RQSTR-ORGNZTN-CODE	Org Code
RQSTR-ORGNZTN-NAME	Agency Name
RQSTR-ORGNZTN-NAME	Company Name
RQSTR-ORGNZTN-NAME	Donee Agency
RQSTR-PHN-NMBR	Phone (Rqstr)
RQSTR-PRVNC-ADRS	Province (Rqstr)
RQSTR-ROOM-ADRS	Room (Rqstr)
RQSTR-STATE-CODE	State (Rqstr)
RQSTR-ZIP-CODE	Zip (Rqstr)
SRPLSPROP-DNTN-BGN-DATE	Donation Begin Dt
SRPLSPROP-DNTN-BGN-DATE	Donation Screening Begin Dates
SRPLSPROP-DNTN-END-DATE	Donation End Dt
SRPLSPROP-DNTN-END-DATE	Donation Screening End Dates
SUBINST-NMBR	
SYS-AUDIT-DATE	Date Lasted Updated
SYS-AUDIT-ID	User Id
SYS-AUDIT-TIME	
SYS-BATCH-REC-ID	
SYS-BID-ABSTRACT-RPT-IND	
SYS-CASE-SERIAL-NMBR	
SYS-CNTRL-FLAG	

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
SYS-INST-DAYS-CNT	INST
SYS-INST-DAYS-CNT	Days Installation Screening
SYS-JULIAN-DATE	
SYS-NASA-DAYS-CNT	NASA
SYS-NASA-DAYS-CNT	Days NASA-Wide Screening
SYS-OFA-DAYS-CNT	OFA
SYS-OFA-DAYS-CNT	Days Other Federal Screening
SYS-PRNTR-DESC	Desc (Prntr)
SYS-PRNTR-DESC	Printer Description
SYS-PRVS-TBL-ID	
SYS-REC-KEY	ADPE Identification Code
SYS-REC-KEY	Controlled Inventory Item Code
SYS-REC-KEY	Cust Acct No
SYS-REC-KEY	Disposal Condition Code
SYS-REC-KEY	DML Code
SYS-REC-KEY	DRMO Disposal Authority Code
SYS-REC-KEY	DRMO DoDAAC
SYS-REC-KEY	FEDSTRIP AAC
SYS-REC-KEY	FSC Code
SYS-REC-KEY	GSA Region
SYS-REC-KEY	Installation No
SYS-REC-KEY	Materiel Management Aggregation Code
SYS-REC-KEY	Precious Metals Code
SYS-REC-KEY	Printer Dest
SYS-REC-KEY	Printer Destination
SYS-REC-KEY	Supply Condition Code
SYS-REC-KEY	UOM Abbreviation
SYS-REC-KEY	User Id
SYS-REC-KEY	Haz Mat Code
SYS-REC-KEY	Destination
SYS-REC-KEY	Type (Shelf Life Type II)
SYS-REC-KEY	Type (Shelf Life Type I)
SYS-REC-KEY	Reimbursement Code
SYS-REC-KEY	Hazmat Indicator Code
SYS-SERIAL-NMBR	
SYS-SRPLS-DAYS-CNT	SRPLS

**NPDMS DATA DICTIONARY**  
**Access Name to Screen Name Cross-Reference**

<b><u>ACCESS NAME</u></b>	<b><u>SCREEN NAME</u></b>
SYS-SRPLS-DAYS-CNT	Days Donation Screening
SYS-STATE-FIPS-CODE;SYS-REC-KEY	
SYS-STATE-NAME	
SYS-TBL-ID	Table Id
SYS-TXN-SORT-KEY	
SYS-TXN-STS-ID	
SYS-TXN-TYPE-ID	
SYS-UNQ-CASE-KEY	
SYS-UNQ-TBL-KEY-SP	
SYS-UNQ-TXN-KEY	
SYS-USER-CHNG-ATHRTY-CODE	User Change Authority
SYS-USER-ID: SYS- REC-KEY	Scheduled by
SYS-USER-JOB-CARD-TEXT	User Job Card
SYS-USER-NAME	User Name
UNCLMD-FOUND-DATE	Date Found
UNCLMD-IND	Unclaimed Prop
UNCLMD-SPNS-FILE-DATE	
UNCLMD-TITLE-VESTED-DATE	
WRHS-DATE	Warehoused Date
WRHS-LCTN-ADRS	Warehouse Location
WRHS-LCTN-ADRS	Warehouse Loc
WRHS-RCPT-ERN-NMBR	

**APPENDIX B**  
**DATABASE FIELDS THAT DO NOT**  
**APPEAR ON SCREEN**

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ACCESS NAME:** ADPEPROP-RPTBL-IND  
**ENTITY:** IDLE ADPE  
**DESCRIPTIVE NAME:** IDLE ADPE PROPERTY REPORTABLE INDICATOR  
**DATA ELEMENT DEFINITION:**  
An indicator automatically set when reportable ADPE reaches Installation Idle to indicate the item is to be reported to the GSA. Once reported, the indicator is reset.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA:**  
Generated. Y = report; Blank = do not report.

---

**ACCESS NAME:** CMPNT-1348-IND  
**ENTITY:**  
**DESCRIPTIVE NAME:** COMPONENT SYSTEM 1348 INDICATOR  
**DATA ELEMENT DEFINITION:**  
Indicator set to designate the generation of a single DD-1348-1A for an entire component system. Once the report has been generated thru the Report Process, this indicator is reset to its default value.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA:**  
User entered Y = yes, Blank = no. Default is no.

---

**ACCESS NAME:** CMPNT-CASE-ENTRY-DATE  
**ENTITY:** COMPONENT SYSTEM  
**DESCRIPTIVE NAME:** COMPONENT SYSTEM CASE ENTRY DATE  
**DATA ELEMENT DEFINITION:**  
The calendar date on which a Component System is entered into the NPDMS.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Generated. Display **FORMAT:** MM = any number 1-12; DD = any number 1-31 and consistent with month; YY = current year. Stored in Internal Date format.

---

**ACCESS NAME:** CMPNT-IND

**ENTITY:** COMPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM INDICATOR

**DATA ELEMENT DEFINITION:**

Identifies cases as component systems property or as a single case. A component system is a case with more than one associated item.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Computer generated, C = Component System, S = Single Case. This indicator is position 11 of the PROP-CASE-NMBR.

---

**ACCESS NAME:** CMPNT-ITEM-SEQ-NMBR

**ENTITY:** COMPOPONENT SYSTEM

**DESCRIPTIVE NAME:** COMPONENT SYSTEM ITEM SEQUENCE  
NUMBER

**DATA ELEMENT DEFINITION:**

The field containing the highest Component System PROP-ITEM-ID for a specific PROP-CASE-NMBR.

**FORMAT:** Numeric

**LENGTH:** 2.0

**EDIT CRITERIA:**

Generated, 01-99.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

---

**ACCESS NAME:** CMPNT-NEMS-IND  
**ENTITY:** COMPONENT SYSTEM  
**DESCRIPTIVE NAME:** NEMS TAGGED COMPONENT SYSTEM  
PROPERTY INDICATOR

**DATA ELEMENT DEFINITION:**

An indicator automatically set if one or more items comprising a Component System is NEMS-tagged (controlled) Idle NASA Property.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Computer generated, Y = yes, Blank = no. Default is no.

---

**ACCESS NAME:** CMPNT-SPLY-CNDTN-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** COMPONENT SYSTEM SUPPLY CONDITION  
CODE

**DATA ELEMENT DEFINITION:**

The first position of the CMPNT-CNDTN-CODE-GRP indicating to the DRMO the physical condition and usability of a personal property item. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

See PROP-CNDTN-CODE-GRP. Must be in the NPDMS Supply Condition Code Table-030.

---

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ACCESS NAME:** CNTRCTR-IND  
**ENTITY:** CONTRACTOR  
**DESCRIPTIVE NAME:** CONTRACTOR INDICATOR

**DATA ELEMENT DEFINITION:**

Used to complete a data field on the computer tape, reporting to the General Services Administration, indicating that the property is contractor inventory.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**  
C or blank.

---

**ACCESS NAME:** CSTDN-PRVS-ACNT-NMBR  
**ENTITY:** CUSTODIAN  
**DESCRIPTIVE NAME:** CUSTODIAN PREVIOUS ACCOUNT NUMBER

**DATA ELEMENT DEFINITION:**

This field contains the reporting custodian's account number on the X90 Transaction that is written to the NEMS Daily Transaction File when a X90 Transaction is processed against the NEMS Active Equipment File.

**FORMAT:** Alphanumeric

**LENGTH:** 5

**EDIT CRITERIA:**  
Generated.

---

**ACCESS NAME:** DRMO-SPCL-ACNTBLTY-TEXT  
**ENTITY:** DRMO  
**DESCRIPTIVE NAME:** DRMO SPECIAL ACCOUNTABILITY TEXT

**DATA ELEMENT DEFINITION:**

The category specified in DoD 4160.21M identifying excess personal property in block D, of the DD-1348, as requiring special handling by the DRMO.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**FORMAT:** Alphanumeric

**LENGTH:** 51

**EDIT CRITERIA:**

Free form. Default is 'In the Clear'.

---

**ACCESS NAME:** EXCSPROP-RPT-IND

**ENTITY:** EXCESS PROPERTY

**DESCRIPTIVE NAME:** EXCESS PROPERTY REPORT INDICATOR

**DATA ELEMENT DEFINITION:**

The field that indicates that all personal property items for the PROP-CASE-NMBR are to be reported to or withdrawn from the GSA or are available for transfer to the DRMO. It will be set automatically at the end of NASA Screening if the item is to be reported to the GSA. It must be set through the Change Transaction for those items being transferred to the DRMO. Once reported or transferred, the indicator is reset if the PROP-REFER-SPND-RPTNG-IND is set to 'R'.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Generated. Y = report; Blank = do not report.

---

**ACCESS NAME:** GSA-PROP-RPT-QTY

**ENTITY:** GSA

**DESCRIPTIVE NAME:** QUANTITY OF PROPERTY REPORTED TO GSA

**DATA ELEMENT DEFINITION:**

The quantity of Idle NASA Property initially reported to GSA via electronic media or hardcopy SF-120.

**FORMAT:** Numeric

**LENGTH:** 5.0

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**EDIT CRITERIA:**

Generated and stored on the Transaction (E04) File.

---

**ACCESS NAME:** GSA-RPT-PROP-UNIT-COST-AMT

**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA REPORTED PROPERTY UNIT COST AMOUNT

**DATA ELEMENT DEFINITION:**

The Adjusted Acquisition Cost Amount of Idle NASA Property initially reported to GSA via hardcopy SF-120 or electronic media.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA:**

Generated and stored on the Transaction File.

---

**ACCESS NAME:** GSA-SF120-CRCTN-GNRTN-IND

**ENTITY:** GSA

**DESCRIPTIVE NAME:** GSA SF120 CORRECTION GENERATION  
INDICATOR

**DATA ELEMENT DEFINITION:**

The field in the NPDMS Item Record that triggers the generation of a SF-120 withdraw/correction form to be sent to GSA.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Y = yes; Blank = no.

---

**ACCESS NAME:** GSA-SF120-RPT-ID

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ENTITY:** GSA  
**DESCRIPTIVE NAME:** SF-120 GSA WITHDRAWAL/CORRECTION  
REPORT IDENTIFIER  
**DATA ELEMENT DEFINITION:**  
A letter used to identify the number of successive correcting or withdrawing SF-120 reports generated for a specific case record and forwarded to GSA.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA:**  
Initially set to 'blank' (none) then 'a' (1), 'b' (2), 'c' (3), etc.

---

**ACCESS NAME:** NEMS-AVLBLTY-STS-CODE  
**ENTITY:** NEMS  
**DESCRIPTIVE NAME:** NEMS AVAILABILITY STATUS CODE  
**DATA ELEMENT DEFINITION:**  
A key to the relative availability of NEMS reportable equipment by codes: A = Active B = Inactive-assigned C = Active-unassigned D = Excess.  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA:**  
Must be on NEMS Table 410: A = Active; B = Inactive-assigned; C = Active-unassigned; D = Excess.

---

**ACCESS NAME:** NEMS-EQUIP-SUBINST-NMBR  
**ENTITY:** NEMS  
**DESCRIPTIVE NAME:** NEMS EQUIPMENT SUBINSTALLATION NUMBER  
**DATA ELEMENT DEFINITION:**  
The subinstallation where an item of NEMS equipment is located prior to being added to the PDO's holdings.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**FORMAT:** Alphanumeric

**LENGTH:** 2.0

**EDIT CRITERIA:**

Generated (pulled) from the NEMS Equipment record at the time of initial add to NPDMS.

---

**ACCESS NAME:** NEMS-ERN-NMBR

**ENTITY:** NEMS

**DESCRIPTIVE NAME:** NP/NEMS INTERFACE ENTRY REFERENCE  
NUMBER

**DATA ELEMENT DEFINITION:**

A unique computer generated aggregate number assigned each NPDMS/NEMS interface transaction for audit trail purposes. This number is used to locate the corresponding documents on the microfilm reader. The NEMS-ERN-NMBR consists of: the subinstallation number; Julian date (YDDD); and a sequence (serial) number assigned each transaction during the day, starting each day with 0001.

**FORMAT:** Alphanumeric

**LENGTH:** 10.0

**EDIT CRITERIA:**

Generated for NPDMS interface transactions with NEMS and written to the NEMS Daily Transaction File. The serial number is generated using the next available sequence number contained on the NPDMS Table-115.

---

**ACCESS NAME:** NEMS-IND

**ENTITY:** NEMS

**DESCRIPTIVE NAME:** NEMS INDICATOR

**DATA ELEMENT DEFINITION:**

An indicator automatically set at the time of the Add to identify personal property as being NEMS-tagged (controlled).

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Generated: 'Y' or 'blank'. Automatically set to 'Y' if a record is found on the NEMS equipment file matching the entered NEMS-ECN-NMBR.

---

**ACCESS NAME:** NSMS-INDEX-DESC

**ENTITY:** NSMS

**DESCRIPTIVE NAME:** NSMS INDEX DESDCRIPTION

**DATA ELEMENT DEFINITION:**

Text description of a NSMS catalog index grouping of stock items.

**FORMAT:** Alphanumeric

**LENGTH:** 60 (1:40)

**EDIT CRITERIA:**

Provided by NSMS (INDEX-DESC) during electronic interface and stored on the NPDMS Text Descriptions File in a MU (PROP-DESC) field with up to 40 occurrences.

---

**ACCESS NAME:** NSMS-PROP-RCVD-ID

**ENTITY:** NSMS

**DESCRIPTIVE NAME:** NSMS PROPERTY RECEIVED IDENTIFIER

**DATA ELEMENT DEFINITION:**

Set at the time of a receipt transaction to identify the physical count of materials inventory property received at a NASA Storage facility, that was electronically added to NPDMS from NSMS.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Generated.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

U = Quantity received is less than quantity originally reported.  
O = Quantity received was greater than quantity originally reported.  
Blank = Quantity received was equal to the quantity originally reported.

---

**ACCESS NAME:** NSMS-TURN-IN-PROP-DCMNT-NMBR  
**ENTITY:** NSMS  
**DESCRIPTIVE NAME:** NSMS TURN IN PROPERTY DOCUMENT NUMBER  
**DATA ELEMENT DEFINITION:**  
Document number supplied by NSMS to identify the turn-in of idle supply property from NSMS to NPDMS. This number is comprised of the NSMS fields DOMAIN (A2) and DOCUMENT NUMBER (A15)  
**FORMAT:** Alphanumeric  
**LENGTH:** 17  
**EDIT CRITERIA:**  
Supplied by NSMS. Consists of DOMAIN (A2) and DOCUMENT NUMBER (A15) fields.

---

**ACCESS NAME:** PROP-ADJSTD-CNDTN-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY ADJUSTED CONDITION CODE  
**DATA ELEMENT DEFINITION:**  
A code that indicates the physical condition and serviceability of personal property. This is a change to the original Property Condition Code entered at the time of an add.  
**FORMAT:** Alphanumeric  
**LENGTH:** 2  
**EDIT CRITERIA:**  
See CONDITION CODE edit criteria

---

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ACCESS NAME:** PROP-ADJSTD-COST-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** AMOUNT PROPERTY COST ADJUSTED

**DATA ELEMENT DEFINITION:**

The amount that a property item's cost is adjusted during a Receipt (T02) or Change (E02) transaction.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA:**

Calculated. Value obtained by subtracting the PROP-ADJSTD-ACQSTN-COST-AMT on the case record from the user-entered 'new' Cost. This may result in either a positive or negative dollar amount.

---

**ACCESS NAME:** PROP-ADJSTD-ITEM-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY ADJUSTED ITEM NAME

**DATA ELEMENT DEFINITION:**

The field containing the change to the original name of the personal property item.

**FORMAT:** Alphanumeric

**LENGTH:** 60

**EDIT CRITERIA:**

Standard used is the Federal Cataloging Handbook, H-6 series.

---

**ACCESS NAME:** PROP-ADJSTD-QTY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY ADJUSTED QUANTITY

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DATA ELEMENT DEFINITION:**

An adjustment to the quantity of property entered at the time of a Receipt (T02) or Change (E02) transaction, if different than the quantity originally reported.

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA:**

Calculated. Value obtained by subtracting the PROP-CUR-AVLBL-QTY on the case record from the user-entered 'new' Quantity. This may result in either a positive or negative number.

---

**ACCESS NAME:** PROP-BID-WTHDRWL-IND

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY BID WITHDRAWAL INDICATOR

**DATA ELEMENT DEFINITION:**

An indicator set to indicate that a competitive bid for consideration to acquire property offered for sale has been withdrawn or deleted.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

User entered. valid values are 'W' (withdrawal), 'D' (delete), or 'blank'.

---

**ACCESS NAME:** PROP-CASE-ENTRY-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY CASE ENTRY DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which the idle personal property is entered into NPDMS.

**FORMAT:** D

**LENGTH:**

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**EDIT CRITERIA:**

Generated. Display **FORMAT:** MM = any number 1-12; DD = any number 1-31 and consistent with month; YY = current year. Stored in Internal Date format.

---

**ACCESS NAME:** PROP-FREEZE-ERN-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** FREEZE PROPERTY TRANSACTION ENTRY  
REFERENCE NUMBER

**DATA ELEMENT DEFINITION:**

The Entry Reference Number of the freeze transaction record that a final disposition transaction was processed against.

**FORMAT:** Alphanumeric

**LENGTH:** 10

**EDIT CRITERIA:**

Generated. Entry Reference Number on the 'F00' record is moved to this field on the final disposition 'Tnn' record.

---

**ACCESS NAME:** PROP-FREEZE-IND

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY FREEZE INDICATOR

**DATA ELEMENT DEFINITION:**

Used to identify if there are one or more existing freezes against a case.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

F = freeze status; Blank = no freezes

---

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ACCESS NAME:** PROP-FSC-CLASS-CODE; REC-KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY FSC CLASS CODE

**DATA ELEMENT DEFINITION:**

The third and fourth positions of the Federal Supply Classification Code portion of the PROP-FSC-CODE, which identify the classes within each group. The PROP-FSC-CLASS-CODE identifies the area of commodities in respect to their physical or performance characteristics.

**FORMAT:** Alphanumeric

**LENGTH:** 2.0

**EDIT CRITERIA:**

Valid codes maintained in the NPDMS FSC Code Table-020.

---

**ACCESS NAME:** PROP-FSC-GROUP-CODE; REC-KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY FSC GROUP CODE

**DATA ELEMENT DEFINITION:**

The first 2 positions of the Federal Supply Classification Code portion of the PROP-FSC-CODE. The FSC Group identifies the commodity area covered by classes within the group.

**FORMAT:** Alphanumeric

**LENGTH:** 2.0

**EDIT CRITERIA:**

Valid codes for this sub-descriptor maintained in the NPDMS FSC Code Table-020.

---

**ACCESS NAME:** PROP-INTL-LIST-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** INITIAL SCREENING LIST DATE OF PROPERTY

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DATA ELEMENT DEFINITION:**

The date of the first successful run (including printing) of the first screening list that the item appears on.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Generated. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

---

**ACCESS NAME:** PROP-INV-BGN-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY INVENTORY BEGIN DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which the PDO began a 'wall-to-wall' inventory of all Idle NASA Personal Property.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

User entered. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

---

**ACCESS NAME:** PROP-LOT-WTHDRWL-IND

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY LOT WITHDRAWAL INDICATOR

**DATA ELEMENT DEFINITION:**

An indicator set to indicate that a bid for consideration to acquire a specific property lot offered for sale has been withdrawn; the bidder who was awarded a lot has defaulted; or there were no bids for the lot.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**EDIT CRITERIA:**

User entered, valid values are 'W' (withdraw), 'D' (Defaulted), or 'N' (no bids).

---

**ACCESS NAME:** PROP-NASA-ACQRD-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY NASA ACQUIRED DATE

**DATA ELEMENT DEFINITION:**

The calendar date NASA or a NASA contractor initially received or identified an item of equipment.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Pulled from the NEMS Equipment File (DATE-NASA-ACQ) at the time of a controlled add. Stored in Internal Date format. This date is not displayed nor is it modifiable.

---

**ACCESS NAME:** PROP-NIIN-NMBR

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY NATIONAL ITEM IDENTIFICATION  
NUMBER

**DATA ELEMENT DEFINITION:**

A standard National Item Identification Number portion of the PROP-NSN-NMBR that appears after the Federal Supply Classification Code.

**FORMAT:** Alphanumeric

**LENGTH:** 9

**EDIT CRITERIA:**

See NATIONAL STOCK NUMBER.

---

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ACCESS NAME:** PROP-NTFCTN-LTR-SENT-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** DATE PROPERTY BIDDER NOTIFICATION LETTER SENT  
**DATA ELEMENT DEFINITION:**  
The calendar date that the individual, or the organization/company, who submitted a competitive bid for consideration to acquire a specific property lot that has been offered for sale is notified of the sales award.  
**FORMAT:** D  
**LENGTH:**  
**EDIT CRITERIA:**  
Generated. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

---

**ACCESS NAME:** PROP-PCKP-DCMNT-GNRTN-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY PICKUP DOCUMENT GENERATION DATE  
**DATA ELEMENT DEFINITION:**  
The calendar date on which the pickup document (NF-1638) is generated for an item of idle personal property.  
**FORMAT:** D  
**LENGTH:**  
**EDIT CRITERIA:**  
Current system date at the time of generation. Display **FORMAT:** MM = any number 1-12; DD = any number 1-31 and consistent with month; YY = current year. Stored in Internal Date format.

---

**ACCESS NAME:** PROP-PRVS-ACQSTN-COST-AMT  
**ENTITY:** IDLE NASA PROPERTY

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DESCRIPTIVE NAME:** PREVIOUS ADJUSTED ACQUISITION COST  
AMOUNT OF PROPERTY

**DATA ELEMENT DEFINITION:**

Contains the previous Adjusted Acquisition Cost Amount of Property on the case record changed as the result of a clerical or managerial adjustment.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA:**

Generated (moved) from the case record and stored on the A02 transaction record.

---

**ACCESS NAME:** PROP-PRVS-CNDTN-CODE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY PREVIOUS CONDITION CODE

**DATA ELEMENT DEFINITION:**

Contains the PROP-CNDTN-CODE value that was changed by a Receipt (T02) or change transaction.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA:**

Generated.

---

**ACCESS NAME:** PROP-PRVS-CUR-AVLBL-QTY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PREVIOUS CURRENT AVAILABLE QUANTITY OF  
PROPERTY

**DATA ELEMENT DEFINITION:**

Contains the previous Current Available Quantity of Property on the case record changed as the result of a clerical or managerial adjustment.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**FORMAT:** Numeric

**LENGTH:** 5.0

**EDIT CRITERIA:**

Generated (moved) from the case record and stored on the E02 transaction record.

---

**ACCESS NAME:** PROP-PRVS-ITEM-NAME

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY PREVIOUS ITEM NAME

**DATA ELEMENT DEFINITION:**

Contains the previous item name of the property that was changed by a Receipt (T02) or change transaction.

**FORMAT:** Alphanumeric

**LENGTH:** 60

**EDIT CRITERIA:**

Generated.

---

**ACCESS NAME:** PROP-RCPNT-CLSFCTN-IND

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY RECIPIENT CLASSIFICATION  
INDICATOR

**DATA ELEMENT DEFINITION:**

This field indicates if the recipient of the property is a Federal or non-Federal entity. Blank = Federal N = Non-federal.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Possible values are 'N' or blank.

---

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ACCESS NAME:** PROP-REC-CHNG-TYPE-CODE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY RECORD CHANGE TYPE CODE  
**DATA ELEMENT DEFINITION:**  
A code that indicates the type of record change being made based on the System User Change Authority Code and Property Case Entry Date; C = clerical change (Corrections to data within the first 10 days of the Property Case Entry Date); M = Managerial (adjustment) change (Adjustments to Quantity and/or Cost occurring more than 10 days after the Property Case Entry Date).  
**FORMAT:** Alphanumeric  
**LENGTH:** 1  
**EDIT CRITERIA:**  
Generated based on the SYS-USER-CHNG-ATHRTY-CODE of the User and the PROP-CASE-ENTRY-DATE. Possible values are 'C' and 'M'.

---

**ACCESS NAME:** PROP-RVRSL-ERN-NMBR  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY REVERSAL TRANSACTION ENTRY REFERENCE NUMBER  
**DATA ELEMENT DEFINITION:**  
The field in the reversal transaction (RTxx) containing the PROP-ERN-NMBR of the transaction that is being reversed.  
**FORMAT:** Alphanumeric  
**LENGTH:** 12.0  
**EDIT CRITERIA:**  
Value is obtained from a valid Disposition Transaction Record.

---

**ACCESS NAME:** PROP-SCRNG-TYPE-ID  
**ENTITY:** IDLE NASA PROPERTY

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DESCRIPTIVE NAME:** PROPERTY SCREENING TYPE IDENTIFIER

**DATA ELEMENT DEFINITION:**

Indicates the type of internal screening the personal property item should undergo. 1 = Controlled NEMS screenable; 2 = Controlled non-NEMS screenable; 3 = Non-controlled screenable.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA:**

Generated. 1 = Controlled NEMS screenable; 2 = Controlled non-NEMS screenable; 3 = Non-controlled screenable.

---

**ACCESS NAME:** PROP-SPLY-CNDTN-CODE; SYS-REC KEY

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY SUPPLY CONDITION CODE

**DATA ELEMENT DEFINITION:**

The first position of the PROP-CNDTN-CODE-GRP indicating to the DRMO the physical condition and usability of a personal property item. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

See PROP-CNDTN-CODE-GRP. Must be in the NPDMS Supply Condition Code Table-030.

---

**ACCESS NAME:** PROP-THAW-DATE

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY THAW DATE

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DATA ELEMENT DEFINITION:**

The calendar date on which the thawing of a freeze (F00) transaction was entered.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Generated. Display **FORMAT:** MM/DD/YY. Stored in Internal Date format.

---

**ACCESS NAME:** PROP-TOT-ADJSTD-COST-AMT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TOTAL ADJUSTED COST AMOUNT

**DATA ELEMENT DEFINITION:**

The total amount (difference) that a property item's cost is adjusted during a Receipt (T02) or Change (E02) transaction.

**FORMAT:** Packed

**LENGTH:** 10.2

**EDIT CRITERIA:**

Calculated. This may result in either a positive or negative dollar amount.

---

**ACCESS NAME:** PROP-TXN-ATHRTY-TEXT

**ENTITY:** IDLE NASA PROPERTY

**DESCRIPTIVE NAME:** PROPERTY TRANSACTION AUTHORITY TEXT

**DATA ELEMENT DEFINITION:**

Provides for a narrative description of the authority to dispose of excess property.

**FORMAT:** Alphanumeric

**LENGTH:** 240

**EDIT CRITERIA:**

Free form.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

---

**ACCESS NAME:** PROP-TXN-DATE  
**ENTITY:** IDLE NASA PROPERTY  
**DESCRIPTIVE NAME:** PROPERTY TRANSACTION DATE

**DATA ELEMENT DEFINITION:**

The Julian date on which a specific transaction occurred.

**FORMAT:** Numeric

**LENGTH:** 4.0

**EDIT CRITERIA:**

Generated. Stored in YDDD format. This sub-descriptor is position 3-6 of the PROP-TXN-ERN-NMBR.

---

**ACCESS NAME:** RPT-1348-TEXT  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 1348 TEXT

**DATA ELEMENT DEFINITION:**

A free form field used in the generation of DD-1348-1A forms.

**FORMAT:** Alphanumeric

**LENGTH:** 196

**EDIT CRITERIA:**

Free form.

---

**ACCESS NAME:** RPT-1810-BAL-AMT  
**ENTITY:** REPORT  
**DESCRIPTIVE NAME:** REPORT 1810 BALANCE AMOUNT

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DATA ELEMENT DEFINITION:**

The amount on the 1810 Account Record containing the ending balance for a specific month and is the beginning balance for the next generation of the 1800 report.

**FORMAT:** Packed

**LENGTH:** 11.2

**EDIT CRITERIA:**

Calculated and stored on NPDMS Table 130. Includes all property entered into NPDMS with a PROP-STOCK-STS-CODE of 4 and 5.

---

**ACCESS NAME:** RPT-1820-BAL-AMT

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT 1820 BALANCE AMOUNT

**DATA ELEMENT DEFINITION:**

The amount on the 1820 Account Record containing the ending balance for a specific month and is the beginning balance for the next generation of the 1800 report.

**FORMAT:** Packed

**LENGTH:** 11.2

**EDIT CRITERIA:**

Calculated and stored on NPDMS Table 130. Includes all property entered into NPDMS with a PROP-STOCK-STS-CODE of 1, 2 and 3.

---

**ACCESS NAME:** RPT-623-BAL-AMT

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT 623 BALANCE AMOUNT

**DATA ELEMENT DEFINITION:**

This field contains the Ending Balance from the annual and monthly NASA 623 reports, and is carried over as the Beginning Balance for the next generation of the NASA 623 report.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**FORMAT:** Packed

**LENGTH:** 11.2

**EDIT CRITERIA:**

Calculated and stored on NPDMS Table120 for the monthly 623 report and Table125 for the annual 623 report.

---

**ACCESS NAME:** RPT-811-GNRTN-DATE

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT 811 GENERATION DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which the NPDMS 811 report is generated to dispose of personal property determined to be salvage or scrap.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Generated. Displayed in MM/DD/YY format. Stored in Internal Date format.

---

**ACCESS NAME:** RPT-812-GNRTN-DATE

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT 812 GENERATION DATE

**DATA ELEMENT DEFINITION:**

The calendar date on which the NPDMS 812 report is generated to dispose of personal property to be abandoned, destroyed, or Donated to Public Bodies Without Prior GSA Approval.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Generated. Displayed in format MM/DD/YY. Stored in Internal Date format.

---

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ACCESS NAME:** RPT-INST-NAME

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT INSTALLATION NAME

**DATA ELEMENT DEFINITION:**

Contains the installation name that is to appear in the report title for a specific NPDMS report or maintenance job.

**FORMAT:** Alphanumeric

**LENGTH:** 40

**EDIT CRITERIA:**

Installation specific. The default is maintained in the NPDMS Center Profile Table-050.

---

**ACCESS NAME:** RPT-MAINT-PGM-ID; SYS-REC-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** REPORT/MAINTENANCE PROGRAM IDENTIFIER

**DATA ELEMENT DEFINITION:**

The program id designated for a specific NPDMS report or maintenance job. Positions 1-2 contain the NPDMS system identifier 'ND', position 3 designates the RPT-MAINT-JOB-IND and contains either an 'R' for report or an 'M' for maintenance, positions 4-6 contain the RPR-MAINT-JOB-NMBR. Also used with the SYS-TBL-ID providing access to the NPDMS Table File.

**FORMAT:** Alphanumeric

**LENGTH:** 8

**EDIT CRITERIA:**

---

**ACCESS NAME:** RPT-USER-ID

**ENTITY:** REPORT

**DESCRIPTIVE NAME:** REPORT USER IDENTIFIER

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DATA ELEMENT DEFINITION:**

The USER ID of the individual that created the NPDMS Report Record.

**FORMAT:** Alphanumeric

**LENGTH:** 8

**EDIT CRITERIA:**  
Generated.

---

**ACCESS NAME:** SUBINST-NMBR

**ENTITY:** NASA SUB-INSTALLATION

**DESCRIPTIVE NAME:** SUBINSTALLATION NUMBER

**DATA ELEMENT DEFINITION:**

A two-digit number identifying the subinstallation of a NASA Installation. This is the last 2 positions of the INST-NMBR.

**FORMAT:** Alphanumeric

**LENGTH:** 2.0

**EDIT CRITERIA:**

Must match NPDMS Table-105:

- 01 - Langley Research Center
- 02 - Ames Research Center
- 03 - Lewis Research Center
- 04 - Dryden Flight Research Facility
- 05 - Goddard Space Flight Center
- 06 - Wallops Flight Facility
- 07 - Jet Propulsion Laboratory
- 08 - Marshall Space Flight Center
- 81 - Network Communications (PSCN)
- 09 - Johnson Space Center
- 91 - White Sands Test Facility
- 92 - Johnson Space Center (STSO)
- 93 - Johnson Space Center (FEPC)
- 10 - Kennedy Space Center
- 15 - Kennedy Space Center (BOC)
- 16 - Kennedy Space Center (SPC)
- 17 - Kennedy Space Center (Vandenberg AFB)

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

18 - Kennedy Space Center (PGOC)  
19 - Kennedy Space Center (RIC)  
11 - Headquarters  
12 - Headquarters (Space Station)  
13 - Stennis Space Center.

---

**ACCESS NAME:** SYS-AUDIT-TIME

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM AUDIT TIME

**DATA ELEMENT DEFINITION:**

For audit purposes, the calendar date a case or table record was last updated in the system by a user.

**FORMAT:** T

**LENGTH:**

**EDIT CRITERIA:**

Generated. \*TIMX (Internal Date format).

---

**ACCESS NAME:** SYS-BATCH-REC-ID

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** BATCH SYSTEM RECORD IDENTIFIER

**DATA ELEMENT DEFINITION:**

This field identifies the 4 record types on the Batch Case Data Entry File that are used in the NSMS Interface process. It is used to uniquely identify each record. Batch Record Id 1 identifies records that are input into NPDMS. Batch Record Id's 2, 3, and 4 are those NSMS records accepted, rejected, or receipted by NPDMS.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA:**

Type 1 - NSMS Property submitted for Disposal; Type 2 - Accepted NSMS

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

items; Type 3 - Rejected NSMS items; Type 4 - NPDMS Receipt of NSMS items.

---

**ACCESS NAME:** SYS-BID-ABSTRCT-RPT-IND  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM SEALED BID ABSTRACT REPORT INDICATOR

**DATA ELEMENT DEFINITION:**

If the TYPE PROP-SALE-MTHD-ID is set to '1' (Sealed Bid sale), this indicator is set to "Y" to automatically generate a complete abstract of all bidders' information on bids accepted and processed for a specific PROP-SALE-DATE to determine high bidders.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA:**

Generated if PROP-SALE-MTHD-ID equals '1'. Values are 'Y' or Blank.

---

**ACCESS NAME:** SYS-CASE-SERIAL-NMBR  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM CASE SERIAL NUMBER

**DATA ELEMENT DEFINITION:**

The next available serial (or sequence) number for the generation of the PROP-CASE-NMBR.

**FORMAT:** Alphanumeric

**LENGTH:** 3

**EDIT CRITERIA:**

Generated using NPDMS Table-100.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

note: The SYS-SERIAL-NMBR on the table is a numeric 4. The value of this field is moved to variable numeric 4, which is redefined as numeric 1 and alpha 3, respectively. The 3 position alpha field is then moved to the SYS-CASE-SERIAL-NMBR. The three positions of the serial number would be used numerically up to 999. After that the first position "A" and proceed thru the alphabet and the last 2 positions will start over at 01.

---

**ACCESS NAME:** SYS-CNTRL-FLAG

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM CONTROL FLAG

**DATA ELEMENT DEFINITION:**

Flag set by NSMS on the Batch Interface File to aid NSMS in identifying processing actions required.

**FORMAT:** Alphanumeric

**LENGTH:** 1.0

**EDIT CRITERIA:**

Value set to 'blank' by NPDMS when a record electronically passed to NPDMS is rejected.

---

**ACCESS NAME:** SYS-JULIAN-DATE

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM JULIAN DATE

**DATA ELEMENT DEFINITION:**

The system variable \*DATJ is retrieved as Julian format YYDDD, which is moved into format YDDD.

**FORMAT:** Alphanumeric

**LENGTH:** 4.0

**EDIT CRITERIA:**

Generated and stored in YDDD format.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

---

**ACCESS NAME:** SYS-PRVS-TBL-ID  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** PREVIOUS SYSTEM TABLE IDENTIFIER

**DATA ELEMENT DEFINITION:**

The previous table id of a table record deleted by a user.

**FORMAT:** Alphanumeric

**LENGTH:** 3

**EDIT CRITERIA:**

001 = User Access Table;  
005 = GSA Region Table;  
010 = DRMO DODAAC Table;  
015 = Exception Processing Table;  
020 = Federal Supply Classification Code Table;  
025 = Unit of Measure Table;  
030 = Supply Condition Code Table;  
035 = Disposal Condition Code Table;  
040 = Performance Measures Table;  
045 = Demilitarization Code Table;  
050 = Center Profile Table.  
055 = Report/Maintenance Table;  
060 = Fixed Shelf Life Code Table;  
062 = Shelf Life Extension Code Table;  
065 = Hazardous Materials Code Table;  
070 = Controlled Inventory Item Code Table;  
075 = ADPE Identification Code Table;  
080 = Precious Metals Code Table;  
085 = Materiel Management Aggregation Code Table  
090 = DRMO Disposal Authority Code Table;  
095 = DRMO Additional Data Code Table;  
100 = Property Case Number Serial Number Record;  
105 = Installation Code Table;  
110 = Entry Reference Number Serial Number Record;  
112 = DRMO 1348 Serial Number Record  
113 = Sale Number Serial Number record

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

115 = NEMS Entry Reference Number Serial Number Record;  
120 = Monthly 623 Report Balance Record;  
125 = Annual 623 Report Balance Record;  
130 = 1800 Report Balance Record;  
135 = Sale Slip Serial Number Record;  
140 = JCL Table; 150 = State Table;  
155 = Screening Days Table;  
160 = Reimbursement Code Table;  
165 = Hazardous Materials Indicator Code Table.

---

**ACCESS NAME:** SYS-SERIAL-NMBR  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM SERIAL NUMBER

**DATA ELEMENT DEFINITION:**

The next available serial (or sequence) number for the generation of the PROP-CASE-NMBR, PROP-ERN-NMBR, NEMS-ERN-NMBR, RPT-1348-DCMNT-NMBR, and PROP-SALE-RCPT-DCMNT-NMBR.

**FORMAT:** Numeric

**LENGTH:** 4.0

**EDIT CRITERIA:**  
Generated.

---

**ACCESS NAME:** SYS-STATE-FIPS-CODE;SYS-REC-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM STATE FEDERAL INFORMATION  
PROCESSING STANDARDS CODE

**DATA ELEMENT DEFINITION:**

2 character Federal Information Processing Standards (FIPS) Code assigned by the US Postal Service to each State and U.S. Territory/Possession. Each SYS-STATE-FIPS-CODE has a two character abbreviation for States and Territories that is used as the SYS-REC-KEY when accessing NPDMS Table 150. Each

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

State has an associated GSA Region to which Idle NASA Property is normally reported to, based on the physical location of the property in accordance with Federal Property Management Regulations.

**FORMAT:** Alphanumeric

**LENGTH:** 2

**EDIT CRITERIA:**

FIPS codes as listed in Publication 28, Postal Addressing Standards (May 1990).  
Must be in the NPDMS State Table-150.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

FIPS CODE*	RECORD KEY	STATE NAME	GSA REGION
01	AL	Alabama	04
02	AK	Alaska	10
04	AZ	Arizona	09
05	AR	Arkansas	07
06	CA	California	09
08	CO	Colorado	08
09	CT	Connecticut	01
10	DE	Delaware	03
11	DC	District of Columbia	W
12	FL	Florida	04
13	GA	Georgia	04
15	HI	Hawaii	09
16	ID	Idaho	10
17	IL	Illinois	05
18	IN	Indiana	05
19	IA	Iowa	06
20	KS	Kansas	06
21	KY	Kentucky	04
22	LA	Louisiana	07
23	ME	Maine	01
24	MD	Maryland	03
25	MA	Massachusetts	01
26	MI	Michigan	05
27	MN	Minnesota	05
28	MS	Mississippi	04
30	MT	Montana	08
31	NE	Nebraska	06
32	NV	Nevada	09
33	NH	New Hampshire	02

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

FIPS CODE*	RECORD KEY	STATE NAME	GSA REGION
35	NM	New Mexico	07
36	NY	New York	02
37	NC	North Carolina	04
38	ND	North Dakota	08
39	OH	Ohio	05
40	OK	Oklahoma	07
41	OR	Oregon	10
42	PA	Pennsylvania	03
44	RI	Rhode Island	01
45	SC	South Carolina	04
46	SD	South Dakota	08
47	TN	Tennessee	04
48	TX	Texas	07
49	UT	Utah	08
50	VT	Vermont	01
51	VA	Virginia	03
53	WA	Washington	10
54	WV	West Virginia	03
55	WI	Wisconsin	05
56	WY	Wyoming	08
60	AS	American Samoa	09
66	GU	Guam	09
69	MP	Northern Marianas	09
72	PR	Puerto Rico	02
75	MH	Marshall Islands	09
78	VI	Virgin Islands	02
??	FM	States of Micronesia	09

**NOTE:** \*Federal Information Processing Standards Code.

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

---

**ACCESS NAME:** SYS-STATE-NAME

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM STATE NAME

**DATA ELEMENT DEFINITION:**

The name of a particular State or U.S. Territory/Possession.

**FORMAT:** Alphanumeric

**LENGTH:** 30

**EDIT CRITERIA:**

As listed in Publication 28, Postal Addressing Standards (May 1990). See SYS-STATE-FIPS-CODE for listing of the names.

---

**ACCESS NAME:** SYS-TXN-SORT-KEY

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM TRANSACTION SORT KEY

**DATA ELEMENT DEFINITION:**

A sort sequence key stored on each NPDMS transaction record generated by the system to identify the order and section where the record will be printed on the Daily Transaction Report.

**FORMAT:** Alphanumeric

**LENGTH:** 3

**EDIT CRITERIA:**

'A05' /\* SINGLE ITEM CONTROLLED ADD

'A10' /\* SINGLE ITEM NON-CONTROLLED ADD

'A15' /\* SINGLE ITEM MATERIALS INVNT ADD

'A20' /\* COMPONENT SYSTEM CONTROL ADD

'A25' /\* COMPONENT SYSTEM NON-CONTROLLED ADD

'A30' /\* SINGLE ITEM CHANGE

'A35' /\* COMPONENT SYSTEM CASE CHANGES

'A40' /\* COMPONENT SYSTEM ITEM CHANGES

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

'A45' /\* SINGLE ITEM DELETES  
'A50' /\* COMPONENT SYSTEM CASE DELETES  
'A55' /\* COMPONENT SYSTEM ITEM DELETES  
'A60' /\* GSA WITHDRAWALS  
'A65' /\* ADJUSTMENT  
'B05' /\* RECEIPT  
'B10' /\* EXPANDED TO SCRAP  
'B15' /\* SURVEY LOST PERSONAL PROPERTY  
'B20' /\* UTILIZED BY GENERATE NASA CENTER  
'B25' /\* UTILIZED BY OTHER NASA CENTERS  
'B30' /\* TRANSFER FOR USE OF OFA WITH PRIOR GSA APPROVAL  
'B35' /\* TRANSFER FOR USE OF OFA W/O PRIOR GSA APPROVAL  
'B40' /\* TRANSFERRED TO DRMO FOR FURTHER DISPOSAL PROCESSING  
'B45' /\* TRANSFER OF FOREIGN EXCESS PROPERTY FOR DONATION  
'B50' /\* DONATION FOR PUBLIC BODIES WITHOUT PRIOR GSA APPROVAL  
'B55' /\* TRANSFERRED TO GSA FOR FURTHER DISPOSAL PROCESSING  
'B60' /\* DONATION APPROVED BY GSA  
'B65' /\* SOLD BY NASA OR AGENT  
'B70' /\* SOLD BY GSA  
'B75' /\* TRANSFERRED TO OTHER WITHOUT PRIOR GSA APPROVAL  
'B80' /\* ABANDONED OR DESTROYED PROPERTY  
'B85' /\* EXCHANGE/SALE OF PROPERTY  
'B90' /\* DONATION TO OTHER WITHOUT PRIOR GSA APPROVAL  
'C05' /\* DELETE AN EXISTING FREEZE  
'C10' /\* FREEZE FOR NASA ACTIVITY  
'C15' /\* FREEZE FOR OFA  
'C20' /\* FREEZE FOR DONATION  
'C25' /\* FREEZE FOR SALES  
'D05' /\* RECEIPT RT02  
'D10' /\* EXPANDED TO SCRAP RT03  
'D15' /\* SURVEY LOST PERSONAL PROPERTY RT04  
'D20' /\* UTILIZED BY GENERATE NASA CENTER RT05  
'D25' /\* UTILIZED BY OTHER NASA CENTERS RT06  
'D30' /\* TRANSFER FOR USE OF OFA WITH PRIOR GSA APPROVAL RT07  
'D35' /\* TRANSFER FOR USE OF OFA WITHOUT PRIOR GSA APPROVAL RT08  
'D40' /\* TRANSFERRED TO DRMO FOR FURTHER DISPOSAL PROCESSING RT09  
'D45' /\* TRANSFER OF FOREIGN EXCESS PROPERTY FOR DONATION RT10  
'D50' /\* DONATION FOR PUBLIC BODIES WITHOUT PRIOR GSA APPROVAL RT11  
'D55' /\* TRANSFERRED TO GSA FOR FURTHER DISPOSAL PROCESSING RT12  
'D60' /\* DONATION APPROVED BY GSA RT13

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

'D65' /\* SOLD BY NASA OR AGENT RT14  
'D70' /\* SOLD BY GSA RT15  
'D75' /\* TRANSFERRED TO OTHER WITHOUT PRIOR GSA APPROVAL RT16  
'D80' /\* ABANDONED OR DESTROYED PROPERTY RT18  
'D85' /\* EXCHANGE/SALE OF PROPERTY RT19  
'D90' /\* DONATION TO OTHER WITHOUT PRIOR GSA APPROVAL RT20

---

**ACCESS NAME:** SYS-TXN-STS-ID

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM TRANSACTION STATUS IDENTIFIER

**DATA ELEMENT DEFINITION:**

A one character identifier identifying status of transaction being processed by the system. This is the first character of the PROP-TXN-ID.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Generated. R = Reversal or Blank = Not reversed.

---

**ACCESS NAME:** SYS-TXN-TYPE-ID

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM TRANSACTION TYPE IDENTIFIER

**DATA ELEMENT DEFINITION:**

A one character sub-descriptor identifying type of transaction being processed by the system, this is the second character position of the PROP-TXN-ID.

**FORMAT:** Alphanumeric

**LENGTH:** 1

**EDIT CRITERIA:**

Generated. (Pos 2-2 of PROP-TXN-ID)

E = Add/Change/Delete

F = Freeze

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

T = Final dispositions  
X = NP/NEMS transactions.

---

**ACCESS NAME:** SYS-UNQ-CASE-KEY  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM UNIQUE CASE KEY  
**DATA ELEMENT DEFINITION:**  
Unique super-descriptor system key comprised of the PROP-CASE-NMBR and PROP-ITEM-ID.  
**FORMAT:** Alphanumeric  
**LENGTH:** 16  
**EDIT CRITERIA:**  
System

---

**ACCESS NAME:** SYS-UNQ-TBL-KEY-SP  
**ENTITY:** SYSTEM  
**DESCRIPTIVE NAME:** SYSTEM UNIQUE TABLE KEY  
**DATA ELEMENT DEFINITION:**  
Unique super-descriptor system key comprised of a valid SYS-TBL-ID and SYS-REC-KEY.  
**FORMAT:** Alphanumeric  
**LENGTH:** 13  
**EDIT CRITERIA:**  
System

---

**ACCESS NAME:** SYS-UNQ-TXN-KEY

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**ENTITY:** SYSTEM

**DESCRIPTIVE NAME:** SYSTEM UNIQUE TRANSACTION KEY

**DATA ELEMENT DEFINITION:**

Unique super-descriptor system key comprised of the PROP-CASE-NMBR and PROP-ITEM-ID.

**FORMAT:** Alphanumeric

**LENGTH:** 16

**EDIT CRITERIA:**  
System

---

**ACCESS NAME:** UNCLMD-SPNS-FILE-DATE

**ENTITY:** ABANDONED OR OTHER UNCLAIMED PROPERTY

**DESCRIPTIVE NAME:** UNCLAIMED PROPERTY SUSPENSE FILE DATE

**DATA ELEMENT DEFINITION:**

The calendar date by which a former owner of unclaimed property may be reimbursed its Fair Market Value Amount (less the costs incident to the care and handling of such property) from a special fund, based upon proper claim made to the finding (NASA) or transferor agency and filed within 3 years from the date of vesting title in the United States (UNCLMD-TITLE-VESTED-DATE).

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Calculated (3 years from the UNCLMD-TITLE-VESTED-DATE). Display format MM/DD/YY, stored in Internal Date format.

---

**ACCESS NAME:** UNCLMD-TITLE-VESTED-DATE

**ENTITY:** ABANDONED OR OTHER UNCLAIMED PROPERTY

**DESCRIPTIVE NAME:** UNCLAIMED PROPERTY VESTED TITLE DATE

**NPDMS DATA DICTIONARY**  
**Database Fields That Do Not Appear on Screens**

**DATA ELEMENT DEFINITION:**

The calendar date on which title to the unclaimed property vests to the United States, except that title reverts to the owner where a proper claim is filed by the owner prior to official use of the property and, if there is no official use or transfer for official use, prior to sale of the property. This date is 30 days from the DATE UNCLMD-FOUND-DATE.

**FORMAT:** D

**LENGTH:**

**EDIT CRITERIA:**

Generated (30 days from DATE UNCLMD-FOUND-DATE). Display format MM/DD/YY, stored in Internal Date format.

---

**ACCESS NAME:** WRHS-RCPT-ERN-NMBR

**ENTITY:** WAREHOUSE

**DESCRIPTIVE NAME:** WAREHOUSE RECEIPT ENTRY REFERENCE  
NUMBER

**DATA ELEMENT DEFINITION:**

Field on the adjustment (A02) transaction record containing the PROP-ERN-NMBR of the Receipt (T02) transaction that was processed against the case record.

**FORMAT:** Alphanumeric

**LENGTH:** 10.0

**EDIT CRITERIA:**

Generated.

---

**APPENDIX C**  
**ENTITY DEFINITIONS**

**NPDMS DATA DICTIONARY**  
**Entity Definitions**

**ENTITY:** ABANDONED OR OTHER UNCLAIMED PROPERTY

**ENTITY ABBREVIATION:** UNCLMD

**ENTITY DEFINITION:** "Abandoned or other unclaimed property" means personal property that is found on premises owned or leased by the Government and which is subject to the filing of a claim by the former owner(s) within 3 years from the vesting of title in the United States (Ref: FPMR 41 CFR Ch. 101-48.001-1).

---

**ENTITY:** AGENT

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** The NASA Installation or their Agent, authorized by the GSA to conduct the sale of Surplus Property.

---

**ENTITY:** COMPONENT SYSTEM PROPERTY

**ENTITY ABBREVIATION:** CMPNT

**ENTITY DEFINITION:** Component System Property is a collection of personal property items, designed and operated to accomplish specific functions, that undergo reutilization screening as a single entity (e.g., ADP equipment or 'matched pair' calibrated electronic equipment).

---

**ENTITY:** CONTRACTOR

**ENTITY ABBREVIATION:** CNTRCTR

**ENTITY DEFINITION:** A supplier of goods or services purchased through the NASA procurement process and that is contractually responsible to NASA for government furnished property.

---

**ENTITY:** DEFENSE REUTILIZATION AND MARKETING OFFICE

## **NPDMS DATA DICTIONARY**

### **Entity Definitions**

**ENTITY ABBREVIATION:** DRMO

**ENTITY DEFINITION:** A Department of Defense facility to which NASA Excess Property can be transferred to for further processing (e.g., demilitarization, precious metals reclamation).

---

**ENTITY:** EXCHANGE/SALE PROPERTY

**ENTITY ABBREVIATION:** EXCHNGSL

**ENTITY DEFINITION:** Used NASA personal property still needed to perform the duties of the agency, which is replaced with similar new property. Exchange/Sale property may be transferred to another organization within a center, to another NASA center, or to another Federal Agency, with a reimbursement of fair market value returned to NASA to offset the procurement cost of new replacement personal property. Exchange/Sale property can also be exchanged (traded-in) to a vendor when procuring similar new property. The reduction in procurement cost associated with the exchange is the trade-in value of the old used personal property. Exchange/Sale property that is not transferred or exchanged may be sold by GSA or NASA with the sale proceeds returned to NASA to offset the procurement cost of new replacement personal property.

---

**ENTITY:** FEDERAL AGENCY

**ENTITY ABBREVIATION:** AGNCY

**ENTITY DEFINITION:** "Federal Agency" means any executive agency or any establishment in the legislative or judicial branch of the Government (except the Senate, the House of Representatives, and the Architect of the Capital and any activities under his direction).

---

**ENTITY:** GENERAL SERVICES ADMINISTRATION

**ENTITY ABBREVIATION:** GSA

**ENTITY DEFINITION:** "GSA" means the General Service Administration, acting by or through the Administrator of General Services, a designated official to whom functions under FPMR 41 CFR Chapter 101 have been delegated by

## **NPDMS DATA DICTIONARY**

### **Entity Definitions**

the Administrator of General Services. The General Services Administration establishes policy and provides for the Government an economical and efficient system for the management of its property and records, including construction and operation of buildings, procurement and distribution of supplies, utilization and disposal of property, transportation, traffic, and communications management, and management of the Government-wide automatic data processing resources program. This is the federal agency to which NASA Installations report all specified classes of equipment for screening, reutilization, sale or donation.

---

**ENTITY:** IDLE NASA PROPERTY

**ENTITY ABBREVIATION:** PROP

**ENTITY DEFINITION:** This is personal property owned by NASA that is no longer needed by the Program Office that acquired the property or the custodian and is made available for reutilization, can be expended to Scrap/Salvage, can be determined Lost, Abandoned or Destroyed, can be staged in a NASA Warehouse Facility, may be Exchanged/Sold for replacement, or may be donated.

---

**ENTITY:** INITIATOR

**ENTITY ABBREVIATION:** INTR

**ENTITY DEFINITION:** This is an individual who reports Installation Idle Property to the Property Disposal Officer.

---

**ENTITY:** INSTALLATION IDLE ADPE REPORTABLE PROPERTY

**ENTITY ABBREVIATION:** ADPEPROP

**ENTITY DEFINITION:** This is Controlled and Non-controlled Automated Data Processing Equipment (ADPE) reported with a Federal Supply Classification (FSC) group code of '70' and current acquisition cost of one million dollars or more and is less than 9 years old that is immediately reported to the GSA at the time of an Add for concurrent screening.

---

## NPDMS DATA DICTIONARY

### Entity Definitions

**ENTITY:** INSTALLATION IDLE CONTROLLED PROPERTY

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** This is NASA Equipment Management System (NEMS) tracked Installation Controlled (NEMS-tagged) Property reported by the Property Custodian as Idle Property.

---

**ENTITY:** INSTALLATION IDLE NON-CONTROLLED PROPERTY

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** This is Non-controlled (Non-NEMS tagged) personal property reported as Installation Idle Property by a Property Custodian or Initiator.

---

**ENTITY:** INSTALLATION IDLE PROPERTY

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** Personal Property accountable to an Installation and determined unnecessary to the needs and discharge of the holding organization and, therefore, reported to the Property Disposal Officer for reutilization or disposal in accordance with established Agency policy. Installation Idle Property is Idle NASA Property that consists of Installation Idle ADPE Reportable, Installation Idle Controlled Property and Installation Idle Non-Controlled Property. Property enters Idle Property status and begins the internal NASA screening process. Through the NASA Screening Catalog, Installation Idle Property is made available for reutilization on-site or transfer to other NASA Installations. Select items are available for direct transfer to other Federal Agencies without prior GSA approval. Installation Idle ADPE Reportable is immediately reported to the GSA for concurrent screening.

---

**ENTITY:** INSTALLATION IDLE SUPPLY PROPERTY

## NPDMS DATA DICTIONARY

### Entity Definitions

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** Materials Inventory Items determined unnecessary to the needs of NASA Stock Systems (i.e., NSMS, KIMS, ALS) and reported as Installation Idle Supply Property.

---

**ENTITY:** LOST/ABANDONED/DESTROYED

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** This is Idle NASA Property which, through physical inventory, is determined by the Property Disposal Officer to be Lost, Abandoned or Destroyed.

---

**ENTITY:** NASA EQUIPMENT MANAGEMENT SYSTEM

**ENTITY ABBREVIATION:** NEMS

**ENTITY DEFINITION:** This is a standard agency-wide equipment management system designed to track information and activity pertaining to NASA's controlled equipment, following the procedures outlined in *NASA Equipment Management Manual (NHB4200.1B)*.

---

**ENTITY:** NASA EXCESS PROPERTY

**ENTITY ABBREVIATION:** EXCSPROP

**ENTITY DEFINITION:** This is Idle NASA Personal Property that has completed NASA Installation screening and been reported to GSA without being reutilized or transferred. At this time, the property enters NASA Excess Property Status and the property begins the other federal agency screening process. For NASA Installation's reporting to GSA, Excess Property can be transferred to all Federal Agencies with GSA approval. If not reported to GSA, Excess Property is transferred to the DRMO. Ref: 41 CFR 101.43 and DoD 4160.21-M.

---

**NPDMS DATA DICTIONARY**  
**Entity Definitions**

**ENTITY:** NASA HEADQUARTERS

**ENTITY ABBREVIATION:** HQ

**ENTITY DEFINITION:** Those collective NASA organizational elements which are responsible for managing agency-wide programs and functions and are located in Washington DC.

---

**ENTITY:** NASA INSTALLATION

**ENTITY ABBREVIATION:** INST

**ENTITY DEFINITION:** Those NASA field installations responsible for implementing and maintaining agency programs and functions.

---

**ENTITY:** NASA PERSONAL PROPERTY

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** NASA "Personal property" means any property, except real property, records of the Federal Government, and naval vessels of the following categories: battleships, cruisers, aircraft carriers, destroyers, and submarines.

---

**ENTITY:** NASA SUB-INSTALLATION

**ENTITY ABBREVIATION:** SUBINST

**ENTITY DEFINITION:** Those NASA/NASA Contractor organizations that are separated from the parent NASA installation to which they are assigned.

---

**ENTITY:** NASA SUPPLY MANAGEMENT SYSTEM

**ENTITY ABBREVIATION:** NSMS

**ENTITY DEFINITION:** A standard agency-wide supply information management system designed to assist NASA Supply and Equipment

## NPDMS DATA DICTIONARY

### Entity Definitions

Management Officers in reporting and maintaining control over materials handled in the day-to-day operations of NASA Installations.

---

**ENTITY:** NPDMS WAREHOUSE FACILITY

**ENTITY ABBREVIATION:** WRHS

**ENTITY DEFINITION:** This is a secure building where Idle NASA Property can be staged for reutilization, transfer, donation, sale or disposal.

---

**ENTITY:** PROPERTY CUSTODIAN

**ENTITY ABBREVIATION:** CSTDN

**ENTITY DEFINITION:** This is an individual organizationally responsible for all controlled equipment assigned to a designated property management area.

---

**ENTITY:** PROPERTY DISPOSAL OFFICER

**ENTITY ABBREVIATION:** PDO

**ENTITY DEFINITION:** This is the official appointed by the Installation Director responsible for managing the installation's screening, redistribution, and property disposal functions.

---

**ENTITY:** REPORTS

**ENTITY ABBREVIATION:** RPT

**ENTITY DEFINITION:** Several types of standard reports, and Ad Hoc queries and reports. Standard reports are categorized into GSA Reporting, DRMO reporting, NEMS interface, NASA forms, NSMS interface, and other statistical reporting. Ad Hoc queries and reports allow the user the on-line capability to view data and produce reports pertaining to both active and historical property disposal data.

---

## NPDMS DATA DICTIONARY

### Entity Definitions

**ENTITY:** REQUESTOR

**ENTITY ABBREVIATION:** RQSTR

**ENTITY DEFINITION:** An individual representing a federal agency, state agency or non-profit group who initiates a request to acquire or have donated Idle NASA Personal Property. For NPDMS purposes a donation recipient ( "Donee" ) means a service educational activity; a State political subdivision, municipality, or tax-supported institution acting on behalf of a public airport; a public agency using surplus personal property in carrying out or promoting for the residents of a given political area one or more public purposes, such as conservation, economic development, education, parks and recreation, public health, and public safety; an eligible nonprofit tax-exempt educational or public health institution or organization; the American National Red Cross; a public body; an eleemosynary institution; or any State or local government agency, and any nonprofit organization or institution, which receives funds appropriated for programs or older individuals under the Older Americans Act of 1965, as amended, under title IV or title XX of the Social Security Act, or under title VIII and X of the Economic Opportunity Act of 1964 and the Community Services Block Grant Act.

---

**ENTITY:** SCRAP/SALVAGE

**ENTITY ABBREVIATION:** \* THERE ARE NO ATTRIBUTES DIRECTLY ASSOCIATED WITH THIS ENTITY.

**ENTITY DEFINITION:** "Scrap " means personal property that has no value except for its basic material content. Conversely, " Salvage" means personal property having value greater than its basic material content but which is in such condition that it has no reasonable prospect of use for any purpose as a unit (either by the holding or other Federal Agency), and its repair or rehabilitation for use as a unit is clearly impracticable. Repairs or rehabilitation estimated to cost in excess of 65 percent of acquisition cost would be considered "clearly impracticable" for purposes of this definition (ref: 41 CFR 101-43.001-28 and 29).

---

**ENTITY:** SURPLUS PROPERTY

**ENTITY ABBREVIATION:** SRPLSPROP

## **NPDMS DATA DICTIONARY**

### **Entity Definitions**

**ENTITY DEFINITION:** "Surplus Personal Property" means any excess personal property not required for the needs and the discharge of the responsibilities of all Federal Agencies, as determined by the Administrator of General Services. Personal property still unutilized after all screening has been accomplished is to be disposed of in accordance with 41 CFR 101.44 and 101.45.

---

**ENTITY:** SYSTEM

**ENTITY ABBREVIATION:** SYS

**ENTITY DEFINITION:** Automated system specific data that accomplishes a group of tasks such as control breaks, record counts, date and time stamps, etc., which are relatively independent of other assigned tasks and are transparent to the user.

**APPENDIX D**  
**DESCRIPTIVE NAME TO ACCESS NAME**  
**CROSS-REFERENCE**

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
ABANDONED OR DESTROYED PROPERTY DOCUMENT NUMBER	PROP-ABNDSTRYD-DCMNT-NMBR
ABANDONED OR DESTROYED PROPERTY INDICATOR	PROP-ABNDSTRYD-IND
ABANDONED OR DESTROYED PROPERTY SITE ADDRESS LINE 1	PROP-ABNDSTRYD-LINE1-ADRS
ABANDONED OR DESTROYED PROPERTY SITE ADDRESS LINE 2	PROP-ABNDSTRYD-LINE2-ADRS
ABANDONED OR DESTROYED PROPERTY SITE CITY ADDRESS	PROP-ABNDSTRYD-CITY-ADRS
ABANDONED OR DESTROYED PROPERTY SITE NAME	PROP-ABNDSTRYD-SITE-NAME
ABANDONED OR DESTROYED PROPERTY SITE PHONE NUMBER	PROP-ABNDSTRYD-PHN-NMBR
ABANDONED OR DESTROYED PROPERTY SITE STATE CODE	PROP-ABNDSTRYD-STATE-CODE
ABANDONED OR DESTROYED PROPERTY SITE ZIP CODE	PROP-ABNDSTRYD-SITE-ZIP-CODE
ACTUAL DATE PROPERTY ABANDONED OR DESTROYED	PROP-ABNDSTRYD-DATE
ACTUAL PROPERTY PAYMENT DATE	PROP-PYMNT-DATE
ACTUAL PROPERTY REMOVAL DATE	PROP-RMVL-DATE
ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY	PROP-ADJSTD-ACQSTN-COST-AMT
ADPE PROPERTY CATEGORY DESCRIPTION	PROP-ADP-CTGRY-DESC
ADPE PROPERTY CATEGORY IDENTIFICATION	PROP-ADP-CTGRY-ID
AGENCY AVERAGE PROCESSING DAYS COUNT	AGNCY-AVRG-PRCSNG-DAYS-CNT
AMOUNT PROPERTY COST ADJUSTED	PROP-ADJSTD-COST-AMT
BATCH SYSTEM RECORD IDENTIFIER	SYS-BATCH-REC-ID
CAPITAL PROPERTY SENSITIVITY CODE	PROP-CPTL-SNSTVTY-CODE
COMPONENT SYSTEM ACQUISITION COST AMOUNT	CMPNT-ACQSTN-COST-AMT
COMPONENT SYSTEM ARTIFACT INDICATOR	CMPNT-ARTFCT-IND

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
COMPONENT SYSTEM CASE ENTRY DATE	CMPNT-CASE-ENTRY-DATE
COMPONENT SYSTEM CONDITION CODE	CMPNT-CNDTN-CODE-GRP
COMPONENT SYSTEM DEMILITARIZATION CODE	CMPNT-DML-CODE
COMPONENT SYSTEM FSC CODE	CMPNT-FSC-CODE
COMPONENT SYSTEM HAZARDOUS MATERIALS INDICATOR	CMPNT-HAZMAT-IND
COMPONENT SYSTEM INDICATOR	CMPNT-IND
COMPONENT SYSTEM ITEM SEQUENCE NUMBER	CMPNT-ITEM-SEQ-NMBR
COMPONENT SYSTEM NAME	CMPNT-NAME
COMPONENT SYSTEM PRECIOUS METALS INDICATOR	CMPNT-PRCS-MTLS-IND
COMPONENT SYSTEM SUPPLY CONDITION CODE	CMPNT-SPLY-CNDTN-CODE
CONTRACT PROPERTY REMOVAL DATE	PROP-CNTRCT-RMVL-DATE
CONTRACTOR HELD PROPERTY INDICATOR	CNTRCTR-HELD-PROP-IND
CONTRACTOR INDICATOR	CNTRCTR-IND
CONTRACTOR PROPERTY TAG NUMBER	CNTRCTR-PROP-TAG-NMBR
CUSTODIAN ACCOUNT NUMBER	CSTDN-ACNT-NMBR; SYS-REC-KEY
CUSTODIAN PREVIOUS ACCOUNT NUMBER	CSTDN-PRVS-ACNT-NMBR
DATE PROPERTY BID AWARDED	PROP-BID-AWARD-DATE
DATE PROPERTY BIDDER NOTIFICATION LETTER SENT	PROP-NTFCTN-LTR-SENT-DATE
DATE PROPERTY DETERMINED TO BE LOST	PROP-DTRMND-LOST-DATE
DATE PROPERTY TRANSFER DOCUMENT APPROVED	PROP-TRNSFR-DCMNT-APRVD-DATE

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
DRMO CONTROLLED INVENTORY ITEM CODE	DRMO-CNTRLD-INV-CODE; SYS-REC-KEY
DRMO CONTROLLED INVENTORY ITEM CODE DESCRIPTION	DRMO-CNTRLD-INV-DESC
DRMO DEPARTMENT OF DEFENSE AREA ACTIVITY CODE	DRMO-DODAAC-CODE; SYS-REC-KEY
DRMO DISPOSAL AUTHORITY CODE	DRMO-DSPSL-ATHRTY-CODE; SYS-REC-KEY
DRMO DISPOSAL AUTHORITY CODE DESCRIPTION	DRMO-DSPSL-ATHRTY-DESC
DRMO DODAAC ADDRESS LINE 1	DRMO-DODAAC-LINE1-ADRS
DRMO DODAAC ADDRESS LINE 2	DRMO-DODAAC-LINE2-ADRS
DRMO DODAAC CITY ADDRESS	DRMO-DODAAC-CITY-ADRS
DRMO DODAAC CONTACT NAME	DRMO-DODAAC-CNTCT-NAME
DRMO DODAAC NAME	DRMO-DODAAC-NAME
DRMO DODAAC PHONE NUMBER	DRMO-DODAAC-PHN-NMBR
DRMO DODAAC ROUTING IDENTIFIER CODE	DRMO-DODAAC-RIC-CODE
DRMO DODAAC STATE CODE	DRMO-DODAAC-STATE-CODE
DRMO DODAAC ZIP CODE	DRMO-DODAAC-ZIP-CODE
DRMO PROPERTY UNIT PACKAGE QUANTITY	NOT MAINTAINED
DRMO RECEIVING CODE	DRMO-RCVNG-CODE; SYS-REC-KEY
DRMO RECEIVING INFORMATION TEXT	DRMO-RCVNG-TEXT
DRMO RECLAMATION CODE	DRMO-RCLMTN-CODE
DRMO REPORT INDICATOR	DRMO-RPT-IND
DRMO SHIPPING CODE	DRMO-SHPNG-CODE; SYS-REC-KEY

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
DRMO SHIPPING EXPLANATION TEXT	DRMO-SHPNG-TEXT
DRMO SPECIAL ACCOUNTABILITY TEXT	DRMO-SPCL-ACNTBLTY-TEXT
EXCESS PROPERTY REPORT INDICATOR	EXCSPROP-RPT-IND
EXCHANGE PROPERTY ALLOWANCE AMOUNT RECEIVED	EXCHNGSL-ALWNC-RCVD-AMT
EXCHANGE/SALE PROPERTY FSC ALLOWED INDICATOR	EXCHNGSL-FSC-ALWD-IND
EXCHANGE/SALE PROPERTY INDICATOR	EXCHNGSL-IND
EXCHANGE/SALE REIMBURSEMENT AMOUNT	EXCHNGSL-REIM-AMT
EXTERNAL AGENCY DISTRIBUTION RATE	AGENCY-EXTRNL-DSTRBTN-RATE
FAIR MARKET VALUE AMOUNT OF PROPERTY	PROP-FMV-AMT
FEDERAL AGENCY IDENTIFIER	AGENCY-ID
FEDERAL AGENCY SITE CODE	AGENCY-SITE-CODE
FIXED SHELF LIFE CODE OF PROPERTY	NOT MAINTAINED
FOREIGN DISPOSAL APPROVAL REPORT INDICATOR	RPT-FRGN-DSPSL-APRVL-IND
FOREIGN PROPERTY INDICATOR	PROP-FRGN-IND
FREEZE PROPERTY TRANSACTION DELINQUENT DATE	PROP-FREEZE-DLNQNT-DATE
FREEZE PROPERTY TRANSACTION ENTRY REFERENCE NUMBER	PROP-FREEZE-ERN-NMBR
FREEZE REFERRAL/SUSPEND PROPERTY REPORTING INDICATOR	PROP-REFER-SUSPD-RPTNG-IND
GENERATE SALES RECEIPT PROPERTY INDICATOR	PROP-SALE-RCPT-IND
GRANTEE PROPERTY INDICATOR	PROP-GRANT-IND
GSA LINE 1 ADDRESS	GSA-LINE1-ADRS
GSA LINE 2 ADDRESS	GSA-LINE2-ADRS

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
GSA CITY ADDRESS	GSA-CITY-ADRS
GSA CONTROL NUMBER	GSA-CNTRL-NMBR
GSA ITEM DESCRIPTION	NOT MAINTAINED
GSA ITEM NAME	NOT MAINTAINED
GSA REGIONAL OFFICE NAME	GSA-RGNL-OFC-NAME
GSA REGION CODE	GSA-RGN-CODE; SYS-REC-KEY
GSA REPORT DATE	GSA-RPT-DATE
GSA REPORT INDICATOR	GSA-RPT-IND
GSA REPORTED PROPERTY UNIT COST AMOUNT	GSA-RPT-PROP-UNIT-COST-AMT
GSA SF120 CORRECTION GENERATION INDICATOR	GSA-SF120-CRCTN-GNRTN-IND
GSA STATE CODE	GSA-STATE-CODE
GSA SURPLUS RELEASE DATE	GSA-SRD-DATE
GSA WITHDRAWAL APPROVAL DATE	GSA-WTHDRWL-APRVL-DATE
GSA WITHDRAWAL/CORRECTION TEXT	GSA-WTHDRWL-CRCTN-TEXT
GSA WITHDRAWAL/CORRECTION TEXT	GSA-WTHDRWL-CRCTN-TEXT
GSA ZIP CODE	GSA-ZIP-CODE
HAZARDOUS MATERIALS PROPERTY CLASSIFICATION IDENTIFIER	PROP-HAZMAT-CLSFCTN-ID
HAZARDOUS MATERIALS PROPERTY CODE	PROP-HAZMAT-CODE; SYS-REC-KEY
HAZARDOUS MATERIALS PROPERTY DESCRIPTION	PROP-HAZMAT-DESC
IDLE ADPE PROPERTY REPORTABLE INDICATOR	ADPEPROP-RPTBL-IND
INITIAL SCREENING LIST DATE OF PROPERTY	PROP-INTL-LIST-DATE

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
INITIATORS NAME	INTR-NAME
INITIATORS ORGANIZATION CODE	INTR-ORGNZTN-CODE
INITIATORS PHONE NUMBER	INTR-PHN-NMBR
INSTALLATION ACRONYM IDENTIFIER	INST-ACRNM-ID
INSTALLATION CITY ADDRESS	INST-CITY-ADRS
INSTALLATION CONTACT NAME	INST-CNTCT-NAME
INSTALLATION CONTACT BUILDING ADDRESS	INST-CNTCT-BLDG-ADRS
INSTALLATION CONTRACT/GRANT NUMBER	INST-CNTRCT-GRANT-NMBR
INSTALLATION DEFAULT NAME	INST-DFLT-NAME
INSTALLATION DEFAULT NUMBER OF FREEZE DELINQUENT DAYS	INST-DLNQNT-DAYS-NMBR
INSTALLATION DEFAULT PICKUP DOCUMENT GENERATION INDICATOR	INST-DFLT-PCKP-GNRTN-IND
INSTALLATION DEFAULT PRINTER ADDRESS	INST-PRNTR-ADRS
INSTALLATION DEFAULT REPORT OUTPUT CODE	INST-DFLT-RPT-OUTPUT-CODE
INSTALLATION DRMO DODAAC CODE	INST-DRMO-DODAAC-CODE
INSTALLATION DRMO REPORT INDICATOR	INST-DRMO-RPT-IND
INSTALLATION EXTERNAL DISTRIBUTION RATE	INST-EXTRNL-DSTRBTN-RATE
INSTALLATION FEDERAL ACTIVITY ADDRESS CODE	INST-FEDAAC-CODE
INSTALLATION GSA REPORT INDICATOR	INST-GSA-RPT-IND
INSTALLATION GSA REPORTING REGION ID	INST-GSA-RGN-ID; SYS-REC-KEY
INSTALLATION INTERNAL DISTRIBUTION RATE	INST-INTRNL-DSTRBTN-RATE
INSTALLATION JOB CARD TEXT	INST-JOB-CARD-TEXT

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
INSTALLATION LINE 1 ADDRESS	INST-LINE1-ADRS
INSTALLATION LINE 2 ADDRESS	INST-LINE2-ADRS
INSTALLATION MAIL STOP ADDRESS	INST-MAIL-STOP-ADRS
INSTALLATION NAME	INST-NAME
INSTALLATION NUMBER	INST-NMBR; SYS-REC-KEY
INSTALLATION PHONE NUMBER	INST-PHN-NMBR
INSTALLATION REPORT BINDING CODE	INST-RPT-BNDNG-CODE
INSTALLATION REPORT QUANTITY	INST-RPT-QTY
INSTALLATION REPORT REQUESTOR NAME	INST-RPT-RQSTR-NAME
INSTALLATION SCREENING BEGIN DATE OF PROPERTY	PROP-INST-BGN-DATE
INSTALLATION SCREENING END DATE OF PROPERTY	PROP-INST-END-DATE
INSTALLATION SCREENING METHOD IDENTIFIER FOR PROPERTY	PROP-INST-SCRNG-MTHD-ID
INSTALLATION SPECIAL FORM IDENTIFIER	INST-SPCL-FORM-ID
INSTALLATION STATE CODE	INST-STATE-CODE
INSTALLATION SUPPLY EQUIPMENT MANAGEMENT OFFICER'S NAME	INST-SEMO-NAME
INSTALLATION SURVEY BOARD CHAIRPERSON NAME	INST-SRVY-BRD-CHRPRSN-NAME
INSTALLATION SURVEY BOARD MEMBER NAME 1	INST-SRVY-BRD-MBR1-NAME
INSTALLATION SURVEY BOARD MEMBER NAME 2	INST-SRVY-BRD-MBR2-NAME
INSTALLATION SURVEY BOARD MEMBER NAME 3	INST-SRVY-BRD-MBR3-NAME
INSTALLATION ZIP CODE	INST-ZIP-CODE
INTERNAL AGENCY DISTRIBUTION RATE	AGNCY-INTRNL-DSTRBTN-RATE

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
LOT NUMBER OF PROPERTY	PROP-LOT-NMBR
MATERIEL MANAGEMENT AGGREGATION PROPERTY CODE	PROP-MMAC-CODE; SYS-REC-KEY
MATERIEL MANAGEMENT AGGREGATION PROPERTY CODE DESCRIPTION	PROP-MMAC-DESC
MATERIEL MANAGEMENT AGGREGATION PROPERTY MANAGER CODE	PROP-MMAC-MNGR-CODE
MATERIALS SCREENING CODE	NOT MAINTAINED
NASA HEADQUARTERS APPROVING OFFICIAL NAME	HQ-APRVNG-OFCL-NAME
NASA WIDE SCREENING BEGIN DATE OF PROPERTY	PROP-NASA-BGN-DATE
NASA WIDE SCREENING END DATE OF PROPERTY	PROP-NASA-END-DATE
NASA WIDE SCREENING METHOD IDENTIFIER FOR PROPERTY	PROP-NASA-SCRNG-MTHD-ID
NEW PROPERTY ACCEPTANCE DATE	PROP-NEW-ACPTNC-DATE
NEMS AVAILABILITY STATUS CODE	NEMS-AVLBLTY-STS-CODE
NEMS EQUIPMENT CONTROL NUMBER	NEMS-ECN-NMBR
NEMS EQUIPMENT SUBINSTALLATION NUMBER	NEMS-EQUIP-SUBINST-NMBR
NEMS INDICATOR	NEMS-IND
NEMS STANDARD ITEM NAME INDICATOR	NEMS-STNDRD-ITEM-NAME-IND
NEMS TAGGED COMPONENT SYSTEM PROPERTY INDICATOR	CMPNT-NEMS-IND
NEMS USER NUMBER	NEMS-USER-NMBR
NP/NEMS INTERFACE ENTRY REFERENCE NUMBER	NEMS-ERN-NMBR
NSMS INDEX DESDCRIPTION	NSMS-INDEX-DESC
NSMS PROPERTY RECEIVED IDENTIFIER	NSMS-PROP-RCVD-ID
NSMS TECHNICAL DESDCRIPTION	NSMS-TECH-DESC

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
NSMS TECHNICAL DESDCRIPTION HEADERS TEXT	NSMS-TECH-HDRS-TEXT
NSMS TURN IN PROPERTY DOCUMENT NUMBER	NSMS-TURN-IN-PROP-DCMNT-NMBR
OTHER FEDERAL AGENCY SCREENING BEGIN DATE OF PROPERTY	PROP-OFA-BGN-DATE
OTHER FEDERAL AGENCY SCREENING END DATE OF PROPERTY	PROP-OFA-END-DATE
PDO CUSTODIAN ACCOUNT NUMBER	PDO-CSTDN-ACNT-NMBR
PDO USER NUMBER	PDO-USER-NMBR
PRECIOUS METALS PROPERTY CODE	PROP-PRCS-MTLS-CODE; SYS-REC-KEY
PRECIOUS METALS PROPERTY CONTENT DESCRIPTION	PROP-PRCS-MTLS-DESC
PREVIOUS ADJUSTED ACQUISITION COST AMOUNT OF PROPERTY	PROP-PRVS-ACQSTN-COST-AMT
PREVIOUS SYSTEM TABLE IDENTIFIER	SYS-PRVS-TBL-ID
PREVIOUS CURRENT AVAILABLE QUANTITY OF PROPERTY	PROP-PRVS-CUR-AVLBL-QTY
PREVIOUS PROPERTY CASE NUMBER	PROP-PRVS-CASE-NMBR
PRIME INSTALLATION NUMBER	PRMINST-NMBR
PROPERTY ADJUSTED CONDITION CODE	PROP-ADJSTD-CNDTN-CODE
PROPERTY ADJUSTED ITEM NAME	PROP-ADJSTD-ITEM-NAME
PROPERTY ADJUSTED QUANTITY	PROP-ADJSTD-QTY
PROPERTY APPROPRIATION ACCOUNT NUMBER	PROP-APRPRTN-ACNT-NMBR
PROPERTY ARTIFACT INDICATOR	PROP-ARTFCT-IND
PROPERTY BID AMOUNT	PROP-BID-AMT
PROPERTY BID AMOUNT MODIFICATION	PROP-BID-MDFCTN-AMT
PROPERTY BID WITHDRAWAL INDICATOR	PROP-BID-WTHDRWL-IND

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
PROPERTY BIDDER LINE 1 ADDRESS	PROP-BIDDER-LINE1-ADRS
PROPERTY BIDDER LINE 2 ADDRESS	PROP-BIDDER-LINE2-ADRS
PROPERTY BIDDER CITY ADDRESS	PROP-BIDDER-CITY-ADRS
PROPERTY BIDDER COMPANY NAME	PROP-BIDDER-CMPNY-NAME
PROPERTY BIDDER FIRST NAME	PROP-BIDDER-FIRST-NAME
PROPERTY BIDDER LAST NAME	PROP-BIDDER-LAST-NAME
PROPERTY BIDDER NUMBER	PROP-BIDDER-NMBR; SYS-REC-KEY
PROPERTY BIDDER PHONE NUMBER	PROP-BIDDER-PHN-NMBR
PROPERTY BIDDER STATE CODE	PROP-BIDDER-STATE-CODE
PROPERTY BIDDER ZIP CODE	PROP-BIDDER-ZIP-CODE
PROPERTY CASE ENTRY DATE	PROP-CASE-ENTRY-DATE
PROPERTY CASE NUMBER	PROP-CASE-NMBR
PROPERTY CONDITION ADJUSTMENT DESCRIPTION	PROP-CNDTN-ADJSTMNT-DESC
PROPERTY CONDITION CODE	PROP-CNDTN-CODE-GRP
PROPERTY CONDITION CODE DEFINITION 1 TEXT	PROP-CNDTN-CODE-DFNTN1-TEXT
PROPERTY CONDITION CODE DEFINITION 2 TEXT	PROP-CNDTN-CODE-DFNTN2-TEXT
PROPERTY CONDITION CODE DESCRIPTION	PROP-CNDTN-CODE-DESC
PROPERTY CONTACT NAME	PROP-CNTCT-NAME
PROPERTY CURRENT AVAILABLE QUANTITY	PROP-CUR-AVLBL-QTY
PROPERTY DEMILITARIZATION CODE	PROP-DML-CODE; SYS-REC-KEY
PROPERTY DEMILITARIZATION CODE 1 DESCRIPTION	PROP-DML-CODE1-DESC

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
PROPERTY DEMILITARIZATION CODE 2 DESCRIPTION	PROP-DML-CODE2-DESC
PROPERTY DEMILITARIZATION CODE RANK	PROP-DML-RANK
PROPERTY DESCRIPTION	PROP-DESC
PROPERTY DESTRUCTION WITNESS NAME 1	PROP-DSTRCTN-WTNS1-NAME
PROPERTY DESTRUCTION WITNESS NAME 2	PROP-DSTRCTN-WTNS2-NAME
PROPERTY DISPOSAL APPROVAL DATE	PROP-DSPSL-APRVL-DATE
PROPERTY DISPOSAL CONDITION CODE, RECORD KEY	PROP-DSPSL-CNDTN-CODE; SYS-REC-KEY
PROPERTY DISPOSAL OFFICER NAME	PDO-NAME
PROPERTY DISPOSITION ACQUISITION COST AMOUNT	PROP-DSPSTN-ACQSTN-COST-AMT
PROPERTY DISPOSITION TRANSACTION DATE	PROP-DSPSTN-TXN-DATE
PROPERTY DISPOSITION QUANTITY	PROP-DSPSTN-QTY
PROPERTY FREEZE TRANSACTION DATE	PROP-FREEZE-DATE
PROPERTY FREEZE INDICATOR	PROP-FREEZE-IND
PROPERTY FSC CLASS CODE	PROP-FSC-CLASS-CODE; REC-KEY
PROPERTY FSC CODE	PROP-FSC-CODE; SYS-REC-KEY
PROPERTY FSC GROUP CODE	PROP-FSC-GROUP-CODE; REC-KEY
PROPERTY FSC GROUP NAME	PROP-FSC-GRP-NAME
PROPERTY FSC MINIMUM DISPOSAL CONDITION CODE	PROP-FSC-MIN-CNDTN-CODE
PROPERTY FSC MINIMUM COST AMOUNT	PROP-FSC-MIN-COST-AMT
PROPERTY INVENTORY BEGIN DATE	PROP-INV-BGN-DATE

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
PROPERTY INVENTORY END DATE	PROP-INV-END-DATE
PROPERTY ITEM IDENTIFIER	PROP-ITEM-ID
PROPERTY ITEM NAME	PROP-ITEM-NAME
PROPERTY ITEM OPTIONAL NAME	PROP-OPTNL-ITEM-NAME
PROPERTY LOCAL REFERENCE NUMBER	PROP-LOCAL-RFRNC-NMBR
PROPERTY LOCATION BIN IDENTIFICATION	PROP-LCTN-BIN-ID
PROPERTY LOCATION BUILDING ADDRESS	PROP-LCTN-BLDG-ADRS
PROPERTY LOCATION BUILDING ADDRESS	PROP-LCTN-BLDG-ADRS
PROPERTY LOCATION CITY ADDRESS	PROP-LCTN-CITY-ADRS
PROPERTY LOCATION CONTACT PHONE NUMBER	PROP-CNTCT-PHN-NMBR
PROPERTY LOCATION COUNTRY ADDRESS	PROP-LCTN-CNTRY-ADRS
PROPERTY LOCATION INSTALLATION NAME	PROP-LCTN-INST-NAME
PROPERTY LOCATION LINE 1 ADDRESS	PROP-LCTN-LINE1-ADRS
PROPERTY LOCATION LINE 2 ADDRESS	PROP-LCTN-LINE2-ADRS
PROPERTY LOCATION ROOM ADDRESS	PROP-LCTN-ROOM-ADRS
PROPERTY LOCATION STATE CODE	PROP-LCTN-STATE-CODE
PROPERTY LOCATION ZIP CODE	PROP-LCTN-ZIP-CODE
PROPERTY LOT WITHDRAWAL INDICATOR	PROP-LOT-WTHDRWL-IND
PROPERTY MANUFACTURER CODE	PROP-MFG-CODE
PROPERTY MANUFACTURER MODEL NUMBER	PROP-MFG-MODEL-NMBR
PROPERTY MANUFACTURER NAME	PROP-MFG-NAME

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
PROPERTY MANUFACTURER PART NUMBER	PROP-MFG-PART-NMBR
PROPERTY MANUFACTURER SERIAL NUMBER	PROP-MFG-SERIAL-NMBR
PROPERTY MATERIALS INVENTORY INDICATOR	PROP-MTRLS-INV-IND
PROPERTY NASA ACQUIRED DATE	PROP-NASA-ACQRD-DATE
PROPERTY NATIONAL ITEM IDENTIFICATION NUMBER	PROP-NIIN-NMBR
PROPERTY NATIONAL STOCK NUMBER	PROP-NSN-NMBR
PROPERTY PAYMENT DUE DATE	PROP-PYMNT-DUE-DATE
PROPERTY PICKUP DOCUMENT GENERATION DATE	PROP-PCKP-DCMNT-GNRTN-DATE
PROPERTY PICKUP DOCUMENT GENERATION INDICATOR	PROP-PCKP-DCMNT-GNRTN-IND
PROPERTY PREVIOUS CONDITION CODE	PROP-PRVS-CNDTN-CODE
PROPERTY PREVIOUS ITEM NAME	PROP-PRVS-ITEM-NAME
PROPERTY PROCESSING PRIORITY INDICATOR	PROP-PRCSNG-PRTY-IND
PROPERTY PROCUREMENT DOCUMENT NUMBER	PROP-PRCRMNT-DCMNT-NMBR
PROPERTY QUANTITY	PROP-QTY
PROPERTY RECIPIENT CLASSIFICATION INDICATOR	PROP-RCPNT-CLSFCTN-IND
PROPERTY RECORD CHANGE TYPE CODE	PROP-REC-CHNG-TYPE-CODE
PROPERTY REIMBURSEMENT CODE	PROP-REIM-CODE
PROPERTY REPORTABLE FSC INDICATOR	PROP-RPTBL-FSC-IND
PROPERTY REQUEST DOCUMENT NUMBER	PROP-RQST-DCMNT-NMBR
PROPERTY REVERSAL TRANSACTION ENTRY REFERENCE NUMBER	PROP-RVRSL-ERN-NMBR
PROPERTY SALE CONTRACT NUMBER	PROP-SALE-CNTRCT-NMBR

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
PROPERTY SALE DATE	PROP-SALE-DATE
PROPERTY SALE METHOD IDENTIFIER	PROP-SALE-MTHD-ID
PROPERTY SALE PROCEEDS AMOUNT	PROP-SALE-PRCDS-AMT
PROPERTY SALE RECEIPT DOCUMENT NUMBER	PROP-SALE-RCPT-DCMNT-NMBR
PROPERTY SCREENING TYPE IDENTIFIER	PROP-SCRNG-TYPE-ID
PROPERTY SHIPMENT DATE	PROP-SHPMNT-DATE
PROPERTY SUPPLY CONDITION CODE	PROP-SPLY-CNDTN-CODE; SYS-REC KEY
PROPERTY SURVEY REPORT NUMBER	PROP-SRVY-RPT-NMBR
PROPERTY TERMINATION DATE	PROP-TRMNTN-DATE
PROPERTY THAW DATE	PROP-THAW-DATE
PROPERTY TOTAL ADJUSTED COST AMOUNT	PROP-TOT-ADJSTD-COST-AMT
PROPERTY TRANSACTION APPROVED NAME	PROP-TXN-APRVD-NAME
PROPERTY TRANSACTION AUTHORITY TEXT	PROP-TXN-ATHRTY-TEXT
PROPERTY TRANSACTION DATE	PROP-TXN-DATE
PROPERTY TRANSACTION IDENTIFIER	PROP-TXN-ID
PROPERTY TRANSACTION DESCRIPTION	PROP-TXN-DESC
PROPERTY TRANSACTION ENTRY REFERENCE NUMBER	PROP-ERN-NMBR
PROPERTY TRANSFEREE IDENTIFIER	PROP-TRNSFR-ID
PROPERTY UNIT ACQUISITION COST AMOUNT	PROP-UNIT-ACQSTN-COST-AMT
PROPERTY UNIT OF MEASURE TEXT	PROP-UOM-TEXT

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
PROPERTY UPSET PRICE AMOUNT	PROP-UPSET-PRICE-AMT
QUANTITY OF PROPERTY REPORTED TO GSA	GSA-PROP-RPT-QTY
REPORT 1348 DOCUMENT IDENTIFIER	RPT-1348-DCMNT-ID
REPORT 1348 DOCUMENT NUMBER	RPT-1348-DCMNT-NMBR
REPORT 1348 GENERATION DATE	RPT-1348-GNRTN-DATE
REPORT 1348 GENERATION INDICATOR	RPT-1348-GNRTN-IND
REPORT 1348 TEXT	RPT-1348-TEXT
REPORT 1810 BALANCE AMOUNT	RPT-1810-BAL-AMT
REPORT 1820 BALANCE AMOUNT	RPT-1820-BAL-AMT
REPORT 623 BALANCE AMOUNT	RPT-623-BAL-AMT
REPORT 811 GENERATION DATE	RPT-811-GNRTN-DATE
REPORT 811 GENERATION INDICATOR	RPT-811-IND
REPORT 812 GENERATION DATE	RPT-812-GNRTN-DATE
REPORT 812 GENERATION INDICATOR	RPT-812-IND
REPORT BEGIN DATE	RPT-BGN-DATE
REPORT BINDING CODE	RPT-BNDNG-CODE
REPORT EFFECTIVE DATE	RPT-EFFCTV-DATE
REPORT END DATE	RPT-END-DATE
REPORT EXECUTION SEQUENCE NUMBER	RPT-EXCTN-SEQ-NMBR
REPORT FREQUENCY	RPT-FREQ
REPORT INSTALLATION NAME	RPT-INST-NAME

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
REPORT MAIL STOP ADDRESS	RPT-MAIL-STOP-ADRS
REPORT OUTPUT CODE	RPT-OUTPUT-CODE
REPORT PARAMETERS TEXT	RPT-PRMTRS-TEXT
REPORT QUANTITY	RPT-QTY
REPORT REQUESTOR NAME	RPT-RQSTR-NAME
REPORT SPECIAL FORM IDENTIFIER	RPT-SPCL-FORM-ID
REPORT STATUS CODE	RPT-STS-CODE
REPORT USER IDENTIFIER	RPT-USER-ID
REPORT/MAINTENANCE JOB INDICATOR	RPT-MAINT-JOB-IND-SB
REPORT/MAINTENANCE JOB NUMBER	RPT-MAINT-JOB-NMBR-SB
REPORT/MAINTENANCE NAME	RPT-MAINT-NAME
REPORT/MAINTENANCE PROGRAM IDENTIFIER	RPT-MAINT-PGM-ID; SYS-REC-KEY
REPORTING INSTALLATION CONTACT ADDRESS LINE 1	INST-RPTNG-CNTCT-LINE1-ADRS
REPORTING INSTALLATION CONTACT ADDRESS LINE 2	INST-RPTNG-CNTCT-LINE2-ADRS
REPORTING INSTALLATION CONTACT CITY ADDRESS	INST-RPTNG-CNTCT-CITY-ADRS
REPORTING INSTALLATION CONTACT NAME	INST-RPTNG-CNTCT-NAME
REPORTING INSTALLATION CONTACT PHONE NUMBER	INST-RPTNG-CNTCT-PHN-NMBR
REPORTING INSTALLATION CONTACT STATE CODE	INST-RPTNG-CNTCT-STATE-CODE
REPORTING INSTALLATION CONTACT ZIP CODE	INST-RPTNG-CNTCT-ZIP-CODE
REPORTING INSTALLATION NAME	INST-RPTNG-NAME
REQUESTOR ADDRESS LINE 1	RQSTR-LINE1-ADRS

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
REQUESTOR ADDRESS LINE 2	RQSTR-LINE2-ADRS
REQUESTOR AGENCY IDENTIFIER	RQSTR-AGNCY-ID
REQUESTOR BUILDING ADDRESS	RQSTR-BLDG-ADRS
REQUESTOR CITY ADDRESS	RQSTR-CITY-ADRS
REQUESTOR CONTACT PHONE NUMBER	RQSTR-PHN-NMBR
REQUESTOR COUNTRY ADDRESS	RQSTR-CNTRY-ADRS
REQUESTOR CUSTODIAN ACCOUNT NUMBER	RQSTR-CSTDN-ACNT -NMBR
REQUESTOR INSTALLATION NUMBER	RQSTR-INST-NMBR
REQUESTOR NAME	RQSTR-NAME
REQUESTOR ORGANIZATION CODE	RQSTR-ORGNZTN-CODE
REQUESTOR ORGANIZATION NAME	RQSTR-ORGNZTN-NAME
REQUESTOR PROVINCE ADDRESS	RQSTR-PRVNC-ADRS
REQUESTOR ROOM ADDRESS	RQSTR-ROOM-ADRS
REQUESTOR STATE CODE	RQSTR-STATE-CODE
REQUESTOR ZIP CODE	RQSTR-ZIP-CODE
SALE NUMBER OF PROPERTY	PROP-SALE-NMBR
SF-120 GSA WITHDRAWAL/CORRECTION REPORT IDENTIFIER	GSA-SF120-RPT-ID
SF-120 WITHDRAWAL/CORRECTION TO GSA CODE	GSA-SF120-WTHDRWL-CRCTN-CODE
SHELF LIFE DURATION OF PROPERTY	PROP-SHELF-LIFE-DRTN
SHELF LIFE EXTENSION CODE OF PROPERTY	PROP-SHELF-LIFE-EXTNSN-CODE; SYS-REC-KEY

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
SHELF LIFE PROPERTY EXPIRATION DATE	PROP-SHELF-LIFE-EXPRTN-DATE
SHELF LIFE PROPERTY CLASSIFICATION IDENTIFIER	PROP-SHELF-LIFE-CLSFCTN-ID
STOCK STATUS PROPERTY CODE	PROP-STOCK-STS-CODE
SUBINSTALLATION NUMBER	SUBINST-NMBR
SURPLUS PROPERTY DONATION SCREENING BEGIN DATE	SRPLSPROP-DNTN-BGN-DATE
SURPLUS PROPERTY DONATION SCREENING END DATE	SRPLSPROP-DNTN-END-DATE
SYSTEM AUDIT DATE	SYS-AUDIT-DATE
SYSTEM AUDIT IDENTIFIER	SYS-AUDIT-ID
SYSTEM AUDIT TIME	SYS-AUDIT-TIME
SYSTEM CASE SERIAL NUMBER	SYS-CASE-SERIAL-NMBR
SYSTEM CONTROL FLAG	SYS-CNTRL-FLAG
SYSTEM PRINTER LOCATION DESCRIPTION	SYS-PRNTR-DESC
SYSTEM COUNT OF INSTALLATION SCREENING DAYS	SYS-INST-DAYS-CNT
SYSTEM COUNT OF NASA SCREENING DAYS	SYS-NASA-DAYS-CNT
SYSTEM COUNT OF SURLUS PROPERTY DONATION SCREENING DAYS	SYS-SRPLS-DAYS-CNT
SYSTEM COUNT OF OTHER FEDERAL AGENCY SCREENING DAYS	SYS-OFA-DAYS-CNT
SYSTEM JULIAN DATE	SYS-JULIAN-DATE
SYSTEM SEALED BID ABSTRACT REPORT INDICATOR	SYS-BID-ABSTRCT-RPT-IND
SYSTEM SERIAL NUMBER	SYS-SERIAL-NMBR
SYSTEM STATE FEDERAL INFORMATION PROCESSING STANDARDS CODE	SYS-STATE-FIPS-CODE;SYS-REC-KEY
SYSTEM STATE NAME	SYS-STATE-NAME

**Descriptive Name to Access Name Cross-Reference**

<b><u>Descriptive Name</u></b>	<b><u>Access Name</u></b>
SYSTEM TRANSACTION STATUS IDENTIFIER	SYS-TXN-STS-ID
SYSTEM TRANSACTION TYPE IDENTIFIER	SYS-TXN-TYPE-ID
SYSTEM UNIQUE CASE KEY	SYS-UNQ-CASE-KEY
SYSTEM UNIQUE TABLE KEY	SYS-UNQ-TBL-KEY-SP
SYSTEM UNIQUE TRANSACTION KEY	SYS-UNQ-TXN-KEY
SYSTEM USER CHANGE AUTHORITY CODE	SYS-USER-CHNG-ATHRTY-CODE
SYSTEM USER IDENTIFIER	SYS-USER-ID: SYS- REC-KEY
SYSTEM USER JOB CARD TEXT	SYS-USER-JOB-CARD-TEXT
SYSTEM USER NAME	SYS-USER-NAME
TURN IN PROPERTY DOCUMENT NUMBER	PROP-TURN-IN-DCMNT-NMBR
UNCLAIMED PROPERTY FOUND DATE	UNCLMD-FOUND-DATE
UNCLAIMED PROPERTY INDICATOR	UNCLMD-IND
UNCLAIMED PROPERTY SUSPENSE FILE DATE	UNCLMD-SPNS-FILE-DATE
UNCLAIMED PROPERTY VESTED TITLE DATE	UNCLMD-TITLE-VESTED-DATE
WAREHOUSE LOCATION ADDRESS	WRHS-LCTN-ADRS
WAREHOUSE RECEIPT ENTRY REFERENCE NUMBER	WRHS-RCPT-ERN-NMBR
WAREHOUSE DATE	WRHS-DATE
YEAR PROPERTY MANUFACTURED	PROP-MFG-YEAR

**APPENDIX E**  
**NPDMS STANDARD WORDS**

**NPDMS Standard Words**

Actual Word	Abbreviation	Category
ABANDONED OR DESTROYED	ABNDSTRYD	M
ABANDONED OR OTHER UNCLAIMED PROPERTY	UNCLMD	P
ABSTRACT	ABSTRCT	M
ACCEPTANCE	ACPTNC	M
ACCOUNT	ACNT	M
ACCOUNTABILITY	ACNTBLTY	M
ACQUISITION	ACQSTN	M
ACTIVITY	ACTVTY	M
ACRONYM	ACRNM	M
ADDRESS	ADRS	C
ADJUSTED	ADJSTD	M
ADJUSTMENT	ADJSTMNT	M
AGENCY	AGNCY	M
ALLOWANCE	ALWNC	M
ALLOWED	ALWD	M
AMOUNT	AMT	C
APPROPRIATION	APRPRTN	M
APPROVAL	APRVL	M
APPROVED	APRVD	M
APPROVING	APRVNG	M
ARTIFACT	ARTFCT	M
AUDIT	AUDIT	M
AUTHORITY	ATHRTY	M
AUTOMATED DATA PROCESSING EQUIPMENT	ADPE	M
AVAILABILITY	AVLBLTY	M
AVAILABLE	AVLBL	M
AVERAGE	AVRG	M
AWARDED	AWARD	M
BALANCE	BAL	M
BEGIN	BGN	M
BID	BID	M
BIDDER	BIDDER	M
BIN	BIN	M
BINDING	BNDNG	M
BOARD	BRD	M
BUILDING	BLDG	M
CAPITAL	CPTL	M
CARD	CARD	M

**NPDMS Standard Words**

Actual Word	Abbreviation	Category
CASE	CASE	M
CATEGORY	CTGRY	M
CHAIRPERSON	CHRPRSN	M
CHANGE	CHNG	M
CITY	CITY	M
CLASS	CLASS	M
CLASSIFICATION	CLSFACTN	M
CODE	CODE	C
COMPANY	CMPNY	M
COMPLIMENT	CMPLMNT	M
COMPONENT SYSTEM PROPERTY	CMPNT	P
CONDITION	CNDTN	M
CONTACT	CNTCT	M
CONTRACT	CNTRCT	M
CONTRACTOR	CNTRCTR	M
CONTROL	CNTRL	M
CONTROLLED	CNTRLD	M
COPY	CPY	M
CORRECTION	CRCTN	M
COST	COST	M
COUNT	COUNT	C
COUNTRY	CNTRY	M
CUMULATIVE	CUMLTV	M
CURRENT	CUR	M
CUSTODIAN	CSTDN	P
DATA	DATA	M
DATE	DATE	C
DAYS	DAYS	M
DEFAULT	DFLT	M
DD-1348-1A	1348	M
DEFENSE REGIONAL MARKETING OFFICE	DRMO	P
DEFINITION 1	DFNTN1	M
DEFINITION 2	DFNTN2	M
DELINQUENT	DLNQNT	M
DEMILITIZATION	DML	M
DESCRIPTION	DESC	C
DESTROYED	DSTRYD	M
DESTRUCTION	DSTRCTN	M
DETERMINED	DTRMND	M
DISPOSAL	DSPSL	M
DISPOSITION	DSPSTN	M

**NPDMs Standard Words**

Actual Word	Abbreviation	Category
DISTRIBUTION	DSTRBTN	M
DOCUMENT	DCMNT	M
DoD AREA ACTIVITY CODE	DODAAC	M
DONATION	DNTN	M
DUE	DUE	M
DURATION	DRTN	C
EFFECTIVE	EFCTV	M
ELECTRONIC MAIL	EMAIL	M
END	END	M
ENDING	END	M
ENTRY	ENTRY	M
ENTRY REFERENCE NUMBER	ERN	M
EQUIPMENT	EQUIP	M
EQUIPMENT CONTROL NUMBER	ECN	M
EXCHANGE/SALE PROPERTY	EXCHNGSL	P
EXECUTION	EXCTN	M
EXPIRATION	EXPRTN	M
EXPLANATION	EXPLNTN	M
EXTENSION	EXTNSN	M
EXTERNAL	EXTRNL	M
FCSIMILE	FAX	M
FAIR MARKET VALUE	FMV	M
FEDERAL	FDRL	M
FEDERAL INFORMATION PROCESSING STANDARDS	FIPS	M
FEDERAL SUPPLY CLASSIFICATION	FSC	M
FILE	FILE	M
FIRST	FIRST	M
FIXED	FIXED	M
FLAG	FLAG	C
FOREIGN	FRGN	M
FORM	FORM	M
FOUND	FOUND	M
FREEZE	FREEZE	M
FREQUENCY	FREQ	C
FURTHER	FRTHR	M
GENERAL SERVICES ADMINISTRATION	GSA	P
GENERATION	GNRTN	M
GRANTEE	GRANT	M
GROUP	GROUP	M
HAZARDOUS MATERIALS	HAZMAT	M

**NPDMS Standard Words**

Actual Word	Abbreviation	Category
HEADERS	HDRS	M
HELD	HELD	M
IDENTIFIER	ID	C
IDLE NASA PROPERTY	PROP	P
IMMEDIATE	IMMED	M
IN	IN	M
INDEX	INDEX	M
INDICATOR	IND	C
INFORMATION	INFO	M
INITIATOR	INTR	P
INSTALLATION	INST	M
INSTALLATION FEDERAL ACTIVITY	FEDAAC	M
ADDRESS CODE		
INSTALLATION IDLE ADPE REPORTABLE	ADPEPROP	P
INSTRUCTIONS	INSTRCTNS	M
INTERNAL	INTRNL	M
INVENTORY	INV	M
ITEM	ITEM	M
JOB	JOB	M
JULIAN	JULIAN	M
LAST	LAST	M
LETTER	LTR	M
LIFE	LIFE	M
LOCAL	LOCAL	M
LOCATION	LCTN	M
LOST	LOST	M
LOT	LOT	M
MAIL	MAIL	M
MAINTENENCE	MAINT	M
MANAGER	MNGR	M
MANUFACTURER	MFG	M
MATERIALS	MTRLS	M
MATERIEL MANAGEMENT AGGREGATION	MMAC	M
CODE		
MEMBER 1	MBR1	M
MEMBER 2	MBR2	M
MEMBER 3	MBR3	M
METALS	MTLS	M
METHOD	MTHD	M
MINIMUM	MIN	M
MODEL	MODEL	M

**NPDMS Standard Words**

Actual Word	Abbreviation	Category
MODIFICATION	MDFCTN	M
NAME	NAME	C
NASA EQUIPMENT MANAGEMENT SYSTEM	NEMS	P
NASA EXCESS PROPERTY	EXCSPROP	P
NASA FORM 811	811	M
NASA FORM 812	812	M
NASA HEADQUARTERS	HQ	P
NASA INSTALLATION	INST	P
NASA SUB-INSTALLATION	SUBINST	P
NASA SUPPLY MANAGEMENT SYSTEM	NSMS	P
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION	NASA SPACE ADMINISTRATION	M
NATIONAL ITEM IDENTIFICATION NUMBER	NIIN	M
NATIONAL STOCK NUMBER	NSN	M
NEW	NEW	M
NOTIFICATION	NTFCTN	M
NPDMS WAREHOUSE FACILITY NUMBER	WRHS NMBR	P C
OFFICE	OFC	M
OFFICIAL	OFCL	M
OPTIONAL	OPTNL	M
ORGANIZATION	ORGNZTN	M
OTHER FEDERAL AGENCY	OFA	M
OUTPUT	OUTPUT	M
PACKAGE	PKG	M
PARAMETERS	PRMTRS	M
PART	PART	M
PAYMNET	PYMNT	M
PHONE	PHN	M
PICKUP	PCKP	M
PRECIOUS	PRCS	M
PREVIOUS	PRVS	M
PRICE	PRICE	M
PRINTER	PRNTR	M
PRIORITY	PRTY	M
PROCEEDS	PRCDS	M
PROCESS	PRCS	M
PROCESSING	PRCSNG	M
PROCUREMENT	PRCRMNT	M

**NPDMs Standard Words**

Actual Word	Abbreviation	Category
PROGRAM	PGM	M
PROPERTY	PROP	M
PROPERTY DISPOSAL OFFICER	PDO	P
PROVINCE	PRVNC	M
QUANTITY	QTY	C
RANK	RANK	C
RATE	RATE	C
REASON	RSN	M
RECEIPT	RCPT	M
RECEIVED	RCVD	M
RECEIVING	RCVNG	M
RECIPIENT	RCPNT	M
RECLAMATION	RCLMTN	M
RECORD	REC	M
REFERENCE	RFRNC	M
REFFERRAL	REFER	M
REGION	RGN	M
REGIONAL	RGNL	M
REIMBURSEMENT	REIM	M
RELEASE	RLS	M
REMOVAL	RMVL	M
REPORT	RPT	P
REPORTABLE	RPTBL	M
REPORTING	RPTNG	M
REQUEST	RQST	M
REQUESTOR	RQSTR	P
ROOM	ROOM	M
ROUTING IDENTIFIER CODE	RIC	M
SALE	SALE	M
SCREENING	SCRNG	M
SEND	SEND	M
SENSITIVITY	SNSTVTY	M
SENT	SENT	M
SEQUENCE	SEQ	M
SERIAL	SERIAL	M
SF-120	SF120	M
SHELF	SHELF	M
SHIPMENT	SHPMNT	M
SHIPPING	SHPNG	M
SITE	SITE	M
SPECIAL	SPCL	M

**NPDMS Standard Words**

Actual Word	Abbreviation	Category
STANDARD	STNDRD	M
STATE	STATE	M
STATUS	STS	M
STOCK	STOCK	M
STOP	STOP	M
SUBMISSION	SUBMSN	M
SUPPLY	SPLY	M
SUPPLY EQUIPMENT MANAGEMENT OFFICER	SEMO	M
SURPLUS PROPERTY	SRPLSPROP	P
SURPLUS RELEASE DATE	SRD	M
SURVEY	SRVY	M
SUSPEND	SUSPD	M
SUSPENSE	SPNS	M
SYSTEM	SYS	P
TABLE	TBL	M
TAG	TAG	M
TECHNICAL	TECH	M
TERMINATION	TRMNTN	M
TEXT	TEXT	C
THAW	THAW	M
TIME	TIME	C
TITLE	TITLE	M
TO	TO	M
TOTAL	TOTAL	M
TRANSACTION	TXN	M
TRANSFER	TRNSFR	M
TURN	TURN	M
TYPE	TYPE	M
UNIT OF MEASURE	UOM	M
UNIT	UNIT	M
UPSET	UPSET	M
USER	USER	M
VESTED	VESTED	M
WITHDRAW	WTHDRW	M
WITHDRAWAL	WTHDRWL	M
WITNESS 1	WTNS1	M
WITNESS 2	WTNS2	M
YEAR	YEAR	C
ZIP	ZIP	M